Donna Guirate

From: Mark Shelton

Sent: Tuesday, October 19, 2021 4:49 PM

To: Cheryl Ellis; Patricia M. Lawrence; Donna Guirate; Michael Cowart; Brett Justice

Subject: RE: 2022-1172

Good Afternoon All,

Below is the inventory of the 14 AutoPulse Model 100 that are to traded-in as part of the Striker PO 2022-1172 agreement.

			Date 10/19/2021	
Trade-in as part of Stryker PO # 2022-				
1172				
AutoPulse		Inventory		
	AutoPulse Model #	Serial #	MFR Date	
1	100 Platform	20500	2008	
2	100 Platform	20501	2008	
3	100 Platform	20502	2007	
4	100 Platform	20503	2008	
5	100 Platform	20504	2008	
6	100 Platform	20505	2008	
7	100 Platform	20506	2008	
8	100 Platform	20507	2008	
9	100 Platform	20508	2015	
10	100 Platform	20509	2008	
11	100 Platform	20510	2008	
12	100 Platform	20511	2007	
13	100 Platform	20512	2008	
14	100 Platform	21946	2008	

From: Cheryl Ellis

Sent: Tuesday, October 19, 2021 3:50 PM

To: Mark Shelton <mshelton@alachuacounty.us>; Patricia M. Lawrence <PML@alachuaclerk.org>; Donna Guirate

<dguirate@alachuacounty.us>; Michael Cowart <mcowart@alachuacounty.us>; Brett Justice

<bjustice@alachuacounty.us>

Subject: RE: 2022-1172

Could create a list of the items with the Make/Model/serial numbers/etc. for the trade in purposes?



Cheryl Ellis

Asst Director, Finance and Admin Fire Rescue 911 SE 5th ST • Gainesville • FL • 32601 352-384-3101 (office) • 352-494-9445 (mobile)













PLEASE NOTE: Florida has a very broad public records law (F.S.119).
All e-mails to and from County Officials and County Staff are kept as public records. Your e-mail communications, including your e-mail address, may be disclosed to the public and media at any time.

From: Mark Shelton < mshelton@alachuacounty.us >

Sent: Tuesday, October 19, 2021 3:44 PM

To: Patricia M. Lawrence < PML@alachuaclerk.org >; Donna Guirate < dguirate@alachuacounty.us >; Michael Cowart

<mcowart@alachuacounty.us>; Brett Justice <bjustice@alachuacounty.us>

Cc: Cheryl Ellis <canderson@alachuacounty.us>

Subject: RE: 2022-1172

Captain Tannachion may have had more information on the AutoPulse donation. I found the e-mail below that he sent back in February 2013, if that helps anyone track down more information.

From: Charles A. Tannachion

Sent: Wednesday, February 27, 2013 2:28 PM

To: Fire Rescue **Subject:** Equipment

- 1) We have distributed the AutoPulses to all Rescues. Crews should be familiarizing themselves with them and placing the soft stretchers underneath the platform folded for proper deployment. Crews on each rescue should be discussing where to place the AutoPulse on the on the truck and come to some agreement so it is not moved every shift. On Friday March 1st we will begin use of the devices, Shands and North Florida Regional emergency department personnel have seen the device, how it operates and have been told not to cut the band or the straps. They have also been told that Rescue Lieutenants will be close by to assist in operation of the device while also giving ED staff necessary patient information and been told that it is unknown how much battery life will be left when you arrive in the ED. There may be times that you may need to return to retrieve your AutoPulse at the hospital because of the need to respond to another call. AutoPulse has been added to Asystole/PEA Protocol and VFib/Pulseless Vtach Protocol.
- 2) The Lactate Scouts have also been distributed to the Rescues. Again, please come to a common agreement as to where they should be kept. The intervention for the Lactate Scout has been added to our patient care reporting software. Under "Comments" you will need to mark "Multiple Selection" "Research Analysis Only" and then the appropriate numerical reading That coincides with that indicated on the Lactate Scout.
- 3) Any questions, concerns or comments please contact training.

Charles Tannachion
Training Captain
Alachua County Fire Rescue

352-384-3114, Office

From: Patricia M. Lawrence < PML@alachuaclerk.org>

Sent: Tuesday, October 19, 2021 2:55 PM

To: Mark Shelton < mshelton@alachuacounty.us; Donna Guirate < dguirate@alachuacounty.us; Michael Cowart

<mcowart@alachuacounty.us>; Brett Justice

bjustice@alachuacounty.us>

Cc: Cheryl Ellis < canderson@alachuacounty.us >

Subject: RE: 2022-1172

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Do we have something so I can verify as I want to make sure it isn't in the system based on the comments below it sounds like they aren't do you have any information on the donation of these items.

Pat

From: Mark Shelton <mshelton@alachuacounty.us>

Sent: Tuesday, October 19, 2021 2:40 PM

To: Donna Guirate dguirate@alachuacounty.us; Brett Justice

<bjustice@alachuacounty.us>

Cc: Cheryl Anderson < canderson@alachuacounty.us >; Patricia M. Lawrence < PML@alachuaclerk.org >

Subject: RE: 2022-1172

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Donna,

Good Afternoon,

I know the Auotpulse units were donated a few years back. I just looked at a few and there are no county ID numbers associated with the ones I looked at.

They are also not on the Capital Inventory search list that the Clerks Office uses for ACFR inventory either.



Mark Shelton

Program Manager Fire Rescue 5900 NW 13th Street • Gainesville • FL • 32653 352-334-0403 (office) • 352-334-0140(fax)













PLEASE NOTE: Florida has a very broad public records law (F.S.119). All e-mails to and from County Officials and County Staff are kept as public records. Your e-mail

communications, including your e-mail address, may be disclosed to the public and media at any time.

From: Donna Guirate

Sent: Tuesday, October 19, 2021 2:09 PM

To: Michael Cowart < <u>mcowart@alachuacounty.us</u>>; Mark Shelton < <u>mshelton@alachuacounty.us</u>>; Brett Justice

<bjustice@alachuacounty.us>

Cc: Cheryl Ellis < canderson@alachuacounty.us>; Patricia M. Lawrence < PML@alachuaclerk.org>

Subject: FW: 2022-1172

Good afternoon,

Do any of you all have the trade-in information available for the Zoll Autopulse units referenced in the attached quote? F&A is needing to determine if they are assets so that they can remove them from the system.

Thank you, Donna Guirate



Donna Guirate

Senior Administrative Assistant, Office Hours: M-TH, 0700-1700

Fire Rescue

911 SE 5th St • Gainesville • FL • 32601

352-384-3125 (office) • 352-214-4263 (mobile)











PLEASE NOTE: Florida has a very broad public records law (F.S.119). All e-mails to and from County Officials and County Staff are kept as public records. Your e-mail communications, including your e-mail address, may be disclosed to the public and media at any time.

From: Patricia M. Lawrence < PML@alachuaclerk.org>

Sent: Tuesday, October 19, 2021 9:12 AM

To: Donna Guirate <dguirate@alachuacounty.us>; Cheryl Ellis <canderson@alachuacounty.us>

Subject: 2022-1172

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Hi Donna,

I see on this PO there is a credit for trade ins we will need to know the items to make sure if they are assets that we take them off the system.

Thanks,

Pat