

Florida Sheriffs Association FSA19-VEH17.0 : Heavy Trucks and Equipment						Zones			
Item #	Group	Item	Quantity	Unit of Measure	Required	Western	Northern	Central	Southern
		Make: John Deere Model: 850L Model #: 850L Description: ENGINE: Minimum 6 cylinder 180 H.P. diesel engine. TRANSMISSION: Power shift or hydrostatic drive; Power shift to have 3 forward and reverse gear ranges minimum; Hydrostatic drive to be variable. UNDERCARRIAGE: 7 rollers each side minimum; Top roller each side minimum; Manufacturers standard length track; Manufacturers standard track width; 24" grouser width. DOZER BLADE: 128" wide; 48" high; 2.5 cubic yard blade capacity; PAT type blade, power angle and tilt, hydraulically controlled. OPERATING WEIGHT: Minimum Operating Weight - 43,000 lbs. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
1	BULLDOZER: 180HP Bulldozer Tractor with Canopy		1	each	No				
1		Dobbs Equipment, LLC Riverview, FL View Quote				\$302,650.00	\$302,650.00	\$302,650.00	\$302,650.00
		Make: Komatsu Model: D625PX-18 Model #: D625PX-18 Description: ENGINE: Minimum 6 cylinder 180 H.P. diesel engine. TRANSMISSION: Power shift or hydrostatic drive; Power shift to have 3 forward and reverse gear ranges minimum; Hydrostatic drive to be variable. UNDERCARRIAGE: 7 rollers each side minimum; Top roller each side minimum; Manufacturers standard length track; Manufacturers standard track width; 24" grouser width. DOZER BLADE: 128" wide; 48" high; 2.5 cubic yard blade capacity; PAT type blade, power angle and tilt, hydraulically controlled. OPERATING WEIGHT: Minimum Operating Weight - 43,000 lbs. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
2	BULLDOZER: 180HP Bulldozer Tractor with Canopy		1	each	No				
		Make: John Deere Model: 650K Model #: 650K Description: ENGINE: Minimum 4-cylinder 90 Net HP. TRANSMISSION: Hydrostatic, infinitely variable speed; Constantly variable. UNDERCARRIAGE: Minimum 6 rollers; Standard grouser minimum of 18"; Top roller, each side. DOZER: Minimum 104" wide; Minimum 36" high; Minimum 2.5 CU YD blade capacity; Power, angle, tilt (PAT) type blade. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
3	BULLDOZER: 90HP Bulldozer Tractor with Canopy		1	each	No				
3		Dobbs Equipment, LLC Riverview, FL View Quote				\$119,750.00	\$119,750.00	\$119,750.00	\$119,750.00
		Make: Komatsu Model: D39PX-24 Model #: D39PX-24							

		Description: ENGINE: Minimum 4-cylinder 90 Net HP. TRANSMISSION: Hydrostatic, infinitely variable speed; Constantly variable. UNDERCARRIAGE: Minimum 6 rollers; Standard grouser minimum of 18"; Top roller, each side. DOZER: Minimum 104" wide; Minimum 36" high; Minimum 2.5 CU YD blade capacity; Power, angle, tilt (PAT) type blade. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
4	BULLDOZER: 90HP Bulldozer Tractor with Canopy		1 each	No					
5	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2	Make: Chevrolet Model: Silverado 3500HD Crew Cab Model #: CC31043 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
5		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$30,825.00	\$30,715.00	\$30,775.00	\$30,825.00
5		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$28,527.91	\$28,527.91	\$28,527.91	\$28,527.91
5		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$27,124.95	\$27,524.95	\$27,524.95	\$27,724.95
5		Coggin Chevrolet LLC DBA: Coggin Chevrolet Jacksonville, FL View Quote				\$26,473.00	\$26,273.00	\$26,273.00	\$23,473.00
5		Garber Chevrolet Buick GMC, Inc. Green Cove Springs, FL View Quote				\$28,746.00	\$28,646.00	\$28,696.00	\$28,746.00
		Make: Chevrolet Model: Silverado 3500HD Regular Cab Model #: CC31003							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
6	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2		1 each	No					
6		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$32,873.00	\$32,763.00	\$32,823.00	\$32,873.00
6		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$23,788.15	\$23,788.15	\$23,788.15	\$23,788.15
6		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$23,571.17	\$23,971.17	\$23,971.17	\$24,171.17
6		Coggin Chevrolet LLC DBA: Coggin Chevrolet Jacksonville, FL View Quote				\$22,711.00	\$22,511.00	\$22,511.00	\$22,711.00
6		Garber Chevrolet Buick GMC, Inc. Green Cove Springs, FL View Quote				\$25,194.00	\$25,094.00	\$25,144.00	\$25,194.00
		Make: Ford Model: F-350 Regular Cab Model #: F3G							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
	CAB AND CHASSIS TRUCKS: 1 Ton Cab & 7 Chassis (DRW) 4X2		1 each	No					
7		BOZARD FORD ST AUGUSTINE, FL View Quote				\$23,743.00	\$23,743.00	\$23,743.00	\$23,743.00
7		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00	\$23,727.00	\$23,727.00
7		Beck Ford Lincoln Palatka, FL View Quote				\$27,314.00	\$27,214.00	\$27,264.00	\$27,314.00
7		Duval Ford LLC JACKSONVILLE, FL View Quote				\$23,294.00	\$23,294.00	\$23,294.00	\$23,294.00
7		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$24,641.03	\$24,641.03	\$24,641.03	\$24,841.03
7		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$22,484.00	\$22,285.00	\$22,085.00	\$22,085.00
7		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$26,590.00	\$26,490.00	\$26,540.00	\$26,590.00
		Make: GMC Model: Sierra 3500HD Crew Cab Model #: TC31043							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
8	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2		1 each	No					
8		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$31,843.00	\$31,733.00	\$31,733.00	\$31,843.00
8		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$28,693.44	\$29,093.44	\$29,093.44	\$29,293.44
9	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2	Make: GMC Model: Sierra 3500HD Regular Cab Model #: TC31003 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
9		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$29,114.00	\$29,004.00	\$29,064.00	\$29,114.00
9		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$24,955.13	\$25,355.13	\$25,355.13	\$25,555.13

		Make: Ram Model: 3500 Regular Cab Model #: DD3L63 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
10	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2		1 each	No					
10		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$30,642.00	\$30,532.00	\$30,592.00	\$30,642.00
10		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$26,388.80	\$26,188.80	\$26,188.80	\$26,388.80
10		Garber Chrysler Dodge Jeep Ram Green Cove Springs, FL View Quote				\$26,396.00	\$26,296.00	\$26,296.00	\$26,396.00
11	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4	Make: Chevrolet Model: Silverado 3500HD Crew Cab Model #: CK31043 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					

		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote							
11						\$32,847.00	\$32,737.00	\$32,797.00	\$32,847.00
		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote							
11						\$29,284.07	\$29,284.07	\$29,284.07	\$29,284.07
		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote							
11						\$29,101.35	\$29,501.35	\$29,501.35	\$29,701.35
		Coggin Chevrolet LLC DBA: Coggin Chevrolet Jacksonville, FL View Quote							
11						\$27,944.00	\$27,944.00	\$27,944.00	\$28,144.00
		Garber Chevrolet Buick GMC, Inc. Green Cove Springs, FL View Quote							
11						\$30,696.00	\$30,596.00	\$30,646.00	\$30,696.00
		Make: Chevrolet Model: Silverado 3500HD Regular Cab Model #: CK31003 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
12	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4		1 each	No					
		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote							
12						\$29,751.00	\$29,641.00	\$297,010.00	\$29,751.00
		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote							
12						\$25,752.30	\$25,752.30	\$25,752.30	\$25,752.30
		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote							
12						\$25,547.56	\$25,947.56	\$25,947.56	\$26,147.56
		Coggin Chevrolet LLC DBA: Coggin Chevrolet Jacksonville, FL View Quote							
12						\$24,685.00	\$24,485.00	\$24,485.00	\$24,685.00
		Garber Chevrolet Buick GMC, Inc. Green Cove Springs, FL View Quote							
12						\$27,168.00	\$27,068.00	\$27,118.00	\$27,168.00
		Make: Ford Model: F-350 Regular Cab Model #: F3H							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
13	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4		1 each	No					
13		BOZARD FORD ST AUGUSTINE, FL View Quote				\$27,090.00	\$27,090.00	\$27,090.00	\$27,090.00
13		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00	\$26,994.00	\$26,994.00
13		Beck Ford Lincoln Palatka, FL View Quote				\$30,823.00	\$30,713.00	\$30,773.00	\$30,823.00
13		Duval Ford LLC JACKSONVILLE, FL View Quote				\$26,666.00	\$26,666.00	\$26,666.00	\$26,666.00
13		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$28,027.08	\$28,027.08	\$28,027.08	\$28,227.08
13		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$25,757.00	\$25,657.00	\$25,457.00	\$25,457.00
13		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$29,962.00	\$29,862.00	\$29,912.00	\$29,962.00
		Make: GMC Model: Sierra 3500HD Crew Cab Model #: TK31043							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
14	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4		1 each	No					
14		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$33,905.00	\$33,795.00	\$33,855.00	\$33,905.00
14		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$30,669.83	\$31,069.83	\$31,069.83	\$31,269.83
15	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4	Make: GMC Model: Sierra 3500HD Regular Cab Model #: TK31003 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
15		Beck Chevrolet Buick GMC LLC Palatka, FL View Quote				\$31,176.00	\$31,066.00	\$31,126.00	\$31,176.00
15		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$26,931.52	\$27,331.52	\$27,331.52	\$27,531.52

		Make: Ram Model: 3500 Regular Cab Model #: DD8L63 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Air conditioning; 2 - keys and/or fobs; Limited slip or locking differential. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination; Manufacturer's standard transfer case. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Four-wheel anti-lock brake ABS system. TIRES AND WHEELS: Manufacturer's standard tires and wheels. CHASSIS, FRAME, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
16	CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4		1 each	No					
16		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$35,639.00	\$35,329.00	\$35,389.00	\$35,439.00
16		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$28,682.71	\$28,482.71	\$28,482.71	\$28,682.71
16		Garber Chrysler Dodge Jeep Ram Green Cove Springs, FL View Quote				\$29,496.00	\$29,396.00	\$29,396.00	\$29,496.00
		Make: Chevrolet Model: Silverado 4500HD Crew Cab WT Model #: CC56043 /CSB Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price							

	CAB AND CHASSIS TRUCKS: 15,000 LB	Brand Name/Equal Value/Service: Brand							
17	GVWR Cab & Chassis (DRW) 4X2	Name Only	1 each	No					
		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$41,824.48	\$41,824.48	\$41,824.48	\$41,824.48
17		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$41,223.71	\$41,623.71	\$41,623.71	\$41,823.71
		Make: Chevrolet Model: Silverado 4500HD Regular Cab WT Model #: CC56403 /CSB Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand							
18	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2	Name Only	1 each	No					
		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$38,405.07	\$38,405.07	\$38,405.07	\$38,405.07
		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$37,809.58	\$38,209.58	\$38,209.58	\$38,409.58
		Make: Ford Model: F-450 Crew Cab Model #: W4G							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
19	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
19		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
19		Beck Ford Lincoln Palatka, FL View Quote				No Bid	No Bid	\$39,494.00	\$39,494.00
19		Duval Ford LLC JACKSONVILLE, FL View Quote				\$43,220.00	\$43,110.00	\$43,170.00	\$43,220.00
19		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$37,772.00	\$37,494.00	\$37,494.00	\$37,772.00
19		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$40,381.65	\$40,381.65	\$40,381.65	\$40,581.65
19		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$37,405.00	\$37,305.00	\$37,105.00	\$37,105.00
19						\$42,267.00	\$42,167.00	\$42,217.00	\$42,267.00
		Make: Ford Model: F-450 Regular Cab Model #: F4G							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
20	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
20		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
20		Beck Ford Lincoln Palatka, FL View Quote				No Bid	No Bid	\$36,623.00	\$36,623.00
20		Duval Ford LLC JACKSONVILLE, FL View Quote				\$39,977.00	\$39,867.00	\$39,977.00	\$39,977.00
20		Duval Ford LLC JACKSONVILLE, FL View Quote				\$34,990.00	\$34,712.00	\$34,712.00	\$34,990.00
20		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$37,588.44	\$37,588.44	\$37,588.44	\$37,788.44
20		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$34,370.00	\$34,270.00	\$34,170.00	\$34,170.00
20		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$39,485.00	\$39,385.00	\$39,435.00	\$39,485.00
		Make: Ford Model: F-450 Super Cab Model #: X4G							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
21	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
21		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
21		Beck Ford Lincoln Palatka, FL View Quote				No Bid	No Bid	\$38,643.00	\$38,643.00
21		Duval Ford LLC JACKSONVILLE, FL View Quote				\$45,743.00	\$45,633.00	\$45,693.00	\$45,743.00
21		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$37,010.00	\$36,732.00	\$36,732.00	\$37,010.00
21		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$39,616.83	\$39,616.83	\$39,616.83	\$39,816.83
21		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$36,542.00	\$36,442.00	\$36,342.00	\$36,342.00
21						\$41,505.00	\$41,405.00	\$41,455.00	\$41,505.00
		Make: International Model: CV Model #: 515							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
22	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
22		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00	\$43,495.00	\$0.00
22		Maudlin International Trucks LLC Orlando, FL View Quote				No Bid	No Bid	No Bid	No Bid
22		Rechtien International Trucks, Inc. Miami, FL View Quote				\$44,500.00	\$43,500.00	\$43,500.00	\$0.00
22						\$0.00	\$0.00	\$0.00	\$43,136.00
23	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2	Make: Ram Model: 4500 Crew Cab Model #: DP4L93 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
23		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$46,305.00	\$46,195.00	\$46,255.00	\$46,305.00

23		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$42,185.53	\$41,985.53	\$41,985.53	\$42,185.53
		Make: Ram Model: 4500 Regular Cab Model #: DP4L63 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
24	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2	Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$40,279.00	\$40,169.00	\$40,229.00	\$40,279.00
24		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$39,274.54	\$39,074.54	\$39,074.54	\$39,274.54
		Make: Chevrolet Model: Silverado 4500HD Crew Cab 4x4 WT Model #: CK56043/C5B Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately.							

	CAB AND CHASSIS TRUCKS: 15,000 LB 25 GVWR Cab & Chassis (DRW) 4X4	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
25		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$45,007.14	\$45,007.14	\$45,007.14
25		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$44,450.76	\$44,850.76	\$44,850.76
26	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4	Make: Chevrolet Model: Silverado 4500HD Regular Cab 4x4 WT Model #: CK56403/C5B Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
26		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$41,064.16	\$41,064.16	\$41,064.16
26		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$40,483.41	\$40,883.41	\$40,883.41
		Make: Ford Model: F-450 Crew Cab Model #: W4H						

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
27	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No					
27		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
27		Beck Ford Lincoln Palatka, FL View Quote				No Bid	No Bid	\$42,797.00	\$42,797.00
27		Duval Ford LLC JACKSONVILLE, FL View Quote				\$46,760.00	\$46,650.00	\$46,710.00	\$46,760.00
27		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$41,174.00	\$40,896.00	\$40,896.00	\$41,174.00
27		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$43,798.05	\$43,798.05	\$43,798.05	\$43,998.05
27		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$40,706.00	\$40,606.00	\$40,506.00	\$40,506.00
27						\$45,668.00	\$45,568.00	\$45,618.00	\$45,668.00
		Make: Ford Model: F-450 Regular Cab Model #: F4H							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
28	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No					
28		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
28		Beck Ford Lincoln Palatka, FL View Quote				No Bid	No Bid	\$39,481.00	\$39,481.00
28		Duval Ford LLC JACKSONVILLE, FL View Quote				\$43,212.00	\$43,102.00	\$43,162.00	\$43,212.00
28		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$37,859.00	\$37,581.00	\$37,581.00	\$37,859.00
28		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$40,468.65	\$40,468.65	\$40,468.65	\$40,668.65
28		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$37,038.00	\$36,938.00	\$36,838.00	\$36,838.00
28						\$42,352.00	\$42,252.00	\$42,302.00	\$42,352.00
		Make: Ford Model: F-450 Super Cab Model #: X4H							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
29	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No		\$0.00	\$0.00		
29		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				No Bid	No Bid	\$42,037.00	\$42,037.00
29		Beck Ford Lincoln Palatka, FL View Quote				\$46,044.00	\$45,934.00	\$45,994.00	\$46,044.00
29		Duval Ford LLC JACKSONVILLE, FL View Quote				\$40,415.00	\$40,137.00	\$40,137.00	\$40,415.00
29		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$43,035.25	\$43,035.25	\$43,035.25	\$43,235.25
29		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$39,745.00	\$39,645.00	\$39,545.00	\$39,545.00
29		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$44,910.00	\$44,810.00	\$44,860.00	\$44,910.00
		Make: International Model: CV Model #: 515							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
30	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No					
30		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00		\$0.00
30		Maudlin International Trucks LLC Orlando, FL View Quote				No Bid	No Bid	\$47,595.00	No Bid
30		Rechtien International Trucks, Inc. Miami, FL View Quote				\$48,600.00	\$47,600.00	\$47,600.00	\$0.00
30						\$0.00	\$0.00	\$0.00	\$46,907.00
31	CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4	Make: Ram Model: 4500 Regular Cab Model #: DP9L63 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available. ENGINE: Manufacturer's standard diesel engine; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; COMFORT ITEMS: Air conditioning; 2 - keys and or fobs; Manufacturer's standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors. BRAKES: 4-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer's standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
31		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$43,257.00	\$43,147.00	\$43,207.00	\$43,257.00

31		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$42,361.98	\$42,161.98	\$42,161.98	\$42,361.98
32	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X2	Make: Chevrolet Model: Silverado 5500HD Regular Cab WT Model #: CC56403/GZX Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air Conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
32		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$37,896.98	\$37,896.98	\$37,896.98	\$37,896.98
32		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$37,269.55	\$37,669.55	\$37,669.55	\$37,869.55
		Make: Ford Model: F-550 Regular Cab Model #: F5G Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air Conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum.							

	CAB AND CHASSIS TRUCKS: 17,500 LB	Price/Percent: Price							
33	GVWR Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
33		BOZARD FORD ST AUGUSTINE, FL View Quote				\$36,498.00	\$36,498.00	\$36,498.00	\$36,498.00
33		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00		
						No Bid	No Bid	\$37,087.00	\$37,087.00
33		Beck Ford Lincoln Palatka, FL View Quote				\$41,183.00	\$41,063.00	\$41,123.00	\$41,183.00
33		Duval Ford LLC JACKSONVILLE, FL View Quote				\$35,959.00	\$35,681.00	\$35,681.00	\$35,959.00
33		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$38,560.65	\$38,560.65	\$38,560.65	\$38,760.65
33		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$34,900.00	\$34,900.00	\$34,900.00	\$34,900.00
33		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$40,452.00	\$40,352.00	\$40,402.00	\$40,452.00
		Make: International Model: CV Model #: 515 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air Conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
34	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X2					\$0.00	\$0.00		\$0.00
34		Sun State International Trucks Tampa, FL View Quote				No Bid	No Bid	\$45,990.00	No Bid
34		Maudlin International Trucks LLC Orlando, FL View Quote				\$47,000.00	\$46,000.00	\$46,000.00	\$0.00
34		Rechtien International Trucks, Inc. Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$45,367.00
		Make: Peterbilt Model: 325 Model #: 325							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air Conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
35	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
		Make: Ram Model: 5500 Regular Cab Model #: DP5L63 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air Conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
36	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
36		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$39,268.00	\$39,158.00	\$39,218.00	\$39,268.00
36		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$40,244.53	\$40,044.53	\$40,044.53	\$40,244.53
		Make: Chevrolet Model: Silverado 5500HD Regular Cab 4x4 WT Model #: CK56403/GZX							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, If available. ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard tinted glass all around; Manufacturer's standard AM/FM stereo; power windows, power door locks, and keyless entry (if available); Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
37	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No					
37		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$40,529.28	\$40,529.28	\$40,529.28	\$40,529.28
37		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$39,945.20	\$40,345.20	\$40,345.20	\$40,545.20
38	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4	Make: Ford Model: F-550 Regular Cab Model #: F5H Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, If available. ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
38		BOZARD FORD ST AUGUSTINE, FL View Quote				\$39,858.00	\$39,858.00	\$39,858.00	\$39,858.00
38		Asbury Jax Ford, LLC DBA: Coggin Ford Jacksonville, FL View Quote				\$0.00	\$0.00	\$39,965.00	\$39,965.00
						No Bid	No Bid		

38		Beck Ford Lincoln Palatka, FL View Quote				\$44,258.00	\$44,148.00	\$44,208.00	\$44,258.00
38		Duval Ford LLC JACKSONVILLE, FL View Quote				\$38,836.00	\$38,558.00	\$38,558.00	\$38,836.00
38		Alan Jay Ford Lincoln Mercury, Inc. SEBRING, FL View Quote				\$41,449.97	\$41,449.97	\$41,449.97	\$41,649.97
38		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$37,715.00	\$37,715.00	\$37,715.00	\$37,715.00
38		Garber Ford Inc GREEN COVE SPRINGS, FL View Quote				\$43,330.00	\$43,230.00	\$43,280.00	\$43,330.00
39	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4	Make: International Model: CV Model #: 515 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, If available. ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
39		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00	\$49,700.00	\$0.00
39		Maudlin International Trucks LLC Orlando, FL View Quote				No Bid	No Bid	\$49,700.00	No Bid
39		Rechtien International Trucks, Inc. Miami, FL View Quote				\$50,750.00	\$49,750.00	\$49,750.00	\$0.00
39		Rechtien International Trucks, Inc. Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$49,113.00
		Make: Ram Model: 5500 Regular Cab Model #: DP0L63							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, If available. ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4-wheel ABS system; Front brakes disc type, rear brakes may be drum or disc. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 25 gallons minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
40	CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4		1 each	No					
40		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$44,317.00	\$44,207.00	\$44,267.00	\$44,317.00
40		Alan Jay Enterprises of Wauchula, Inc d/b/a Alan Jay Chrysler Jeep Dodge of Wauchula SEBRING, FL View Quote				\$43,333.00	\$43,133.00	\$43,133.00	\$43,333.00
41	CAB AND CHASSIS TRUCKS: 25,500 LB GVWR Cab & Chassis (DRW) 4X2	Make: Ford Model: F-650 Regular Cab Model #: F6D Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 25,500 lbs. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Air Conditioning; 2 - Keys and/or fobs; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 25,500 lb GVWR. CHASSIS, FRAME, CAB: Minimum 25,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
41		BOZARD FORD ST AUGUSTINE, FL View Quote				\$48,918.00	\$48,918.00	\$48,918.00	\$48,918.00
41		Duval Ford LLC JACKSONVILLE, FL View Quote				\$48,792.00	\$48,792.00	\$48,792.00	\$48,792.00

41		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$47,350.00	\$47,350.00	\$47,350.00	\$47,350.00
42	CAB AND CHASSIS TRUCKS: 25,500 LB GVWR Cab & Chassis (DRW) 4X2	Make: International Model: MV Model #: 607 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 25,500 lbs. COMFORT ITEMS: Manufacturer's standard AM/FM stereo; Air Conditioning; 2 - Keys and/or fobs; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 25,500 lb GVWR. CHASSIS, FRAME, CAB: Minimum 25,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
42		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00		\$0.00
42		Maudlin International Trucks LLC Orlando, FL View Quote				No Bid	No Bid	\$62,450.00	No Bid
42		Rechtien International Trucks, Inc. Miami, FL View Quote				\$63,750.00	\$62,750.00	\$62,750.00	\$0.00
42						\$0.00	\$0.00	\$0.00	\$62,146.00
		Make: Ford Model: F-750 Regular Cab Model #: F7D Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 30,000 lbs. COMFORT ITEMS: Air Conditioning; 2 - Keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 30,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 30,000 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price							

	CAB AND CHASSIS TRUCKS: 30,000 LB	Brand Name/Equal Value/Service: Brand							
43	GVWR Cab & Chassis (DRW) 4X2	Name Only	1 each	No					
		BOZARD FORD ST AUGUSTINE, FL View Quote				\$49,682.00	\$49,682.00	\$49,682.00	\$49,682.00
43		Duval Ford LLC JACKSONVILLE, FL View Quote				\$49,789.00	\$49,789.00	\$49,789.00	\$49,789.00
		Palmetto Ford Truck Sales, Inc. Miami, FL View Quote				\$47,850.00	\$47,850.00	\$47,850.00	\$47,850.00
		Make: International Model: MV Model #: 607 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 30,000 lbs. COMFORT ITEMS: Air Conditioning; 2 - Keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 30,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 30,000 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price							
44	CAB AND CHASSIS TRUCKS: 30,000 LB GVWR Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00		\$0.00
44						No Bid	No Bid	\$63,450.00	No Bid
		Maudlin International Trucks LLC Orlando, FL View Quote				\$64,750.00	\$63,750.00	\$63,750.00	\$0.00
		Rechtien International Trucks, Inc. Miami, FL View Quote				\$0.00	\$0.00	\$0.00	
44									\$62,803.00
		Make: Mack Model: MHD Model #: MHD							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 30,000 lbs.COMFORT ITEMS: Air Conditioning; 2 - Keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 30,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 30,000 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
45	CAB AND CHASSIS TRUCKS: 30,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
		Make: Peterbilt Model: 337 Model #: 337 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Diesel engine, minimum 200 HP. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 30,000 lbs.COMFORT ITEMS: Air Conditioning; 2 - Keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 30,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 30,000 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
46	CAB AND CHASSIS TRUCKS: 30,000 LB GVWR Cab & Chassis (DRW) 4X2		1 each	No					
46		Rush Truck Centers of Florida, Inc. Wilmington, DE View Quote				\$70,748.60	\$70,748.60	\$70,748.60	\$0.00
46		Palm Peterbilt Truck Centers Inc Ft Lauderdale, FL View Quote				\$0.00	\$0.00	\$0.00	\$71,916.00
		Make: International Model: HV Model #: 613							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air filter restriction monitor - intake mounted. CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Load platform - 161" 56" AF; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent; 5th wheel - stationary with left hand release. SAFETY: Horn - single air trumpet; Mirrors - West Coast for 102" trailer widths to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm; Electrical plug holder includes glad hand storage; Tractor package to include valves, trailer lines & frame Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
47	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor		1 each	No					
47		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00		\$0.00
47		Maudlin International Trucks LLC Orlando, FL View Quote				No Bid	No Bid	\$92,750.00	No Bid
47		Rechtien International Trucks, Inc. Miami, FL View Quote				\$93,800.00	\$92,800.00	\$92,800.00	\$0.00
47						\$0.00	\$0.00	\$0.00	\$89,648.00
48	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor	Make: International Model: HX Model #: 62F Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air filter restriction monitor - intake mounted. CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Load platform - 161" 56" AF; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent; 5th wheel - stationary with left hand release. SAFETY: Horn - single air trumpet; Mirrors - West Coast for 102" trailer widths to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm; Electrical plug holder includes glad hand storage; Tractor package to include valves, trailer lines & frame Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
48		Sun State International Trucks Tampa, FL View Quote				\$0.00	\$0.00		\$0.00
		Maudlin International Trucks LLC Orlando, FL				No Bid	No Bid	\$104,975.00	No Bid

48		View Quote				\$106,000.00	\$105,000.00	\$105,000.00	\$0.00
		Rechtien International Trucks, Inc. Miami, FL							
48		View Quote				\$0.00	\$0.00	\$0.00	\$103,522.00
		Make: Mack Model: AN or G Series Model #: AN or G Series Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air filter restriction monitor - intake mounted. CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Load platform - 161" 56" AF; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent; 5th wheel - stationary with left hand release. SAFETY: Horn - single air trumpet; Mirrors - West Coast for 102" trailer widths to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm; Electrical plug holder includes glad hand storage; Tractor package to include valves, trailer lines & frame Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
49	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor		1 each	No					
		Nexttran Truck Centers Jacksonville, FL							
49		View Quote				\$103,900.00	\$103,900.00	\$103,900.00	\$103,900.00
		Make: Volvo Model: V Series Model #: V Series Specifications entry in FSA19-VEH17.0 Heavy Trucks and Equipment VendorLink for specifications 50 and 51 Volvo V Series. To resolve this issue, FSA shall complete a combined single bid evaluation and bid award for these specifications since they are duplicates and represent the same vehicle. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air filter restriction monitor - intake mounted. CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Load platform - 161" 56" AF; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent; 5th wheel - Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
50	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor		1 each	No					
		TRUCKMAX, INC. MIAMI, FL							
50		View Quote				\$100,252.00	\$100,252.00	\$98,752.00	\$98,752.00
		Nexttran Truck Centers							

50	Jacksonville, FL View Quote				\$102,995.00	\$102,995.00	\$102,995.00	\$102,995.00
51	Make: Volvo Model: V Series Model #: V Series Specifications entry in FSA19-VEH17.0 Heavy Trucks and Equipment VendorLink for specifications 50 and 51 Volvo V Series. To resolve this issue, FSA shall complete a combined single bid evaluation and bid award for these specifications since they are duplicates and represent the same vehicle. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air filter restriction monitor - intake mounted. CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Load platform - 161" 56" AF; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent; 5th wheel - Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
51	GENERAL GMC TRUCK SALES & SERVICE, INC WPB, FL View Quote				\$98,642.00	\$98,642.00	\$98,642.00	\$98,642.00
51	TRUCKMAX, INC. MIAMI, FL View Quote				\$100,252.00	\$100,252.00	\$98,752.00	\$98,752.00
51	Nextran Truck Centers Jacksonville, FL View Quote				\$102,995.00	\$102,995.00	\$102,995.00	\$102,995.00
	Make: International Model: HV Model #: 613 Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air restriction monitor - intake mounted, CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Steering wheel - 18" two spoke; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension; REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with Price/Percent: Price							

	CAB AND CHASSIS TRUCKS: 52,000 LB	Brand Name/Equal Value/Service: Brand							
52	GVWR Cab & Chassis Truck 4X6	Name Only	1 each	No					
		Sun State International Trucks				\$0.00	\$0.00		\$0.00
52		Tampa, FL View Quote				No Bid	No Bid	\$91,620.00	No Bid
		Maudlin International Trucks LLC							
52		Orlando, FL View Quote				\$92,650.00	\$91,650.00	\$91,650.00	\$0.00
		Rechtien International Trucks, Inc.							
52		Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$89,363.00
		Make: International Model: HX Model #: 62F Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air restriction monitor - intake mounted, CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Steering wheel - 18" two spoke; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension; REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with Price/Percent: Price Brand Name/Equal Value/Service: Brand							
53	CAB AND CHASSIS TRUCKS: 52,000 LB	Name Only	1 each	No					
	GVWR Cab & Chassis Truck 4X6					\$0.00	\$0.00		\$0.00
53		Sun State International Trucks				No Bid	No Bid	\$102,250.00	No Bid
		Tampa, FL View Quote							
		Maudlin International Trucks LLC							
53		Orlando, FL View Quote				\$103,500.00	\$102,500.00	\$102,500.00	\$0.00
		Rechtien International Trucks, Inc.							
53		Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$100,600.00
		Make: Mack Model: AN or G Series Model #: AN or G Series							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air restriction monitor - intake mounted, CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Steering wheel - 18" two spoke; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension; REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
54	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis Truck 4X6		1 each	No					
54		Nextran Truck Centers Jacksonville, FL View Quote				\$110,980.00	\$110,980.00	\$110,980.00	\$110,980.00
		Make: Mack Model: MHD Model #: MHD Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air restriction monitor - intake mounted, CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Steering wheel - 18" two spoke; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension; REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
55	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis Truck 4X6		1 each	No					
		Make: Volvo Model: V Series Model #: V Series							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD. ENGINE EQUIPMENT: Air restriction monitor - intake mounted, CAB: Floor covering - black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Steering wheel - 18" two spoke; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVW and mounted body of truck; Wheelbase - 187"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension; REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
56	CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis Truck 4X6		1 each	No					
56		GENERAL GMC TRUCK SALES & SERVICE, INC WPB, FL View Quote				\$98,592.00	\$98,592.00	\$98,592.00	\$98,592.00
56		TRUCKMAX, INC. MIAMI, FL View Quote				\$97,011.42	\$97,011.42	\$96,011.42	\$96,011.42
56		Nextran Truck Centers Jacksonville, FL View Quote				\$103,241.00	\$103,241.00	\$103,241.00	\$103,241.00
57	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Make: Chevrolet Model: 5500HD LCF Diesel Regular Cab Model #: CT51003 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
57		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$41,915.22	\$41,915.22	\$41,915.22	\$41,915.22

57		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$39,400.60	\$39,800.60	\$39,800.60	\$40,000.60
58	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Make: Chevrolet Model: 4500HD LCF Diesel Crew Cab Model #: CT33043 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
58		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$42,172.85	\$42,172.85	\$42,172.85	\$42,172.85
58		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$39,659.83	\$40,059.83	\$40,059.83	\$40,259.83
		Make: Chevrolet Model: 4500HD LCF Diesel Regular Cab Model #: CT31003 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price							

59	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
59		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$38,058.81	\$38,058.81	\$38,058.81	\$38,058.81
59		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$35,520.15	\$35,920.15	\$35,920.15	\$36,120.15
		Make: Chevrolet Model: 4500XD LCF Diesel Crew Cab Model #: CT43043 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer’s standard diesel engine; Heavy duty alternator; Manufacturer’s heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer’s standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer’s standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer’s standard air bags, if available; Manufacturer’s standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer’s standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price							
60	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
60		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$43,449.36	\$43,449.36	\$43,449.36	\$43,449.36
60		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$40,944.31	\$41,344.31	\$41,344.31	\$41,544.31
		Make: Chevrolet Model: 4500XD LCF Diesel Regular Cab Model #: CT41003							

		Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
61	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2		1 each	No					
61		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$39,331.46	\$39,331.46	\$39,331.46	\$39,331.46
61		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$36,800.74	\$37,200.74	\$37,200.74	\$37,400.74
62	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Make: Chevrolet Model: 5500HD LCF Diesel Crew Cab Model #: CT54043 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
62		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$46,576.78	\$46,576.78	\$46,576.78	\$46,576.78
		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac							

62		SEBRING, FL View Quote				\$44,091.22	\$44,491.22	\$44,491.22	\$44,691.22
		Make: Chevrolet Model: 5500XD LCF Diesel Regular Cab Model #: CT61003 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
63	4X2	CAB AND CHASSIS: Tilt Cab & Chassis (DRW)	1	each	No				
63		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$43,364.97	\$43,364.97	\$43,364.97	\$43,364.97
63		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$40,859.39	\$41,259.39	\$41,259.39	\$41,459.39
		Make: Chevrolet Model: 6500XD LCF Diesel Regular Cab Model #: CT73203 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
64	4X2	CAB AND CHASSIS: Tilt Cab & Chassis (DRW)	1	each	No				

64		Starke Motorcars, LLC dba Duval Chevrolet STARKE, FL View Quote				\$61,226.67	\$61,226.67	\$61,226.67	\$61,226.67
64		Alan Jay Chevrolet Cadillac, Inc. d/b/a Alan Jay Chevrolet Buick GMC Cadillac SEBRING, FL View Quote				\$58,832.40	\$59,232.40	\$59,232.40	\$59,432.40
65	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Make: Hino Model: 155 Model #: 155 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
65		TRUCKMAX, INC. MIAMI, FL View Quote				\$36,999.00	\$36,999.00	\$36,999.00	\$36,999.00
65		Nextran Truck Centers Jacksonville, FL View Quote				\$41,942.00	\$41,942.00	\$0.00	\$0.00
		Make: Isuzu Model: NF154 Model #: NF154 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only.							

		Price/Percent: Price							
66	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
66		DeLand Truck Center, Inc. DeLand, FL View Quote				\$36,799.00	\$36,799.00	\$36,799.00	\$36,799.00
66		TRUCKMAX ISUZU HOMESTEAD, FL View Quote				\$36,915.00	\$36,915.00	\$36,915.00	\$36,915.00
66		Nextran Truck Centers Jacksonville, FL View Quote				\$42,293.00	\$42,293.00	\$42,293.00	\$42,293.00
66		Palm Peterbilt Truck Centers Inc Ft Lauderdale, FL View Quote				\$0.00	\$0.00	\$39,817.00	\$39,817.00
		Make: Mitsubishi Model: Fuso Model #: FE130 Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy-duty engine cooling. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission. COMFORT ITEMS: Air conditioning; 2 - keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors. BRAKES: Four-wheel ABS system. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45-degree mechanical tilt with torsion assist; Tilt cab & chassis only. Price/Percent: Price							
67	CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: Dura Tech Model: TC-15 Model #: TC-15							

		lbs; Width - 72"; Height - 100"; Length - 176"; 15" chipping capacity. ENGINE: 122 hp diesel engine; Over center type clutch; Heavy duty air cleaner; Spin on type filters. CHASSIS: Main frame constructed of rectangular tubing or "z" section; 7000 lb. axle torsion type; Electric brakes with breakaway switch; ST 235/80R16 tires load range E; Steel wheels; Drop leg jack; 2 1/2" diameter lunette or 2 5/16" ball hitch; Adjustable height hitch; Safety chains; 6-way light connector; All wiring in conduit to lights; Four function rear lights. FEED SYSTEM: Infeed throat opening - 20" x 15"; Serrated infeed rollers; Feed rollers hydraulically driven; Feed table height - 27"; Feed table length - 30"; Safety control bar a round infeed opening for emergency stop. CHIPPER DRUM OR DISC: Drum type: Size - 22" diameter x 22" width; 2 knife pockets 180 degrees apart; Dual edge reversible knives; Extreme duty bearings; Adjustable bedknife (reversible); Disc type: 37" x 2" diameter disc; 4 knives reversible. CHIPPER HOUSING: Easy access door for knife changes; Drop down door for anvil adjustment or clean out; Chipper housing to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
68	CHIPPER: Brush Chipper - Trailer Mounted		1 each	No					
68		Environmental Products Group Inc Apopka, FL View Quote				\$54,135.00	\$54,135.00	\$54,135.00	\$54,135.00
		Make: Al-Jon Model: Advantage Model #: 500 Description: WEIGHT: Minimum operating weight - 80,000 lbs. ENGINE: Turbocharged diesel engine 400 hp minimum; Spin on type filters. TRANSMISSION/HYDRAULIC SYSTEM: Mechanical or hydrostatic drive will be acceptable; 2 speeds forward and 2 speeds reverse, minimum; Spin on type hydraulic filters. OPERATING STATION: Enclosed, sound suppressed cab; Air filtration system; Air conditioned, heater and defroster; Gauges and engine monitoring shutdown system; Adjustable suspension seat; Outside mirrors; Work lights; Windshield wipers and washer. ELECTRICAL SYSTEM: 24-volt. WHEELS: Compaction wheels - 48" width minimum; Wheel diameter - 58" width minimum; Chevron chopper blades, weld-on or pin-on teeth type wheels acceptable; Anti-wire wrapping device, if applicable; Cleaner bars, if applicable. BLADE: Straight or U type trash blade acceptable; 14' blade minimum; 6' blade height minimum; Full width trash screen on top of blade; Bolt on cutting edges. MISCELLANEOUS: Fully shielded engine compartment; Removable belly pan; Landfill shielding package, if applicable. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
69	COMPACTOR: 80,000 LB Landfill Compactor		1 each	No					
69		Aljon By C&C Manufacturing Ottumwa , IA View Quote				\$675,383.54	\$675,383.54	\$675,383.54	\$675,383.54
		Make: Atlas Copco Model: XAS 185 T4F Model #: XAS 185 T4F							

		Description: APPROXIMATE DIMENSIONS: Weight: 1950 lbs.; Length: 79 Inches; Width: 40 Inches; Height: 47 Inches. ENGINE: 49 hp Tier 4 Engine; 12 Volt electrical system; Engine protection system; Gauge package. COMPRESSOR: 185 cfm @ 100 psi; Rotary or reciprocating style compressor; 2 service valves. TRAILER: 3700 GVW axle rating; Manufacturer Rated Tires; Fold up tongue jack. ENCLOSURE: Fixed weather enclosure over entire engine/compressor; 2 Full size tool boxes. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
70	COMPRESSOR: Air Compressor - Trailer Mounted		1 each	No					
70		Power Technique North America LLC Rock Hill, SC View Quote				\$20,296.00	\$20,296.00	\$20,296.00	\$20,296.00
70		Ring Power Corporation Riverview, FL View Quote				\$19,761.00	\$19,761.00	\$19,761.00	\$0.00
71	COMPRESSOR: Air Compressor - Trailer Mounted	Make: Chicago Pneumatic Model: CPS185KD Model #: CPS185KD Description: APPROXIMATE DIMENSIONS: Weight: 1950 lbs.; Length: 79 Inches; Width: 40 Inches; Height: 47 Inches. ENGINE: 49 hp Tier 4 Engine; 12 Volt electrical system; Engine protection system; Gauge package. COMPRESSOR: 185 cfm @ 100 psi; Rotary or reciprocating style compressor; 2 service valves. TRAILER: 3700 GVW axle rating; Manufacturer Rated Tires; Fold up tongue jack. ENCLOSURE: Fixed weather enclosure over entire engine/compressor; 2 Full size tool boxes. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
71		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$21,607.00	\$21,607.00	\$21,607.00	\$21,607.00
72	COMPRESSOR: Air Compressor - Trailer Mounted	Make: Ingersoll Rand Model: Compressor Model #: 2475F14G Description: APPROXIMATE DIMENSIONS: Weight: 1950 lbs.; Length: 79 Inches; Width: 40 Inches; Height: 47 Inches. ENGINE: 49 hp Tier 4 Engine; 12 Volt electrical system; Engine protection system; Gauge package. COMPRESSOR: 185 cfm @ 100 psi; Rotary or reciprocating style compressor; 2 service valves. TRAILER: 3700 GVW axle rating; Manufacturer Rated Tires; Fold up tongue jack. ENCLOSURE: Fixed weather enclosure over entire engine/compressor; 2 Full size tool boxes. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: Menzi Model: Muck Model #: M3							

		Description: WEIGHT: 15,873 lbs. 2x4; 17,196 lbs. 4x4 Option. ENGINE/CAB: Diesel engine, minimum 95 net horsepower; Roll over enclosed cab air conditioned and heated; Hinged quick release side window for emergency exit (operational at all boom positions); Hinged front window opening outward for safety (not inward reducing operator head room); Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant; Mirrors; Air suspension operators' seat; Full size cab (width of machine). TRAVEL SYSTEM: Minimum high-speed travel - 5 mph; Minimum grade-ability 70%; Four tires. HYDRAULIC SYSTEM: Digging depth - 15'4"; Auxiliary hydraulic circuit and controls plumbed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Hydraulic swing system; Stabilizers to be individually controlled in the vertical and horizontal positions. ELECTRICAL SYSTEM: Work lights. BUCKET: 4' wide grading bucket. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
73	EXCAVATOR: All Terrain Walking Excavator		1 each	No					
73		Menzi USA Sales, INC. Lakeland, FL View Quote				\$284,226.00	\$284,226.00	\$284,226.00	\$284,226.00
		Make: Bobcat Model: Excavator Model #: E145 Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
74	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight		1 each	No					
74		CLARK EQUIPMENT COMPANY West Fargo, ND View Quote				\$127,882.80	\$127,882.80	\$127,882.80	\$127,882.80
		Make: Hyundai Model: R80CR-9A Model #: R80CR-9A							

		Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP.							
75	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
75		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$81,500.00	\$81,500.00	\$81,500.00	\$81,500.00
76	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight	Make: Kobelco Model: SK-75SR-3E Model #: SK-75SR-3E Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP.	1 each	No					
76		Cowin Equipment Company Crestview, FL View Quote				\$80,764.00	\$0.00	\$0.00	\$0.00
76		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$82,076.00	\$82,076.00	\$82,076.00	\$82,076.00
		Make: Komatsu Model: PC78US-10 Model #:							

		Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
77	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight		1 each	No					
		Make: Link-Belt Model: 75X3 Model #: 75X3 Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
78	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight		1 each	No					
78		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$73,999.00	\$73,999.00	\$73,999.00	\$73,999.00
		Make: Mecalac Model: 8MCR Model #: 8MCR							

		Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
79	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight		1 each	No					
79		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$146,289.00	\$146,289.00	\$146,289.00	\$146,289.00
		Make: Sany Model: SY75C Model #: SY75C Description: WEIGHT: Minimum operating weight 15,590 lb. ENGINE: Diesel engine, 53 horsepower; Fuel capacity 26 gallons. TRAVEL SYSTEM: Minimum high-speed travel of 3.0 mph. UNDERCARRIAGE: Overall track length 9'1"; Overall track width 11' minimum 7'6"; Shoe width 17.7" minimum. OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Opening front windshield; Adjustable suspension type seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 20'11"; Bucket to be general purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 5' approximate; Swing speed 9.0 RMP. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
80	EXCAVATOR: Hydraulic Excavator - 15,590 LB Operating Weight		1 each	No					
80		Newman Tractor, LLC Sanford, FL View Quote				\$0.00	\$74,633.00	\$74,633.00	\$74,633.00
		Make: Hyundai Model: HX160L Model #: HX160L							

		Description: WEIGHT: Minimum operating weight - 38,000 lbs. ENGINE: Turbocharged diesel engine 113 hp. TRAVEL SYSTEM: Travel speed of 3.2 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 72 GPM minimum. UNDERCARRIAGE: Overall track length 12' 10" minimum; Overall track width 8'5" minimum; Shoe width 24". OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
81	EXCAVATOR: Hydraulic Excavator - 38,000 LB Operating Weight		1 each	No					
81		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$127,491.00	\$127,491.00	\$127,491.00	\$127,491.00
82	EXCAVATOR: Hydraulic Excavator - 38,000 LB Operating Weight	Make: Kobelco Model: SK170LC Model #: SK170LC Description: WEIGHT: Minimum operating weight - 38,000 lbs. ENGINE: Turbocharged diesel engine 113 hp. TRAVEL SYSTEM: Travel speed of 3.2 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 72 GPM minimum. UNDERCARRIAGE: Overall track length 12' 10" minimum; Overall track width 8'5" minimum; Shoe width 24". OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
82		Cowin Equipment Company Crestview, FL View Quote				\$136,850.00	\$0.00	\$0.00	\$0.00
82		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$129,606.00	\$129,606.00	\$129,606.00	\$129,606.00
83	EXCAVATOR: Hydraulic Excavator - 38,000 LB Operating Weight	Make: Komatsu Model: PC170LC-11 Model #: PC170LC-11 Description: WEIGHT: Minimum operating weight - 38,000 lbs. ENGINE: Turbocharged diesel engine 113 hp. TRAVEL SYSTEM: Travel speed of 3.2 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 72 GPM minimum. UNDERCARRIAGE: Overall track length 12' 10" minimum; Overall track width 8'5" minimum; Shoe width 24". OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: Link-Belt							

		Model: 160X4 Model #: 160X4 Description: WEIGHT: Minimum operating weight - 38,000 lbs. ENGINE: Turbocharged diesel engine 113 hp. TRAVEL SYSTEM: Travel speed of 3.2 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 72 GPM minimum. UNDERCARRIAGE: Overall track length 12' 10" minimum; Overall track width 8'5" minimum; Shoe width 24". OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
84	EXCAVATOR: Hydraulic Excavator - 38,000 LB Operating Weight		1 each	No					
84		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$133,402.00	\$133,402.00	\$133,402.00	\$133,402.00
85	EXCAVATOR: Hydraulic Excavator - 38,000 LB Operating Weight	Make: Mecalac Model: 15MC Model #: 15MC Description: WEIGHT: Minimum operating weight - 38,000 lbs. ENGINE: Turbocharged diesel engine 113 hp. TRAVEL SYSTEM: Travel speed of 3.2 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 72 GPM minimum. UNDERCARRIAGE: Overall track length 12' 10" minimum; Overall track width 8'5" minimum; Shoe width 24". OPERATING STATION: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
85		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$200,831.00	\$200,831.00	\$200,831.00	\$200,831.00
		Make: Mecalac Model: 15MWR Model #: 15MWR							

		weight - 42,000 lbs. ENGINE: Turbocharged diesel engine 140 HP; Spin on type filters; Two-stage air cleaner. TRAVEL SYSTEM: Travel speed of 21 MPH. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Hydraulic system flow 99 GPM minimum. WHEEL DRIVE: Wheelbase 8' minimum; Tire size 10:00x20; Ground clearance 13" minimum; Gradeability 61 percent. OPERATING STATION: Cab to be air conditioned, heated, and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Vibration dampening cab mounts. Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarms; Work lights; Tail, stop, turn, and emergency flashers. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 30' minimum; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 7 ft. approximate; Swing speed 9.5 rpm minimum. MISCELLANEOUS: Fuel capacity of 77 gallons minimum. BLADE/OUTRIGGERS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
86	EXCAVATOR: Hydraulic Excavator - 42,000 LB Operating Weight		1 each	No					
86		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$246,836.00	\$246,836.00	\$246,836.00	\$246,836.00
		Make: Case Model: ZX350D Model #: ZX350D Description: WEIGHT: Minimum operating weight - 76,550. ENGINE: Turbocharged diesel engine 257 HP; Fuel capacity 145 gallons. TRAVEL SYSTEM: Travel speed of 2.9 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 144 GPM minimum. UNDERCARRIAGE: Overall track length 16'2"; Overall track width 10'6"; Shoe width 24". OPERATING STATING: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarm; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 35'6"; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 12; Swing speed 9.2 RPM. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
87	EXCAVATOR: Hydraulic Excavator - 76,550 LB Operating Weight		1 each	No					
87		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$294,536.00	\$280,511.00	\$280,511.00	\$280,511.00
		Make: Hyundai Model: HX330L Model #: HX330L							

		Description: WEIGHT: Minimum operating weight - 76,550. ENGINE: Turbocharged diesel engine 257 HP; Fuel capacity 145 gallons. TRAVEL SYSTEM: Travel speed of 2.9 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 144 GPM minimum. UNDERCARRIAGE: Overall track length 16'2"; Overall track width 10'6"; Shoe width 24". OPERATING STATING: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarm; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 35'6"; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 12; Swing speed 9.2 RPM. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
88	EXCAVATOR: Hydraulic Excavator - 76,550 LB Operating Weight								
88		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$234,899.00	\$234,899.00	\$234,899.00	\$234,899.00
		Make: Kobelco Model: SK350LC Model #: SK350LC Description: WEIGHT: Minimum operating weight - 76,550. ENGINE: Turbocharged diesel engine 257 HP; Fuel capacity 145 gallons. TRAVEL SYSTEM: Travel speed of 2.9 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 144 GPM minimum. UNDERCARRIAGE: Overall track length 16'2"; Overall track width 10'6"; Shoe width 24". OPERATING STATING: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarm; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 35'6"; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 12; Swing speed 9.2 RPM. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
89	EXCAVATOR: Hydraulic Excavator - 76,550 LB Operating Weight								
89		Cowin Equipment Company Crestview, FL View Quote				\$254,047.00	\$0.00	\$0.00	\$0.00
89		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$244,803.00	\$244,803.00	\$244,803.00	\$244,803.00
		Make: Link-Belt Model: 350X4 Model #: 350X4							

		Description: WEIGHT: Minimum operating weight - 76,550. ENGINE: Turbocharged diesel engine 257 HP; Fuel capacity 145 gallons. TRAVEL SYSTEM: Travel speed of 2.9 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 144 GPM minimum. UNDERCARRIAGE: Overall track length 16'2"; Overall track width 10'6"; Shoe width 24". OPERATING STATING: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarm; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 35'6"; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 12; Swing speed 9.2 RPM. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
90	EXCAVATOR: Hydraulic Excavator - 76,550 LB Operating Weight		1 each	No					
90		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$257,896.00	\$257,896.00	\$257,896.00	\$257,896.00
91	EXCAVATOR: Hydraulic Excavator - 76,550 LB Operating Weight	Make: Sany Model: SY365C Model #: SY365C Description: WEIGHT: Minimum operating weight - 76,550. ENGINE: Turbocharged diesel engine 257 HP; Fuel capacity 145 gallons. TRAVEL SYSTEM: Travel speed of 2.9 mph. HYDRAULIC SYSTEM: Standard auxiliary hydraulic valve; Main hydraulic system flow 144 GPM minimum. UNDERCARRIAGE: Overall track length 16'2"; Overall track width 10'6"; Shoe width 24". OPERATING STATING: ROPS Cab to be air conditioned, heated and pressurized filtration system; Intermittent windshield wipers; Opening front windshield; Adjustable suspension type operator seat with safety belt; Tinted safety glass; Engine monitoring system with audible alarm; Work lights. STICK, BOOM, BUCKET: Boom and stick combination to allow minimum reach at ground level of 35'6"; Bucket to be a general-purpose bucket, appropriately sized for machine and included. SWING SYSTEM: Swing radius 12; Swing speed 9.2 RPM. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
91		Newman Tractor, LLC Sanford, FL View Quote				\$0.00	\$242,573.00	\$242,573.00	\$242,573.00
		Make: Doosan Model: DX35-5 Model #: DX35-5							

		Description: WEIGHT: 7,105 minimum weight. ENGINE/CAB: Diesel engine, minimum 23 HP; ROPS canopy; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant. TRAVEL SYSTEM: Minimum high-speed travel 2.3 MPH; Minimum gradeability, 20 degrees; 11" wide rubber belt tracks. HYDRAULIC SYSTEM: Digging depth 9' minimum; Auxiliary hydraulic circuit and controls plumbed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Backfill blade; Hydraulic swing system. ELECTRICAL SYSTEM: Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
92	EXCAVATOR: Mini Hydraulic Excavator - 7,105 LB Operating Weight		1 each	No					
92		Doosan Infracore North America LLC. Suwanee, GA View Quote				\$54,911.75	\$54,911.75	\$54,911.75	\$54,911.75
93	EXCAVATOR: Mini Hydraulic Excavator - 7,105 LB Operating Weight	Make: Hyundai Model: R35Z-9A Model #: R35Z-9A Description: WEIGHT: 7,105 minimum weight. ENGINE/CAB: Diesel engine, minimum 23 HP; ROPS canopy; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant. TRAVEL SYSTEM: Minimum high-speed travel 2.3 MPH; Minimum gradeability, 20 degrees; 11" wide rubber belt tracks. HYDRAULIC SYSTEM: Digging depth 9' minimum; Auxiliary hydraulic circuit and controls plumbed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Backfill blade; Hydraulic swing system. ELECTRICAL SYSTEM: Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
93		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$36,745.00	\$36,745.00	\$36,745.00	\$36,745.00
94	EXCAVATOR: Mini Hydraulic Excavator - 7,105 LB Operating Weight	Make: Kobelco Model: SK35SR Model #: SK35SR Description: WEIGHT: 7,105 minimum weight. ENGINE/CAB: Diesel engine, minimum 23 HP; ROPS canopy; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant. TRAVEL SYSTEM: Minimum high-speed travel 2.3 MPH; Minimum gradeability, 20 degrees; 11" wide rubber belt tracks. HYDRAULIC SYSTEM: Digging depth 9' minimum; Auxiliary hydraulic circuit and controls plumbed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Backfill blade; Hydraulic swing system. ELECTRICAL SYSTEM: Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
94		Cowin Equipment Company Crestview, FL View Quote				\$39,039.00	\$0.00	\$0.00	\$0.00
94		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$37,831.00	\$37,831.00	\$37,831.00	\$37,831.00
		Make: Komatsu							

		Model: PC35MR-5 Model #: PC35MR-5 Description: WEIGHT: 7,105 minimum weight. ENGINE/CAB: Diesel engine, minimum 23 HP; ROPS canopy; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant. TRAVEL SYSTEM: Minimum high-speed travel 2.3 MPH; Minimum gradeability, 20 degrees; 11" wide rubber belt tracks. HYDRAULIC SYSTEM: Digging depth 9' minimum; Auxiliary hydraulic circuit and controls plummed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Backfill blade; Hydraulic swing system. ELECTRICAL SYSTEM: Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
95	EXCAVATOR: Mini Hydraulic Excavator - 7,105 LB Operating Weight		1 each	No					
		Make: Sany Model: SY35U Model #: SY35U Description: WEIGHT: 7,105 minimum weight. ENGINE/CAB: Diesel engine, minimum 23 HP; ROPS canopy; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant. TRAVEL SYSTEM: Minimum high-speed travel 2.3 MPH; Minimum gradeability, 20 degrees; 11" wide rubber belt tracks. HYDRAULIC SYSTEM: Digging depth 9' minimum; Auxiliary hydraulic circuit and controls plummed to the end of stick with disconnect to allow the use of hydro-mechanical work tools; Backfill blade; Hydraulic swing system. ELECTRICAL SYSTEM: Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
96	EXCAVATOR: Mini Hydraulic Excavator - 7,105 LB Operating Weight		1 each	No					
96		Newman Tractor, LLC Sanford, FL View Quote				\$0.00	\$36,247.00	\$36,247.00	\$36,247.00
		Make: Pacific Tek Model: PV800 Model #: PV800 ENGINE: 36 hp diesel engine; Water cooled; Fully enclosed sound attenuated engine enclosure (including vacuum pump and high-pressure water pump); 15 gallon fuel tank. VACUUM PUMP: 580 CFM at 15 inches of mercury; Mounted inside engine enclosure; Washable filtration cylinders; Reverse pressure (to clear hose and offload liquids). HIGH PRESSURE WATER SYSTEM: 400 PSI at 4 GPM water pump; Low water automatic shutdown; Two 100 gallon poly water tanks; 50' high pressure water hose on hose reel; 5" and 3" wand and control handle. CONTROLS: Lockable and waterproof; Curbside located; Oil pressure, water temperature, fuel and vacuum gauge; Electronic throttle. TANK: Full open rear door; Door hydraulically opened; Twin dump cylinders; 6" stainless steel portal shutoff; 800 gallon debris tank capacity. BOOM: 4" pickup hose; Hydraulically powered in/out and up/down; Boom cradle; 360-degree movement; 2 dielectric 3" suction wands; 33' rubber suction hose. TRAILER: 7,000 lb. dexter torsion axles; 14,000 lb. GVWR; 10,000 lb. jack stand; I beam construction; Pintle hitch; Electric Price/Percent: Price							

97	EXCAVATOR: Trailer Mounted Vacuum Excavator, 14,000 LB GVWR	Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
97		Environmental Products Group Inc Apopka, FL View Quote				\$120,477.00	\$120,477.00	\$120,477.00	\$120,477.00
98	GENERATOR: 125kW Generator Package	Make: AKSA Model: ULJ-125 Model #: ULJ-125 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
98		Zabatt Power Systems jacksonville, FL View Quote				\$32,996.00	\$32,996.00	\$32,996.00	\$32,996.00
99	GENERATOR: 125kW Generator Package	Make: Blue Star Power Systems Model: JD125-02 Model #: JD125-02 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
99		Mid Florida Diesel, Inc Bartow, FL View Quote				\$32,350.00	\$32,350.00	\$32,350.00	\$32,350.00

		Make: Caterpillar Model: D125-8 Model #: D125-8 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
100	GENERATOR: 125kW Generator Package		1 each	No					
100		Ring Power Corporation Riverview, FL View Quote				\$46,447.00	\$46,447.00	\$46,447.00	\$0.00
100		Pantropic Power Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$54,234.00
101	GENERATOR: 125kW Generator Package	Make: Cummins Model: C125D6D Model #: C125D6D Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
101		Zabatt Power Systems jacksonville, FL View Quote				\$31,625.00	\$31,625.00	\$31,625.00	\$31,625.00
		Make: Generac Model: SD130							

		Model #: SD130 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
102	GENERATOR: 125kW Generator Package		1 each	No					
		ACF Standby Systems, LLC Tampa, FL View Quote							
102						\$35,500.00	\$0.00	\$0.00	\$0.00
		Make: Gillette Generators Model: SPJD-1250 Model #: SPJD-1250 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
103	GENERATOR: 125kW Generator Package		1 each	No					
		Mid Florida Diesel, Inc Bartow, FL View Quote							
103						\$33,750.00	\$33,750.00	\$33,750.00	\$33,750.00
		Make: LJP Model: UL125 Model #: UL125							

		Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
104	GENERATOR: 125KW Generator Package		1 each	No					
104		LJ Power Inc Austin, TX View Quote				\$29,000.00	\$29,000.00	\$29,000.00	\$29,000.00
		Make: Tradewinds Model: TP125 Model #: TP125 Standby duty rated at 125.0 kW, 156.3 KVA, 8 power factor; 480 volts; 3 phase, 60 hertz, 1800 rpm; Directly connected to the engine flywheel housing with flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be in compliance with and be UL 2200 labeled. ENGINE: Water cooled diesel engine, sized for generator set; Emission compliant engine. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for generator set. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled water protective, sound attenuated enclosure; Critical grade silencer; Companion flanges; Flexible stainless-steel exhaust. FUEL TANK: Double wall sub-base tank integral to enclosure; 24-hour capacity at 100% at full load; Rupture basin with 110% capacity; Locking fuel caps; Mechanical fuel level gauge; Low fuel level alarm contact; Fuel tank rupture alarm contact; Must meet UL 142 and FDEP standards. BATTERY CHARGER: Current Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
105	GENERATOR: 125kW Generator Package		1 each	No					
105		Tradewinds Power Corp. Miami, FL View Quote				\$46,268.00	\$46,268.00	\$46,268.00	\$46,268.00
		Make: Atlas Copco Model: QAS 250 Model #: QAS 250							

		Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
106	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
106		Power Technique North America LLC Rock Hill, SC View Quote				\$120,029.00	\$120,029.00	\$120,029.00	\$120,029.00
107	GENERATOR: 150kW Mobile Generator Package	Make: Blue Star Power Systems Model: VD150-02FT4MP Model #: VD150-02FT4MP Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board	1 each	No					
107		Mid Florida Diesel, Inc Bartow, FL View Quote				\$89,500.00	\$89,500.00	\$89,500.00	\$89,500.00
		Make: Chicago Pneumatic Model: CPG-250 T4F Model #: CPG-250 T4F							

		Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
108	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
108		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$116,977.00	\$116,977.00	\$116,977.00	\$116,977.00
109	GENERATOR: 150kW Mobile Generator Package	Make: Cummins Model: C150D2RE Model #: C150D2RE Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board	1 each	No					
109		Zabatt Power Systems jacksonville, FL View Quote				\$86,389.00	\$86,389.00	\$86,389.00	\$86,389.00
		Make: Doosan Model: G190 WCU-34-T4F Model #: G190 WCU-34-T4F							

		Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
110	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
110		CLARK EQUIPMENT COMPANY West Fargo, ND View Quote				\$86,307.20	\$86,307.20	\$86,307.20	\$86,307.20
		Make: Generac/Magnum Model: MDG175DF4 Model #: MDG175DF4 Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
111	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
111		ACF Standby Systems, LLC Tampa, FL View Quote				\$89,700.00	\$89,700.00	\$89,700.00	\$89,700.00
		Make: LJP Model: AT150 Model #: AT150							

		Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
112	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
112		LJ Power Inc Austin, TX View Quote				\$72,000.00	\$72,000.00	\$72,000.00	\$72,000.00
		Make: TechnoGen Model: FP200TSX Model #: FP200TSX Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
113	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
113		LJ Power Inc Austin, TX View Quote				\$93,056.00	\$93,056.00	\$93,056.00	\$93,056.00
		Make: Tradewinds Model: TP150 Model #: TP150							

		Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
114	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
114		Tradewinds Power Corp. Miami, FL View Quote				\$110,204.00	\$110,204.00	\$110,204.00	\$110,204.00
		Make: Wacker Neuson Model: G180 Model #: G180 Standby duty rated at 150kwe, 187kva, 8 power factor; Prime power duty rating 135kwe, 168kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC; Jacket water heater. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine; Spin on fuel and oil filters. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION: Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running. b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480; A five-point connection shall be provided for ease of connection of load leads; One 50amp, 120/240vac, 1 ph, twist lock receptacle; One 30amp, 120/240vac, 1 ph, RV type receptacle; Two 20amp, 120/240vac, 1 ph, duplex receptacle; Two 20amp, 120/240vac, 1ph, duplex GFI receptacle; Each receptacle shall be protected by a individual circuit breaker; A receptacle shall be provided to power both the jacket water heater and on-board							
115	GENERATOR: 150kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
115		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$99,458.00	\$99,458.00
		Make: AKSA Model: APD-ULJ500 Model #: APD-ULJ500							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
116	GENERATOR: 500kW Generator Package		1 each	No					
116		Zabatt Power Systems jacksonville, FL View Quote				\$131,658.00	\$131,658.00	\$131,658.00	\$131,658.00
		Make: Blue Star Generator Model: VD500-01 Model #: VD500-01 Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
117	GENERATOR: 500kW Generator Package		1 each	No					
117		Mid Florida Diesel, Inc Bartow, FL View Quote				\$89,900.00	\$89,900.00	\$89,900.00	\$89,900.00
		Make: Caterpillar Model: 15 ACERT Model #: 15 ACERT							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
118	GENERATOR: 500kW Generator Package		1 each	No					
118		Ring Power Corporation Riverview, FL View Quote				\$128,963.00	\$128,963.00	\$128,963.00	\$0.00
118		Pantropic Power Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$134,663.00
119	GENERATOR: 500kW Generator Package	Make: Cummins Model: DFEK Model #: DFEK Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
119		Zabatt Power Systems Jacksonville, FL View Quote				\$107,576.00	\$107,576.00	\$107,576.00	\$107,576.00
		Make: Generac Model: SD500 Model #: SD500							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
120	GENERATOR: 500kW Generator Package		1 each	No					
120		ACF Standby Systems, LLC Tampa, FL View Quote				\$92,200.00	\$92,200.00	\$92,200.00	\$92,200.00
		Make: Gillette Generators Model: SPVD-5000 Model #: SPVD-5000 Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
121	GENERATOR: 500kW Generator Package		1 each	No					
121		Mid Florida Diesel, Inc Bartow, FL View Quote				\$83,500.00	\$83,500.00	\$83,500.00	\$83,500.00
		Make: LJP Model: ULJ500 Model #: ULJ500							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
122	GENERATOR: 500kW Generator Package		1 each	No					
122		LJ Power Inc Austin, TX View Quote				\$82,500.00	\$82,500.00	\$82,500.00	\$82,500.00
		Make: Tradewinds Model: T500 Model #: T500 Standby duty rated at 500kwe, 625kva, 0.8 power factor; 480 volts; Voltage options are: 120/240, 120/208 or 277/480 3ph; Directly connected to the engine flywheel housing with a flex coupling; Generator shall meet performance class G3 of IEC; Unit shall be compliance with UL 2200 specifications. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Emission compliant engine to stationary standby regulations. CONTROLS: Solid state, microprocessor-based generator controls; Controls shall provide all operating, monitoring and control functions for the generator set; Control panel is NFPA110 Compliant. ENCLOSURE/SILENCER: Complete diesel engine generator set including control panel, engine starting batteries and fuel oil tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure with oil and water drain lines; Enclosure shall be constructed from aluminum, preferably out of .125 thickness and 5058 marine grade aluminum; Critical grade silencer (25DB Reduction); Companion flanges; Flexible stainless-steel exhausts flex. FUEL TANKS: Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
123	GENERATOR: 500kW Generator Package		1 each	No					
123		Tradewinds Power Corp. Miami, FL View Quote				\$106,734.00	\$106,734.00	\$106,734.00	\$106,734.00
		Make: Atlas Copco Model: QAS 625 T4F Model #: QAS 625 T4F							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; Prime power duty rating 450kwe, 563kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine ; Spin on fuel and oil filters; Jacket water heater with service valves to ensure coolant does not need to be drained if heater needs service; 120vac, 1ph, 60hz input 10 amp, 24vdc, output automatic battery charger; Standard 4D lead acid batteries with battery rack and cables. VOLTAGE CHANGE OVER SWITCH AND DISTRIBUTION: Manual 2 position voltage change over switch to select each voltage as specified when the unit is not running 3ph 120/208, and 3ph 277/480'; Load leads shall be attached to the generator using two (2) forms and shall be rated for 2000 amps. Generator will be equipped with both; Five (5) compression lugs per phase rated for 400 amps each; A 20 amp, 120vac, 1ph, male receptacle shall							
124	GENERATOR: 500kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
124		Power Technique North America LLC Rock Hill, SC View Quote				\$232,050.00	\$232,050.00	\$232,050.00	\$232,050.00
125	GENERATOR: 500kW Mobile Generator Package	Make: Blue Star Generator Model: VD500-02FT4MP Model #: VD500-02FT4MP Standby duty rated at 500kwe, 625kva, 0.8 power factor; Prime power duty rating 450kwe, 563kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine ; Spin on fuel and oil filters; Jacket water heater with service valves to ensure coolant does not need to be drained if heater needs service; 120vac, 1ph, 60hz input 10 amp, 24vdc, output automatic battery charger; Standard 4D lead acid batteries with battery rack and cables. VOLTAGE CHANGE OVER SWITCH AND DISTRIBUTION: Manual 2 position voltage change over switch to select each voltage as specified when the unit is not running 3ph 120/208, and 3ph 277/480'; Load leads shall be attached to the generator using two (2) forms and shall be rated for 2000 amps. Generator will be equipped with both; Five (5) compression lugs per phase rated for 400 amps each; A 20 amp, 120vac, 1ph, male receptacle shall Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
125		Mid Florida Diesel, Inc Bartow, FL View Quote				\$174,380.00	\$174,380.00	\$174,380.00	\$174,380.00
		Make: Caterpillar Model: XQ570 Model #: XQ570							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; Prime power duty rating 450kwe, 563kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine ; Spin on fuel and oil filters; Jacket water heater with service valves to ensure coolant does not need to be drained if heater needs service; 120vac, 1ph, 60hz input 10 amp, 24vdc, output automatic battery charger; Standard 4D lead acid batteries with battery rack and cables. VOLTAGE CHANGE OVER SWITCH AND DISTRIBUTION: Manual 2 position voltage change over switch to select each voltage as specified when the unit is not running 3ph 120/208, and 3ph 277/480'; Load leads shall be attached to the generator using two (2) forms and shall be rated for 2000 amps. Generator will be equipped with both; Five (5) compression lugs per phase rated for 400 amps each; A 20 amp, 120vac, 1ph, male receptacle shall							
126	GENERATOR: 500kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
126		Ring Power Corporation Riverview, FL View Quote				\$303,381.00	\$303,381.00	\$303,381.00	\$0.00
126		Pantropic Power Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$297,352.00
127	GENERATOR: 500kW Mobile Generator Package	Make: Holland Model: PT6TPC-P1104D44T Model #: PT6TPC-P1104D44T Standby duty rated at 500kwe, 625kva, 0.8 power factor; Prime power duty rating 450kwe, 563kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine ; Spin on fuel and oil filters; Jacket water heater with service valves to ensure coolant does not need to be drained if heater needs service; 120vac, 1ph, 60hz input 10 amp, 24vdc, output automatic battery charger; Standard 4D lead acid batteries with battery rack and cables. VOLTAGE CHANGE OVER SWITCH AND DISTRIBUTION: Manual 2 position voltage change over switch to select each voltage as specified when the unit is not running 3ph 120/208, and 3ph 277/480'; Load leads shall be attached to the generator using two (2) forms and shall be rated for 2000 amps. Generator will be equipped with both; Five (5) compression lugs per phase rated for 400 amps each; A 20 amp, 120vac, 1ph, male receptacle shall Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: Tradewinds Model: T500 Model #: T500							

		Standby duty rated at 500kwe, 625kva, 0.8 power factor; Prime power duty rating 450kwe, 563kva, 0.8 power factor; Main Breaker shall be equipped with shunt trip; Generator end shall be Direct coupled to the engine flywheel with a flexible coupling; Generator shall meet performance class G3 of IEC. ENGINE: 6-cylinder, water cooled, 1800rpm, diesel engine; Current emission compliant diesel engine ; Spin on fuel and oil filters; Jacket water heater with service valves to ensure coolant does not need to be drained if heater needs service; 120vac, 1ph, 60hz input 10 amp, 24vdc, output automatic battery charger; Standard 4D lead acid batteries with battery rack and cables. VOLTAGE CHANGE OVER SWITCH AND DISTRIBUTION: Manual 2 position voltage change over switch to select each voltage as specified when the unit is not running 3ph 120/208, and 3ph 277/480'; Load leads shall be attached to the generator using two (2) forms and shall be rated for 2000 amps. Generator will be equipped with both; Five (5) compression lugs per phase rated for 400 amps each; A 20 amp, 120vac, 1ph, male receptacle shall							
128	GENERATOR: 500kW Mobile Generator Package	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
128		Tradewinds Power Corp. Miami, FL View Quote				\$231,577.00	\$231,577.00	\$231,577.00	\$231,577.00
		Make: Atlas Copco Model: Hilight V4 Model #: Hilight V4 Description: DIMENSIONS (APPROXIMATE): Length 170"; Width 51"; Height 74"; Mast Deployed Height 30'; Weight - 1610 pounds. ENGINE: 3-Cylinder Diesel Engine; 12 HP at 1800 RPM; Engine Protection Shutdown System. GENERATOR: Wattage output 7000-Watt max, 6000-Watt continuous; Brushless type; 120/240 Volts at 60 Hz +/- 6% regulated. d. AMPS at 120/240V 50/25; Insulation class H. FUEL TANK: 30 Gallon Capacity; Run Time (approx.) 64 hours. TRAILER: Axle 1800 lbs.; 13" tire size; Hitch 2" ball; Leaf Spring Suspension; Tongue Jack; 4 outrigger jacks. CONTROL PANEL: Individual breakers for lights; Hour meter; Cabinet Lights; External receptacles: 1-30 AMP 120/240 Volt, twist lock, 1 GFC1, 15 AMP 120 Volt. MAST: 32ft. extendable mast; 4 each metal halide light heads; 440,000 lumens; 360-degree mast rotation; Fold down for transport; Winch for mast extension. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
129	LIGHT TOWER: Light Tower - Trailer Mounted	Power Technique North America LLC Rock Hill, SC View Quote				\$9,337.00	\$9,337.00	\$9,337.00	\$9,337.00
		Make: Chicago Pneumatic Model: Light Tower - Trailer Model #: CPLT V4W							

		Description: DIMENSIONS (APPROXIMATE): Length 170"; Width 51"; Height 74"; Mast Deployed Height 30'; Weight - 1610 pounds. ENGINE: 3-Cylinder Diesel Engine; 12 HP at 1800 RPM; Engine Protection Shutdown System. GENERATOR: Wattage output 7000-Watt max, 6000-Watt continuous; Brushless type; 120/240 Volts at 60 Hz +/- 6% regulated. d. AMPS at 120/240V 50/25; Insulation class H. FUEL TANK: 30 Gallon Capacity; Run Time (approx.) 64 hours. TRAILER: Axle 1800 lbs.; 13" tire size; Hitch 2" ball; Leaf Spring Suspension; Tongue Jack; 4 outrigger jacks. CONTROL PANEL: Individual breakers for lights; Hour meter; Cabinet Lights; External receptacles: 1-30 AMP 120/240 Volt, twist lock, 1 GFC1, 15 AMP 120 Volt. MAST: 32ft. extendable mast; 4 each metal halide light heads; 440,000 lumens; 360-degree mast rotation; Fold down for transport; Winch for mast extension. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
132	LIGHT TOWER: Light Tower - Trailer Mounted		1 each	No					
132		Tradewinds Power Corp. Miami, FL View Quote				\$10,283.00	\$10,283.00	\$10,283.00	\$10,283.00
		Make: Fecon Model: FTX150 Model #: FTX150 Description: ENGINE: Minimum 3-cylinder 74 HP Diesel; Spin on type filters; Dry type air filters. TRANSMISSION: Hydrostatic drive; Forward, reverse, travel speed controlled by two hand levers. OPERATOR ENVIRONMENT: OSHA approved ROPS canopy shall be integral; Front and rear work lights, hazard lights; Engine monitoring system or gauges, with audible alarm; Horn and backup alarm. BRAKES: Parking brake; Hydrostatic braking. BUCKET: Minimum 66" construction bucket; Bolt on, replaceable cutting edge for bucket; Operating capacity 3,100 lbs. minimum. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
133	LOADER - Skid Steer - 3100 LB Operating Capacity, Tracked Only		1 each	No					
133		Fecon, LLC Lebanon, OH View Quote				\$168,350.00	\$168,350.00	\$168,350.00	\$168,350.00
		Make: Hitachi Model: ZW120 Model #: ZW120							

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 77 HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 15.5 - 25 Bias ply tires mounted on multi piece rims. LOADER: 1.5 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, clearance circle 34'.02"; Wheelbase of at least 7'; Minimum operating weight of 12,727 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
134	LOADER: Wheel Loader-1.5 CU YD		1 each	No					
134		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$89,751.00	\$89,751.00	\$89,751.00	\$89,751.00
135	LOADER: Wheel Loader-1.5 CU YD	Make: Mecalac Model: AF1050 Model #: AF1050 Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 77 HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 15.5 - 25 Bias ply tires mounted on multi piece rims. LOADER: 1.5 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, clearance circle 34'.02"; Wheelbase of at least 7'; Minimum operating weight of 12,727 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
135		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$88,602.00	\$88,602.00	\$88,602.00	\$88,602.00
		Make: Hitachi Model: ZW180 Model #: ZW180							

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 140HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 20.5 - 25 Radial tires mounted on multi piece rims. LOADER: 3.0 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of at 9 feet, 4 inches minimum; Minimum operating weight of 26,000 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
136	LOADER: Wheel Loader-3.0 CU YD		1 each	No					
136		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$139,689.00	\$139,689.00	\$139,689.00	\$139,689.00
137	LOADER: Wheel Loader-3.0 CU YD	Make: Hyundai Model: HL940 Model #: HL940 Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 140HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 20.5 - 25 Radial tires mounted on multi piece rims. LOADER: 3.0 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of at 9 feet, 4 inches minimum; Minimum operating weight of 26,000 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
137		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$123,828.00	\$123,828.00	\$123,828.00	\$123,828.00
		Make: John Deere Model: 524L Model #: 524L							

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 140HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 20.5 - 25 Radial tires mounted on multi piece rims. LOADER: 3.0 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of at 9 feet, 4 inches minimum; Minimum operating weight of 26,000 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
138	LOADER: Wheel Loader-3.0 CU YD		1 each	No					
138		Dobbs Equipment, LLC Riverview, FL View Quote				\$124,585.00	\$124,585.00	\$124,585.00	\$124,585.00
		Make: Komatsu Model: WA270-8 Model #: WA270-8 Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 140HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 20.5 - 25 Radial tires mounted on multi piece rims. LOADER: 3.0 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of at 9 feet, 4 inches minimum; Minimum operating weight of 26,000 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
139	LOADER: Wheel Loader-3.0 CU YD		1 each	No					
		Make: Mecalac Model: AS210E Model #: AS210E							

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 140HP; ROPS cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; 20.5 - 25 Radial tires mounted on multi piece rims. LOADER: 3.0 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of at 9 feet, 4 inches minimum; Minimum operating weight of 26,000 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only						
140	LOADER: Wheel Loader-3.0 CU YD		1 each	No				
		Make: Hitachi Model: ZW310 Model #: ZW310 Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 280 HP; ROPS Cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; Manufacturer's standard axle; 26.5 -R25 radial tires mounted on multi piece rims. LOADER: 5.75 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of 11'4" minimum; Minimum operating weight of 53,674 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only						
141	LOADER: Wheel Loader-5.75 CU YD		1 each	No				
		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$271,090.00	\$271,090.00	\$271,090.00
141								
		Make: Hyundai Model: HL975 Model #: HL975						

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 280 HP; ROPS Cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; Manufacturer's standard axle; 26.5 -R25 radial tires mounted on multi piece rims. LOADER: 5.75 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of 11'4" minimum; Minimum operating weight of 53,674 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
142	LOADER: Wheel Loader-5.75 CU YD		1 each	No					
142		National Equipment Dealers dba Earthmovers Construction Equipment Apopka, FL View Quote				\$259,609.00	\$259,609.00	\$259,609.00	\$259,609.00
143	LOADER: Wheel Loader-5.75 CU YD	Make: John Deere Model: 744L Model #: 744L Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 280 HP; ROPS Cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; Manufacturer's standard axle; 26.5 -R25 radial tires mounted on multi piece rims. LOADER: 5.75 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of 11'4" minimum; Minimum operating weight of 53,674 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
143		Dobbs Equipment, LLC Riverview, FL View Quote				\$323,900.00	\$323,900.00	\$323,900.00	\$323,900.00
		Make: Komatsu Model: WA480-8 Model #: WA480-8							

		Description: ENGINE/CAB: Diesel engine, six-cylinder, liquid cooled, minimum 280 HP; ROPS Cab with air conditioning and heat. TRANSMISSION: Power shift transmission with torque converter or hydrostatic drive, minimum of four forward and three reverse speeds. DRIVETRAIN: Four-wheel drive; Manufacturer's standard axle; 26.5 -R25 radial tires mounted on multi piece rims. LOADER: 5.75 cu. yd. general purpose bucket with bolt on cutting edge; Bucket position indicator; Automatic return to dig; Rear drawbar; Gauges and indicators: visual hydraulic oil level indicator, electronic monitor display of all fluid levels and temperatures; Deluxe suspension seat with foam padding and backrest; Articulated steering, 40 degrees minimum each direction; Wheelbase of 11'4" minimum; Minimum operating weight of 53,674 lbs. ELECTRICAL: Manual battery disconnect switch; Driving lights, front and rear work lights, stop lights, warning lights and tail lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
144	LOADER: Wheel Loader-5.75 CU YD		1 each	No					
		Make: GEM Model: E2 Model #: E2 vehicles are primarily used to transport people and limited cargo in the State of Florida on typical federal, state, county and city highways and roads that are posted for 35 mph or less and shall be designed to operate under typical environmental conditions. Vehicles must conform to Federal Motor Vehicle Safety Standards, State of Florida Vehicle Safety Laws, regulations, specifications, standards and requirements in effect as of the date of manufacture. ENGINE: 5.5HP 4 kw Electric Motor; 48 Volt Lead Acid Batteries (8 Batteries x 6v); 110V Eagle on Board Charger; 50 Miles per Charge; Max Forward Speed 25mph; Digital Speedometer and Dashboard. DIMENSIONS (APPROXIMATE): Length: 96"; Height: 76"; Width: 48"; Wheel Base 66.9"; Ground Clearance 5" BODY: Plastic body and fiberglass roof; DOT Windshield with Wiper. COMFORT ITEMS: 4 Person Seating with Flip Rear Seat for Cargo. CHASSIS/STEERING/SUSPENSION: 10 Foot Turning Radius; Steel Frame Type Chassis; 500lbs GVW Capacity. TIRES AND WHEELS: 205/50-10 Tires; 10" Aluminum Rims. BRAKES: 4 Wheel Hydraulic; Hand Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
145	LOW SPEED VEHICLE: Low Speed Vehicle								
145		Beck Chrysler Dodge Jeep Palatka, FL View Quote				\$11,659.00	\$11,359.00	\$11,659.00	\$11,659.00
		Make: Caterpillar Model: MH3022 Model #: MH3022							

		Description: ENGINE: Tier IV Final Diesel Engine - 132 hp; Spin on Filters; Two Stage Air Cleaner. WEIGHT: Minimum Operating Weight - 48,000 lbs. TRAVEL SYSTEM: 2-speed - 0-3.0 mph/0-12.0 mph. HYDRAULIC SYSTEM: Main Hydraulic System flow 80 GPM. UNDERCARRIAGE: Two axles with all-wheel drive; 8 - 10:00 X 20 Solid Tires. OPERATING STATION: Cab to be climate controlled with pressurized filtration; Hydraulic elevating cab; Sliding door window and tilt out front window; Tinted windows with safety glass; Adjustable suspension seat with safety belt and seat heater; Catwalk with handrail; Fire extinguisher; Rear view and right view camera system; Halogen work lights on roof cap. WORKING EQUIPMENT: Purpose built material handling boom and stick; Safety check valves on boom and stick cylinders. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
146	MATERIAL HANDLER: Rubber Tire Material Handler		1 each	No					
146		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$265,547.00
146		Ring Power Corporation Riverview, FL View Quote				\$270,277.00	\$270,277.00	\$270,277.00	\$0.00
		Make: Sennebogen Model: 818E Model #: 818E Description: ENGINE: Tier IV Final Diesel Engine - 132 hp; Spin on Filters; Two Stage Air Cleaner. WEIGHT: Minimum Operating Weight - 48,000 lbs. TRAVEL SYSTEM: 2-speed - 0-3.0 mph/0-12.0 mph. HYDRAULIC SYSTEM: Main Hydraulic System flow 80 GPM. UNDERCARRIAGE: Two axles with all-wheel drive; 8 - 10:00 X 20 Solid Tires. OPERATING STATION: Cab to be climate controlled with pressurized filtration; Hydraulic elevating cab; Sliding door window and tilt out front window; Tinted windows with safety glass; Adjustable suspension seat with safety belt and seat heater; Catwalk with handrail; Fire extinguisher; Rear view and right view camera system; Halogen work lights on roof cap. WORKING EQUIPMENT: Purpose built material handling boom and stick; Safety check valves on boom and stick cylinders. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
147	MATERIAL HANDLER: Rubber Tire Material Handler		1 each	No					
147		G S Equipment, Inc. dba Great Southern Equipment Co. Tampa, FL View Quote				\$334,042.00	\$334,042.00	\$334,042.00	\$334,042.00
		Make: Volvo Model: EW240E Model #: EW240E							

		Description: ENGINE: Tier IV Final Diesel Engine - 132 hp; Spin on Filters; Two Stage Air Cleaner. WEIGHT: Minimum Operating Weight - 48,000 lbs. TRAVEL SYSTEM: 2-speed - 0-3.0 mph/0-12.0 mph. HYDRAULIC SYSTEM: Main Hydraulic System flow 80 GPM. UNDERCARRIAGE: Two axles with all-wheel drive; 8 - 10:00 X 20 Solid Tires. OPERATING STATION: Cab to be climate controlled with pressurized filtration; Hydraulic elevating cab; Sliding door window and tilt out front window; Tinted windows with safety glass; Adjustable suspension seat with safety belt and seat heater; Catwalk with handrail; Fire extinguisher; Rear view and right view camera system; Halogen work lights on roof cap. WORKING EQUIPMENT: Purpose built material handling boom and stick; Safety check valves on boom and stick cylinders. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
148	MATERIAL HANDLER: Rubber Tire Material Handler		1 each	No					
148		Cowin Equipment Company Crestview, FL View Quote				\$377,760.00	\$377,760.00	\$377,760.00	\$377,760.00
149	MOTORGRADER: Motorgrader	Make: Case Model: 856C Model #: 856C Description: ENGINE: Liquid cooled 6-cylinder diesel with minimum of 140 net hp @ 1900 RPM. TRANSMISSION: Power shift with direct drive; Minimum 8 forward and 4 reverse speeds. BRAKES: Wet multiple disc. STEERING & ARTICULATION: Front steer plus articulated; Minimum articulation 20-degrees. MOLDBOARD: Minimum 12 ft. long. OPERATOR ENVIRONMENT: Low profile cab; Cloth adjustable seats; Gauges including hour meter, fuel, articulation, engine coolant temperature. TIRES: Minimum 13.0 - 24 10 PR 9" single piece rim. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
149		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$222,725.00	\$212,119.00	\$212,119.00	\$212,119.00
		Make: Case Model: 836C Model #: 836C Description: DIMENSIONS (APPROXIMATE): Length 21'; Width 7'; Height with cab 10'4"; Weight 15,200 lbs. ENGINE: Diesel, turbocharged 110 HP; 39 gallon fuel tank. DRIVE TRAIN: Hydrostatic drive or power shift; 2 speed gear box. BRAKES: Fail safe brake system. STEERING/ARTICULATION: 18-degree articulation left or right; Front wheel lean. MOLDBOARD/BLADE: 10' Sliding/Tilting moldboard; 10' Blade; Circle side shift; Scarifier - center mount, front mount or rear mount acceptable; Adjustable turn table; Blade float control. OPERATORS STATION: Enclosed cab; Front and rear windshield wipers; Suspension seat; Air conditioned and heated cab; Gauge package; Work lights. Price/Percent: Price							

150	MOTORGRADER: Motorgrader - Small	Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
		TREKKER TRACTOR, LLC Hialeah Gardens, FL View Quote				\$198,264.00	\$188,823.00	\$188,823.00
151	MOTORGRADER: Motorgrader - Small	Make: LeeBoy Model: 685D Model #: 685D Description: DIMENSIONS (APPROXIMATE): Length 21'; Width 7'; Height with cab 10'4"; Weight 15,200 lbs. ENGINE: Diesel, turbocharged 110 HP; 39 gallon fuel tank. DRIVE TRAIN: Hydrostatic drive or power shift; 2 speed gear box. BRAKES: Fail safe brake system. STEERING/ARTICULATION: 18- degree articulation left or right; Front wheel lean. MOLDBOARD/BLADE: 10' Sliding/Tilting moldboard; 10' Blade; Circle side shift; Scarifier - center mount, front mount or rear mount acceptable; Adjustable turn table; Blade float control. OPERATORS STATION: Enclosed cab; Front and rear windshield wipers; Suspension seat; Air conditioned and heated cab; Gauge package; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
		Dobbs Equipment, LLC Riverview, FL View Quote				\$174,850.00	\$174,850.00	\$174,850.00
151	MOTORGRADER: Motorgrader - Small	Make: Maudlin Model: MG618 Model #: MG618 Description: DIMENSIONS (APPROXIMATE): Length 21'; Width 7'; Height with cab 10'4"; Weight 15,200 lbs. ENGINE: Diesel, turbocharged 110 HP; 39 gallon fuel tank. DRIVE TRAIN: Hydrostatic drive or power shift; 2 speed gear box. BRAKES: Fail safe brake system. STEERING/ARTICULATION: 18- degree articulation left or right; Front wheel lean. MOLDBOARD/BLADE: 10' Sliding/Tilting moldboard; 10' Blade; Circle side shift; Scarifier - center mount, front mount or rear mount acceptable; Adjustable turn table; Blade float control. OPERATORS STATION: Enclosed cab; Front and rear windshield wipers; Suspension seat; Air conditioned and heated cab; Gauge package; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
		Make: Noram Model: Grader Model #: 65E						

		Description: DIMENSIONS (APPROXIMATE): Length 21'; Width 7'; Height with cab 10'4"; Weight 15,200 lbs. ENGINE: Diesel, turbocharged 110 HP; 39 gallon fuel tank. DRIVE TRAIN: Hydrostatic drive or power shift; 2 speed gear box. BRAKES: Fail safe brake system. STEERING/ARTICULATION: 18-degree articulation left or right; Front wheel lean. MOLDBOARD/BLADE: 10' Sliding/Tilting moldboard; 10' Blade; Circle side shift; Scarifier - center mount, front mount or rear mount acceptable; Adjustable turn table; Blade float control. OPERATORS STATION: Enclosed cab; Front and rear windshield wipers; Suspension seat; Air conditioned and heated cab; Gauge package; Work lights. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
153	MOTORGRADER: Motorgrader - Small		1 each	No					
153		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$177,200.00
153		Ring Power Corporation Riverview, FL View Quote				\$188,173.00	\$188,173.00	\$188,173.00	\$0.00
154	MOWER: 15 FT. Flex Wing Rotary Mower	Make: John Deere Model: M15 Model #: M15 Description: DECK: Mower shall be rotary, flex wing style; 10-gauge steel minimum; Replaceable full-length skid shoes; Shall be easy clean style. BLADE CARRIER & BLADES: 7-gauge steel minimum; 1-inch thick cross bar weldment; "Stump Jumper" pan design; 2 free swinging updraft cutting blades 1/2-inch-thick, heat treated alloy steel minimum; Blades shall overlap a minimum of six inches for uniform cut; Blade spindles shall be 1 1/4-inch diameter minimum. WHEELS/TIRES: 6 replaceable puncture resistant foam filled airplane tailwheels. POWER DISTRIBUTION: Main driveline shall be CAT 5; Slip clutch protection shall be featured; Gears shall be straight bevel with tapered roller bearings; A power divider shall have a rating of 190 HP minimum; Center and wing gearboxes shall have a minimum rating of 190 HP. GENERAL FEATURES: Mower shall attach to the rear of the tractor using a self-level-lift hitch; Front and rear chain deflectors; Tongue shall have a jack stand. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
154		AG-PRO LLC OCALA, FL View Quote				\$18,000.00	\$18,000.00	\$0.00	\$0.00
154		EFE, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$17,800.00	\$17,800.00
		Make: Cub Cadet Model: Pro Z Model #: 560 L/S KW							

		Description: ENGINE: 25 horsepower gas engine; Positive feed oil system with spin on filter; Electric start. DRIVE TRAIN/AXLES: Spin on hydraulic filters. DECK: 60" heavy duty mower deck; 3 blade spindles; Manual deck lift; 1" to 5" cutting height; Deck engagement electric clutch. WHEELS: Front wheels - 13x6-6 ribbed, minimum; Rear wheels - 24x11.5-12 turf. COMFORT & CONVENIENCE: High back full suspension seat; ROPS bar. APPROXIMATE MACHINE DIMENSIONS: Length - 82"; Height - 72" with ROPS; Width - 63" without chute. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
155	MOWER: Zero Turn Radius Commercial Grade Mower		1 each	No					
155		MTD Products Company Cleveland, OH View Quote				\$8,119.00	\$8,119.00	\$8,119.00	\$8,119.00
156	MOWER: Zero Turn Radius Commercial Grade Mower	Make: Ferris Model: IS 2100 Model #: 5901578 Description: ENGINE: 25 horsepower gas engine; Positive feed oil system with spin on filter; Electric start. DRIVE TRAIN/AXLES: Spin on hydraulic filters. DECK: 60" heavy duty mower deck; 3 blade spindles; Manual deck lift; 1" to 5" cutting height; Deck engagement electric clutch. WHEELS: Front wheels - 13x6-6 ribbed, minimum; Rear wheels - 24x11.5-12 turf. COMFORT & CONVENIENCE: High back full suspension seat; ROPS bar. APPROXIMATE MACHINE DIMENSIONS: Length - 82"; Height - 72" with ROPS; Width - 63" without chute. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
156		Miller Heiman Holdings LLC - Green Thumb Palm Beach west palm beach, FL View Quote				\$0.00	\$0.00	\$0.00	\$9,281.00
156		PACE Inc. Plymouth, MI View Quote				No Bid	No Bid	No Bid	\$0.00
157	MOWER: Zero Turn Radius Commercial Grade Mower	Make: Gravely Model: Proturn Model #: 260 Description: ENGINE: 25 horsepower gas engine; Positive feed oil system with spin on filter; Electric start. DRIVE TRAIN/AXLES: Spin on hydraulic filters. DECK: 60" heavy duty mower deck; 3 blade spindles; Manual deck lift; 1" to 5" cutting height; Deck engagement electric clutch. WHEELS: Front wheels - 13x6-6 ribbed, minimum; Rear wheels - 24x11.5-12 turf. COMFORT & CONVENIENCE: High back full suspension seat; ROPS bar. APPROXIMATE MACHINE DIMENSIONS: Length - 82"; Height - 72" with ROPS; Width - 63" without chute. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No		\$9,280.00	\$9,280.00	\$9,280.00	No Bid
		Make: John Deere Model: Z930M Model #: Z930M							

		Description: ENGINE: 25 horsepower gas engine; Positive feed oil system with spin on filter; Electric start. DRIVE TRAIN/AXLES: Spin on hydraulic filters. DECK: 60" heavy duty mower deck; 3 blade spindles; Manual deck lift; 1" to 5" cutting height; Deck engagement electric clutch. WHEELS: Front wheels - 13x6-6 ribbed, minimum; Rear wheels - 24x11.5-12 turf. COMFORT & CONVENIENCE: High back full suspension seat; ROPS bar. APPROXIMATE MACHINE DIMENSIONS: Length - 82"; Height - 72" with ROPS; Width - 63" without chute. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
158	MOWER: Zero Turn Radius Commercial Grade Mower		1 each	No					
158		AG-PRO LLC OCALA, FL View Quote				\$9,000.00	\$9,000.00	\$0.00	\$0.00
158		EFE, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$8,900.00	\$8,900.00
159	MOWER: Zero Turn Radius Commercial Grade Mower	Make: Scag Model: Cheetah Model #: SCZ61V-27FX Description: ENGINE: 25 horsepower gas engine; Positive feed oil system with spin on filter; Electric start. DRIVE TRAIN/AXLES: Spin on hydraulic filters. DECK: 60" heavy duty mower deck; 3 blade spindles; Manual deck lift; 1" to 5" cutting height; Deck engagement electric clutch. WHEELS: Front wheels - 13x6-6 ribbed, minimum; Rear wheels - 24x11.5-12 turf. COMFORT & CONVENIENCE: High back full suspension seat; ROPS bar. APPROXIMATE MACHINE DIMENSIONS: Length - 82"; Height - 72" with ROPS; Width - 63" without chute. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
159		Miller Heiman Holdings LLC - Green Thumb Palm Beach west palm beach, FL View Quote				\$0.00	\$0.00	\$9,163.00	\$9,163.00
160	OFF ROAD VEHICLE: Off Road All Terrain Vehicles 4WD	Make: CanAm Model: Outlander Model #: 450 Description: ENGINE: Manufacture's minimum 1 cylinder 4 stroke fuel injected gas engine; Liquid cooled; Key/electric start; 20 HP minimum. TRANSMISSION: Manufacture's standard automatic transmission. BATTERY: 300 CCA. BRAKES: Front disc / rear drum. SAFETY ITEMS: Safety shut off switch; Hi/lo headlights. WHEELS/TIRES: Standard all terrain tires. CHASSIS, FRAME, CAB: Standard headlights; Standard taillights; Power plug; Standard front and rear racks; Standard floorboards; Minimum tow capacity 800 lbs. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
160		Ameri-Recreational Sports,LLC Okeechobee, FL View Quote				\$6,305.00	\$6,105.00	\$5,905.00	\$5,905.00
		Make: Bobcat Model: 5600							

161	OFF ROAD VEHICLE: Off Road Utility Vehicles-4WD	Model #: 5600 Description: ENGINE: Manufacturer's gas or diesel engine, air cooled, overhead valve, keyed electronic ignition, 20 HP minimum. TRANSMISSION: Manufacturer's standard automatic transmission. CHASSIS: Standard front bumper. TIRES AND WHEELS: Front and rear all terrain tires, must match drive train. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
161		CLARK EQUIPMENT COMPANY West Fargo, ND View Quote				\$44,039.20	\$44,039.20	\$44,039.20	\$44,039.20
162	OFF ROAD VEHICLE: Off Road Utility Vehicles-4WD	Make: CanAm Model: Defender Model #: HD5 Description: ENGINE: Manufacturer's gas or diesel engine, air cooled, overhead valve, keyed electronic ignition, 20 HP minimum. TRANSMISSION: Manufacturer's standard automatic transmission. CHASSIS: Standard front bumper. TIRES AND WHEELS: Front and rear all terrain tires, must match drive train. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
162		Ameri-Recreational Sports,LLC Okeechobee, FL View Quote				\$10,140.00	\$9,994.00	\$9,795.00	\$9,795.00
163	OFF ROAD VEHICLE: Off Road Utility Vehicles-4WD	Make: Cub Cadet Model: Cadet Model #: 550 Description: ENGINE: Manufacturer's gas or diesel engine, air cooled, overhead valve, keyed electronic ignition, 20 HP minimum. TRANSMISSION: Manufacturer's standard automatic transmission. CHASSIS: Standard front bumper. TIRES AND WHEELS: Front and rear all terrain tires, must match drive train. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
163		MTD Products Company Cleveland, OH View Quote				\$9,944.00	\$9,944.00	\$9,944.00	\$9,944.00
164	OFF ROAD VEHICLE: Off Road Utility Vehicles-4WD	Make: John Deere Model: Gator Model #: HPX615E Description: ENGINE: Manufacturer's gas or diesel engine, air cooled, overhead valve, keyed electronic ignition, 20 HP minimum. TRANSMISSION: Manufacturer's standard automatic transmission. CHASSIS: Standard front bumper. TIRES AND WHEELS: Front and rear all terrain tires, must match drive train. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
164		AG-PRO LLC OCALA, FL View Quote				\$10,400.00	\$10,400.00	\$0.00	\$0.00
164		EFE, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$10,750.00	\$10,750.00
		Make: Atlas Copco Model: PAS 150 HF Model #: PAS 150 HF							

		Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
165	PUMP: 6 Inch Mobile Pump Package		1 each	No					
165		Power Technique North America LLC Rock Hill, SC View Quote				\$39,089.00	\$39,089.00	\$39,089.00	\$39,089.00
166	PUMP: 6 Inch Mobile Pump Package	Make: BBA Model: BA150E Model #: BA150E Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
166		Power & Pumps, Inc. Jacksonville, FL View Quote				\$36,071.00	\$35,671.00	\$35,671.00	\$35,971.00
		Make: Generac Model: MTP6DZV Model #: MTP6DZV							

		Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
167	PUMP: 6 Inch Mobile Pump Package		1 each	No					
167		ACF Standby Systems, LLC Tampa, FL View Quote				\$41,100.00	\$41,100.00	\$41,100.00	\$41,100.00
		Make: Generac Model: MTP6DZV Model #: MTP6DZV Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
168	PUMP: 6 Inch Mobile Pump Package		1 each	No					
		Make: Godwin Model: CD 150S Model #: CD 150S							

		Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
169	PUMP: 6 Inch Mobile Pump Package		1 each	No					
169		Xylem Dewatering Solutions, Inc. Lakeland, FL View Quote				\$44,227.00	\$44,227.00	\$44,227.00	\$44,227.00
170	PUMP: 6 Inch Mobile Pump Package	Make: Pioneer Model: PP66S12L71 Model #: PP66S12L71 Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
170		Tom Evans Environmental, Inc. Lakeland, FL View Quote				\$40,880.00	\$40,880.00	\$40,880.00	\$40,880.00
		Make: Thompson Model: 6JSC Model #: 6JSC							

		Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
171	PUMP: 6 Inch Mobile Pump Package		1 each	No					
171		Thompson Pump & Mfg Co Inc Port Orange, FL View Quote				\$38,914.00	\$38,914.00	\$38,914.00	\$38,914.00
172	PUMP: 6 Inch Mobile Pump Package	Make: Tradewinds Model: TPK064750 Model #: TPK064750 Discharge size: 6 inches; Suction size: 6 inches; Capable of 1750 GPM minimum; Capable of 160 ft. Total Dynamic Head (TDH) minimum; Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH); Solids handling capability size, minimum size: 3 inches. ENGINE: Diesel engine, appropriate to pump size at continuous duty; Emission compliant engine; Industrial grade exhaust muffler and rain cap; Oil and coolant drain lines with ball valves; Low water level shutdown switch; 12vdc system with battery rack and cables; 50 gallon minimum fuel tank with low fuel level alarm and shutdown. PUMP: Check valve; Self-priming system. CONTROLS: Solid state, microprocessor-based pump controls; Controls shall provide all operating, monitoring and control functions for the pump set; Controller will also provide 2 fully programmable contacts for input and output signals accordingly; Controller will provide remote start stop control with adjustable ramp (speed) time control; UL 508 R and CSA C22.2 No. 14 approved. TRAILER: The manufacturer shall mount the Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
172		Tradewinds Power Corp. Miami, FL View Quote				\$58,872.00	\$58,872.00	\$58,872.00	\$58,872.00
		Make: Mack Model: TE Series Model #: TE Series							

		Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: ENGINE: 300 HP 6-cylinder diesel engine, manufacturer's 11L minimum. TRANSMISSION: Allison 4500 RDS automatic transmission. ENGINE EQUIPMENT: Air restriction monitor - intake mounted. CAB: Low cab, forward mounted, tilt type; Floor covering - 2 keys and/or fobs; black rubber mats; Seating - driver air suspension mid back, passenger fixed mid back; Standard air conditioning and heating. FRAME: Frame - steel construction matched to GVWR and mounted body of truck; Wheelbase - 209"; Front bumper - painted steel; Fuel tank - 70 gallon, minimum; Air dryer - Bendix AD9 heated, or approved equivalent. SAFETY: Horn - single air trumpet; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 20,000lb front axle and suspension; Oil type with synthetic lube. REAR AXLE: 40,000 lb. rear axles and suspension; Power divider with warning light and buzzer (includes in cab control). Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
173	REFUSE TRUCK: 60,000 LB GVWR Cab & Chassis Refuse Truck Only 4x6		1 each	No					
173		Nextran Truck Centers Jacksonville, FL View Quote				\$143,837.00	\$143,837.00	\$143,837.00	\$143,837.00
174	REFUSE TRUCK: Compact 9.5 CU YD Self Loading Refuse Truck	Make: Broyhill Model: 74 DLX Model #: 74 DLX EPA compliant. TRANSMISSION: Hydrostatic Transmission; Four-wheel drive. ENGINE EQUIPMENT: Radiator - aluminum core, or approved equivalent. CAB: Low cab, forward mounted; Floor covering - manufacturer or standard; Seating - driver air suspension; Standard air conditioning and heating; Tilt Wheel FRAME: Operating weight 7,300 lbs.; Frame - steel construction; GVWR 12,900 lbs.; Wheelbase - 108"; Front bumper - painted steel; Fuel tank - 30 gallon, minimum; Articulated joint. SAFETY: Horn - Electric; Mirrors - West Coast to include 7.5" convex mounted to lower mirror bracket; Brakes - Hydro-static, fail safe parking and emergency brake; Work lights; Strobe lights; DOT compliant lighting; Three Camera system view both sides and rear. HYDRAULIC SYSTEM: Load arm, grip 55-90-gallon containers; Load arm, 500 LB lift capacity; Load arm, 5 second cycle time. AXLES: Dana Corp 70 series front and rear, or approved equivalent; Front and Rear tires - 36 x 13.50-15 NHS high floatation tires; Hubs - iron, or approved equivalent. ELECTRICAL: Hand throttle; Engine protection - engine Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
174		The Broyhill Manufacturing Company DAKOTA CITY, NE View Quote				\$190,409.00	\$190,409.00	\$190,409.00	\$190,409.00
		Make: AMSIG Model: CMS-GP465T Model #: CMS-GP465T							

		Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2' minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
175	ROADWAY ADVISORY BOARD: Mobile Message Board		1 each	No					
175		Crimson Technology Products, LLC Apopka, FL View Quote				\$14,792.00	\$14,842.00	\$14,942.00	\$15,092.00
176	ROADWAY ADVISORY BOARD: Mobile Message Board	Make: K&K Systems Model: MB9757 Model #: MB9757 Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2' minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
176		K&K Systems, Inc. Tupelo, MS View Quote				\$12,136.00	\$12,136.00	\$12,136.00	\$12,136.00
177	ROADWAY ADVISORY BOARD: Mobile Message Board	Make: Kustom Signal Model: Smart VMS Model #: 3 Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2' minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
177		Crimson Technology Products, LLC Apopka, FL View Quote				\$17,050.00	\$16,850.00	\$17,000.00	\$17,265.00
178	ROADWAY ADVISORY BOARD: Mobile Message Board	Make: SolarTech Model: Silent Messenger Model #: MB Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2' minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
179	ROADWAY ADVISORY BOARD: Mobile Message Board	Make: SolarTech Model: Silent Messenger Model #: MB2 Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2' minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		ALL AMERICAN TRAILER CONNECTION INC							

179		LANTANA, FL View Quote				\$14,447.00	\$14,447.00	\$14,447.00	\$14,447.00
180	ROADWAY ADVISORY BOARD: Mobile Message Board	Make: Ver-Mac Model: PCMS-1500 Model #: PCMS-1500 Description: DISPLAY PANEL: Minimum Panel Size 72" x 48" EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
180		Federal Contracts Corp Tampa, FL View Quote				\$24,434.95	\$24,434.95	\$24,434.95	\$24,434.95
181	ROADWAY ADVISORY BOARD: Mobile Speed Board	Make: K&K Systems Model: LTER12-P-DC599S Model #: LTER12-P-DC599S Description: DISPLAY PANEL: Amber or Red LED; 12" minimum Speed Limit Sign. RADAR SPEED UNIT: Miles Per Hour; Directional Radar. DATA COLLECTION: Data and Analysis Software included; EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
181		K&K Systems, Inc. Tupelo, MS View Quote				\$4,731.59	\$4,731.59	\$4,731.59	\$4,731.59
182	ROADWAY ADVISORY BOARD: Mobile Speed Board	Make: Kustom Signal Model: Smart Model #: 800 Description: DISPLAY PANEL: Amber or Red LED; 12" minimum Speed Limit Sign. RADAR SPEED UNIT: Miles Per Hour; Directional Radar. DATA COLLECTION: Data and Analysis Software included; EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
182		Crimson Technology Products, LLC Apopka, FL View Quote				\$9,710.00	\$9,525.00	\$9,525.00	\$9,525.00
183	ROADWAY ADVISORY BOARD: Mobile Speed Board	Make: RU2 Systems Model: FAST-650 Model #: FAST-650 Description: DISPLAY PANEL: Amber or Red LED; 12" minimum Speed Limit Sign. RADAR SPEED UNIT: Miles Per Hour; Directional Radar. DATA COLLECTION: Data and Analysis Software included; EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Crimson Technology Products, LLC Apopka, FL							

183		View Quote				\$7,052.00	\$6,955.00	\$6,961.00	\$6,980.00
		Make: SolarTech Model: Silent Messenger Model #: MB2R Description: DISPLAY PANEL: Amber or Red LED; 12" minimum Speed Limit Sign. RADAR SPEED UNIT: Miles Per Hour; Directional Radar. DATA COLLECTION: Data and Analysis Software included; EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
184	ROADWAY ADVISORY BOARD: Mobile Speed Board	ALL AMERICAN TRAILER CONNECTION INC LANTANA, FL View Quote				\$8,670.00	\$8,670.00	\$8,670.00	\$8,670.00
		Make: Ver-Mac Model: SP-710V Model #: SP-710V Description: DISPLAY PANEL: Amber or Red LED; 12" minimum Speed Limit Sign. RADAR SPEED UNIT: Miles Per Hour; Directional Radar. DATA COLLECTION: Data and Analysis Software included; EXPECTED POWER: Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
185	ROADWAY ADVISORY BOARD: Mobile Speed Board	Federal Contracts Corp Tampa, FL View Quote				\$9,683.45	\$9,683.45	\$9,683.45	\$9,683.45
		Make: AMSIG Model: T615 Model #: T615 Description: DISPLAY: 15 lamps minimum; 48" x 96" panel size. EXPECTED POWER Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: Meets manufacturer and highway safety requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
186	ROADWAY ADVISORY BOARD: Mobile Traffic Advisory / Directional Signal Board	Crimson Technology Products, LLC Apopka, FL View Quote				\$4,446.00	\$4,496.00	\$4,596.00	\$4,746.00
		Make: K&K Systems Model: AT154896 Model #: AT154896 Description: DISPLAY: 15 lamps minimum; 48" x 96" panel size. EXPECTED POWER Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: Meets manufacturer and highway safety requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
187	ROADWAY ADVISORY BOARD: Mobile Traffic Advisory / Directional Signal Board	K&K Systems, Inc.							

187		Tupelo, MS View Quote				\$4,388.02	\$4,388.02	\$4,388.02	\$4,388.02
188	ROADWAY ADVISORY BOARD: Mobile Traffic Advisory / Directional Signal Board	Make: SolarTech Model: Silent Sentinel Model #: AB025 Description: DISPLAY: 15 lamps minimum; 48" x 96" panel size. EXPECTED POWER Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: Meets manufacturer and highway safety requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
188		ALL AMERICAN TRAILER CONNECTION INC LANTANA, FL View Quote				\$4,225.00	\$4,225.00	\$4,225.00	\$4,225.00
189	ROADWAY ADVISORY BOARD: Mobile Traffic Advisory / Directional Signal Board	Make: Ver-Mac Model: ST-4825 Model #: ST-4825 Description: DISPLAY: 15 lamps minimum; 48" x 96" panel size. EXPECTED POWER Solar and Battery with battery charger- Meets manufacturer requirements. TRAILER: Meets manufacturer and highway safety requirements. TRAILER: 2" minimum Ball Coupler; Meets manufacturer and highway safety requirements. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
189		Federal Contracts Corp Tampa, FL View Quote				\$1,550.03	\$1,550.03	\$1,550.03	\$1,550.03
190	SEWER CLEANER: Combination Sewer Cleaning/Vacuum Machine - 10 CU YD	Make: Gapvax Model: MC Model #: 1510 an INCOMPLETE UNIT. This is a bid award on a combination Sewer Cleaning/Vacuum Unit to be mounted on an appropriately sized cab & chassis truck. Agencies purchasing this unit will need to provide a cab & chassis truck of appropriate size, GVW, and, options necessary to have the selected combination Sewer Cleaner/Vacuuming Unit to be mounted on or have the truck provider assist in ordering the correctly outfitted truck. All items factory installed unless otherwise noted. AIR/VACUUM SYSTEM: Positive displacement vacuum pump or centrifugal compressor; 3500 CFM @ 14.5 inches of mercury, minimum; Muffler; Vacuum relief valves; Centrifugal separator with clean out; PTO or hydrostatic drive. DEBRIS TANK: 10 cu yd capacity; 45-degree hydraulic dump; Top hinged; Hydraulic door locks; Sight glass or indicator; Drain valve with hose; Check ball system or vacuum breaker. BOOM ASSEMBLY: 270-degree boom working area; Hydraulic up/down; Clean out port; Transport cradle; 8" boom hose; Pendant control. WATER PUMP: 2500 PSI, 80 GPM; Pressure relief valve; Wash down gun with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
190		GapVax, Inc. Johnstown, PA View Quote				\$225,830.00	\$225,830.00	\$225,830.00	\$225,830.00

191	SEWER CLEANER: Combination Sewer Cleaning/Vacuum Machine - 10 CU YD	Make: Sewer Equipment Model: M184 Model #: M184 an INCOMPLETE UNIT. This is a bid award on a combination Sewer Cleaning/Vacuum Unit to be mounted on an appropriately sized cab & chassis truck. Agencies purchasing this unit will need to provide a cab & chassis truck of appropriate size, GVW, and, options necessary to have the selected combination Sewer Cleaner/Vacuuuming Unit to be mounted on or have the truck provider assist in ordering the correctly outfitted truck. All items factory installed unless otherwise noted. AIR/VACUUM SYSTEM: Positive displacement vacuum pump or centrifugal compressor; 3500 CFM @ 14.5 inches of mercury, minimum; Muffler; Vacuum relief valves; Centrifugal separator with clean out; PTO or hydrostatic drive. DEBRIS TANK: 10 cu yd capacity; 45-degree hydraulic dump; Top hinged; Hydraulic door locks; Sight glass or indicator; Drain valve with hose; Check ball system or vacuum breaker. BOOM ASSEMBLY: 270-degree boom working area; Hydraulic up/down; Clean out port; Transport cradle; 8" boom hose; Pendant control. WATER PUMP: 2500 PSI, 80 GPM; Pressure relief valve; Wash down gun with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
192	SEWER CLEANER: Combination Sewer Cleaning/Vacuum Machine - 10 CU YD	Make: Super Products Model: Camel Maxxx Model #: 1200 an INCOMPLETE UNIT. This is a bid award on a combination Sewer Cleaning/Vacuum Unit to be mounted on an appropriately sized cab & chassis truck. Agencies purchasing this unit will need to provide a cab & chassis truck of appropriate size, GVW, and, options necessary to have the selected combination Sewer Cleaner/Vacuuuming Unit to be mounted on or have the truck provider assist in ordering the correctly outfitted truck. All items factory installed unless otherwise noted. AIR/VACUUM SYSTEM: Positive displacement vacuum pump or centrifugal compressor; 3500 CFM @ 14.5 inches of mercury, minimum; Muffler; Vacuum relief valves; Centrifugal separator with clean out; PTO or hydrostatic drive. DEBRIS TANK: 10 cu yd capacity; 45-degree hydraulic dump; Top hinged; Hydraulic door locks; Sight glass or indicator; Drain valve with hose; Check ball system or vacuum breaker. BOOM ASSEMBLY: 270-degree boom working area; Hydraulic up/down; Clean out port; Transport cradle; 8" boom hose; Pendant control. WATER PUMP: 2500 PSI, 80 GPM; Pressure relief valve; Wash down gun with Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
192		Container Systems & Equipment Co., Inc. Daytona Beach, FL View Quote			\$253,665.00	\$253,665.00	\$253,665.00	\$253,665.00
		Make: VacCon Model: TPD4211SHAE Model #: TPD4211SHAE						

		an INCOMPLETE UNIT. This is a bid award on a combination Sewer Cleaning/Vacuum Unit to be mounted on an appropriately sized cab & chassis truck. Agencies purchasing this unit will need to provide a cab & chassis truck of appropriate size, GVW, and, options necessary to have the selected combination Sewer Cleaner/Vacuuming Unit to be mounted on or have the truck provider assist in ordering the correctly outfitted truck. All items factory installed unless otherwise noted. AIR/VACUUM SYSTEM: Positive displacement vacuum pump or centrifugal compressor; 3500 CFM @ 14.5 inches of mercury, minimum; Muffler; Vacuum relief valves; Centrifugal separator with clean out; PTO or hydrostatic drive. DEBRIS TANK: 10 cu yd capacity; 45-degree hydraulic dump; Top hinged; Hydraulic door locks; Sight glass or indicator; Drain valve with hose; Check ball system or vacuum breaker. BOOM ASSEMBLY: 270-degree boom working area; Hydraulic up/down; Clean out port; Transport cradle; 8" boom hose; Pendant control. WATER PUMP: 2500 PSI, 80 GPM; Pressure relief valve; Wash down gun with							
193	SEWER CLEANER: Combination Sewer Cleaning/Vacuum Machine - 10 CU YD	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
193		Vac-Con, Inc. GREEN COVE SPRINGS, FL View Quote				\$303,598.00	\$303,598.00	\$303,598.00	\$303,598.00
194	SWEEPER: Regenerative Air Street Sweeper	Make: Tymco Model: 600 Model #: 600 cylinder diesel, 200 HP minimum. Transmission: Allison 2000 series, 5-speed automatic. Engine Equipment: Alternator: 12-volt 100 amp; Fuel water separator. Cab: Cab over, with rust preventative coating; Dual operating position type cab to include: steering, controls, etc., for sweeping from either side; Rubber floor mats; Air ride suspension seats, both sides; Pressurized cab with heat and air conditioning; Instrumentation for truck - oil pressure, water temperature, voltmeter gauges; Instrumentation for sweeper - tachometer, hour meter, oil pressure, coolant temperature gauges. Frame: Wheelbase - 152" minimum; Front steel bumper; Fuel tank - 50 gallon. Safety: West coast mirrors with lower mounted convex mirrors; Intermittent windshield wipers; Daytime running lights; Backup alarm; Auto shutdown system for sweeper power plant. Axles: Front axle: 11,900 lb. GVW; Rear axle: 21,000 lb. GVW; Single-speed rear axle; 22.5 x 8.25 steel wheels - disc type. Brakes: Air dryer. MOUNTED SWEEPER BODY: Engine: 4-cylinder turbocharged diesel 99 HP minimum. Blower: Direct belt Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
194		Container Systems & Equipment Co., Inc. Daytona Beach, FL View Quote				\$244,950.00	\$244,950.00	\$244,950.00	\$244,950.00
		Make: Laymor Model: Sweepmaster Model #: 450-ST							

		Description: WEIGHT: Minimum operating weight 5,500 lbs. ENGINE: Diesel engine 74 HP at 2200 RPM; Pre-cleaner 54 clone or equivalent; 27-gallon fuel tank. TRAVEL SYSTEM: 2 speed hydrostatic drive; High speed travel, 20 MPH; 225/75R15 tire size; Joystick direction controls, or foot pedal; Front or rear wheel steering. CAB: Roll over and falling object protective structures; Enclosed cab with air conditioner, heater and defroster fan; Front windshield wiper; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant; Right and left side doors; Right and left side mirrors; Shall have safety lighting package and night operating lighting package. BROOM: Minimum 7' 6" poly or poly-steel brush; Brush shall have quick charge core system; Minimum 150 gallon brush watering attachment; Shall have variable brush down-pressure control; Brush shall be hydraulically driven. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only						
195	SWEeper: Self-Propelled Hydrostatic Broom - Center Slung		1 each	No				
		Make: LeeBoy Model: CB-95 Model #: CB-95 Description: WEIGHT: Minimum operating weight 5,500 lbs. ENGINE: Diesel engine 74 HP at 2200 RPM; Pre-cleaner 54 clone or equivalent; 27-gallon fuel tank. TRAVEL SYSTEM: 2 speed hydrostatic drive; High speed travel, 20 MPH; 225/75R15 tire size; Joystick direction controls, or foot pedal; Front or rear wheel steering. CAB: Roll over and falling object protective structures; Enclosed cab with air conditioner, heater and defroster fan; Front windshield wiper; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant; Right and left side doors; Right and left side mirrors; Shall have safety lighting package and night operating lighting package. BROOM: Minimum 7' 6" poly or poly-steel brush; Brush shall have quick charge core system; Minimum 150 gallon brush watering attachment; Shall have variable brush down-pressure control; Brush shall be hydraulically driven. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only						
196	SWEeper: Self-Propelled Hydrostatic Broom - Center Slung		1 each	No				
196		Cowin Equipment Company Crestview, FL View Quote			\$67,837.00	\$0.00	\$0.00	\$0.00
196		Dobbs Equipment, LLC Riverview, FL View Quote			\$59,670.00	\$59,670.00	\$59,670.00	\$59,670.00
		Make: Superior Broom Model: DT74 Model #: DT74						

		Description: WEIGHT: Minimum operating weight 5,500 lbs. ENGINE: Diesel engine 74 HP at 2200 RPM; Pre-cleaner 54 clone or equivalent; 27-gallon fuel tank. TRAVEL SYSTEM: 2 speed hydrostatic drive; High speed travel, 20 MPH; 225/75R15 tire size; Joystick direction controls, or foot pedal; Front or rear wheel steering. CAB: Roll over and falling object protective structures; Enclosed cab with air conditioner, heater and defroster fan; Front windshield wiper; Gauges or warning indicators for fuel level, engine oil, hydraulic oil and coolant; Right and left side doors; Right and left side mirrors; Shall have safety lighting package and night operating lighting package. BROOM: Minimum 7' 6" poly or poly-steel brush; Brush shall have quick charge core system; Minimum 150 gallon brush watering attachment; Shall have variable brush down-pressure control; Brush shall be hydraulically driven. Price/Percent: Price						
197	SWEeper: Self-Propelled Hydrostatic Broom - Center Slung	Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
198	TOOL CARRIER: Large Tool Carrier with Optional Mower	Make: Mowermax Model: Muni Model #: MMB22 Heavy duty radiator with high flow fan with reversing, clean out valve; Canister style air cleaner with pre-cleaner; Electric start with engine pre-heat; Full engine gauge package; 30-gallon fuel tank. POWER TRAIN: Hydrostatic, variable displacement piston transmission pump; Two, heavy-duty, 4-wheel drive, steerable axles with parking and service brake; 3 steering modes - 4-wheel round, front wheel and 4-wheel crab; GVW (without attachments): Approximately 9000 lbs. TRAVEL SPEED: Work Mode - Variable 0-5 MPH Travel Mode - Variable 0-20 MPH. COMFORT, CONVENIENCE & SAFETY: Full air ride, suspension seat; Certified ROPS Canopy with AC, Heat, AM/FM radio with Bluetooth; Tilt steering column with horn; Seat belt with safety switch; Turn Signals and brake lights; Flashing safety lights as well as DOT reflector tape. ATTACHMENT OPTIONS: Front lift arms with universal skid steer mounting plate for 10 skid steer attachments: Broom/sweeper; 90-inch rotary mower; 88 in flail mower; Dozier blade; Stump grinder; Pallet forks; Cold planer; Big roll sod installer; Landscape Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
198		ATMAX Equipment Co Tampa, FL View Quote			\$146,650.00	\$146,650.00	\$146,650.00	\$146,650.00
		Make: JLG Model: 943 Model #: 943						

		Description: APPROXIMATE DIMENSIONS: Length: 196 in; Width: 90 in; Height, w/cab: 93 in; Wheelbase: 113 in; Weight: 17,155 lbs. ENGINE: Diesel, Tier 4 100hp; Turbocharged; Heavy duty cooling system. POWERTRAIN: Hydrostatic Drive; 2 Travel speeds low speed 3.0 mph, high speed 18 mph; All wheel drive; 3 Steering modes: all wheel, crab, and front wheel; Industrial lug type tires. COMFORT, CONVENIENCE AND SAFETY: Certified ROPS cab with air conditioning and heat; Suspension seat w/ seat belt; Work lights, safety lights, and warning beacon; Attachment controls in cab; Engine gauge instrumentation. HYDRAULIC SYSTEM: Lift capacity 7700 lbs.; Max lift 22 feet; Boom breakout force: 8000 lbs. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
199	TOOL CARRIER: Telescopic Tool Carrier		1 each	No					
		Southern States ToyotaLift Tampa, FL View Quote				\$121,242.00	\$121,242.00	\$121,242.00	\$121,242.00
199									
		Make: Case Model: IH Maxxum with Motrim Boom Mower Model #: 115 Description: ENGINE: Liquid cooled diesel with minimum of 95 PTO hp @ 2200 rpm. TRANSMISSION: Synchroshuttle type with a minimum of 16 forward and 16 reverse speeds; 4WD front axle. FUEL TANK: Minimum 38-gallon capacity. BRAKES: Oil cooled hydraulic. POWER TAKE OFF: Speeds RPM - 540/1000. HYDRAULIC SYSTEM: Closed center system with standard remotes; Maximum pressure psi - 2,900; Standard output @ remote 17 GPM; Total of 29 GPM combined flow. POINT HITCH: Category II; Telescopic stabilizers; SAE lift capacity @ 24" standard lbs. - 5,000; Lower draft arm link ends - extendable. TIRES: Not less than 13.6R24 R1 rear radials; Not less than 18.4R30 6-Ply F2. MOUNTED BOOM MOWER: Minimum 23' boom reach; Forward and reverse swing break away; Integral frame; Separate hydraulic circuit for mower head; 5' rotary cutter head; Disc or bar type blade holder. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
200	TRACTOR MOWER: Agriculture Tractor with Boom Mower - 4WD		1 each	No					
		Glade & Grove Supply Co LLC Belle Glade, FL View Quote				\$0.00	\$0.00		
200						No Bid	No Bid	\$125,150.00	\$125,150.00
		Make: John Deere Model: 6120M with Tiger Bengal Boom Mower Model #: 6120M							

		Description: ENGINE: Liquid cooled diesel with minimum of 95 PTO hp @ 2200 rpm. TRANSMISSION: Synchroshuttle type with a minimum of 16 forward and 16 reverse speeds; 4WD front axle. FUEL TANK: Minimum 38-gallon capacity. BRAKES: Oil cooled hydraulic. POWER TAKE OFF: Speeds RPM - 540/1000. HYDRAULIC SYSTEM: Closed center system with standard remotes; Maximum pressure psi - 2,900; Standard output @ remote 17 GPM; Total of 29 GPM combined flow. POINT HITCH: Category II; Telescopic stabilizers; SAE lift capacity @ 24" standard lbs. - 5,000; Lower draft arm link ends - extendable. TIRES: Not less than 13.6R24 R1 rear radials; Not less than 18.4R30 6-Ply F2. MOUNTED BOOM MOWER: Minimum 23' boom reach; Forward and reverse swing break away; Integral frame; Separate hydraulic circuit for mower head; 5' rotary cutter head; Disc or bar type blade holder. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
201	TRACTOR MOWER: Agriculture Tractor with Boom Mower - 4WD		1 each	No					
201		Dobbs Equipment, LLC Riverview, FL View Quote				\$147,500.00	\$147,500.00	\$147,500.00	\$147,500.00
		Make: Case Model: IH Model #: 100C Description: ENGINE: Liquid cooled diesel with minimum of 75 PTO hp @ 2200 rpm. TRANSMISSION: Synchroshuttle type with a minimum of 8 forward and 3 reverse speeds. FUEL TANK: Minimum 23-gallon capacity. BRAKES: Oil cooled hydraulic. POWER TAKE OFF: Speeds RPM - 540/1000. HYDRAULIC SYSTEM: Open center system with standard remotes; Standard output @ remote GPM - 10; Main pump flow 17 GPM. 3-POINT HITCH: Electronic or mechanical 3-point hitch control; Category II; Telescopic stabilizers; SAE lift capacity @ 24" standard lbs. - 3,600; Lower draft arm link ends - extendable. TIRES: Not less than 18.4R - 28 R1 radials; Not less than 7.5L - 15, 6-Ply F2. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
202	TRACTOR: Agriculture Tractor - 2WD		1 each	No					
202		Glade & Grove Supply Co LLC Belle Glade, FL View Quote				\$41,548.00	\$41,348.00	\$40,998.00	\$40,998.00
		Make: John Deere Model: 5100M Model #: 5100M							

		Description: ENGINE: Liquid cooled diesel with minimum of 75 PTO hp @ 2200 rpm. TRANSMISSION: Synchroshuttle type with a minimum of 8 forward and 3 reverse speeds. FUEL TANK: Minimum 23-gallon capacity. BRAKES: Oil cooled hydraulic. POWER TAKE OFF: Speeds RPM - 540/1000 HYDRAULIC SYSTEM: Open center system with standard remotes; Standard output @ remote GPM - 10; Main pump flow 17 GPM. 3-POINT HITCH: Electronic or mechanical 3-point hitch control; Category II; Telescopic stabilizers; SAE lift capacity @ 24" standard lbs. - 3,600; Lower draft arm link ends - extendable. TIRES: Not less than 18.4R - 28 R1 radials; Not less than 7.5L - 15, 6-Ply F2. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
203	TRACTOR: Agriculture Tractor - 2WD		1 each	No					
203		AG-PRO LLC OCALA, FL View Quote				\$43,000.00	\$43,000.00	\$0.00	\$0.00
203		EFE, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$43,150.00	\$43,150.00
204	TRACTOR: Agriculture Tractor - 2WD	Make: New Holland Model: Powerstar Model #: 100 Description: ENGINE: Liquid cooled diesel with minimum of 75 PTO hp @ 2200 rpm. TRANSMISSION: Synchroshuttle type with a minimum of 8 forward and 3 reverse speeds. FUEL TANK: Minimum 23-gallon capacity. BRAKES: Oil cooled hydraulic. POWER TAKE OFF: Speeds RPM - 540/1000 HYDRAULIC SYSTEM: Open center system with standard remotes; Standard output @ remote GPM - 10; Main pump flow 17 GPM. 3-POINT HITCH: Electronic or mechanical 3-point hitch control; Category II; Telescopic stabilizers; SAE lift capacity @ 24" standard lbs. - 3,600; Lower draft arm link ends - extendable. TIRES: Not less than 18.4R - 28 R1 radials; Not less than 7.5L - 15, 6-Ply F2. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
204		Glade & Grove Supply Co LLC Belle Glade, FL View Quote				\$42,394.00	\$42,194.00	\$41,844.00	\$41,844.00
		Make: Antonio Carrera Model: Tigre Model #: 4000							

		Description: Incomplete equipment. Unit bid is for the prime mover only, without attachments. Buyer should select attachments needed from the option list to complete the machine. Examples of attachments available are: Bucket; grapple and/or forks. This will affect the final price. ENGINE: 4500K - Briggs & Stratton 31hp Vanguard M54. TRANSMISSION: Manufacturer's standard hydrostatic. PERFORMANCE ITEMS: SDLA controls for complete one-handed control of Speed, Direction, Lift & Auxiliary functions; Weight Transfer - transfers weight to front axle for added stability (optional 4500K). SAFETY ITEMS: Automatic PTO shut-off- when weight is removed from seat; Standard seatbelt; Standard ROPS system; Neutral Assist. TIRES AND WHEELS: Manufacturer's standard tires and wheels (optional turf or bar tires). ATTACHMENT AND ACCESSORIES: 30 commercial grade attachments for a variety of applications (sold individually, not factory installed); Uses Ventrac quick hitch system for quick transition between applications. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
205	TRACTOR: Compact Center Articulating Tractor - AWD		1 each	No					
205		RIDGE EQUIPMENT CO., INC. Sebring, FL View Quote				\$18,885.00	\$18,475.00	\$18,475.00	\$18,675.00
205	TRACTOR: Compact Center Articulating Tractor - AWD	Make: Ventrac Model: 4500 Series Model #: 4500 Series Description: Incomplete equipment. Unit bid is for the prime mover only, without attachments. Buyer should select attachments needed from the option list to complete the machine. Examples of attachments available are: Bucket; grapple and/or forks. This will affect the final price. ENGINE: 4500K - Briggs & Stratton 31hp Vanguard M54. TRANSMISSION: Manufacturer's standard hydrostatic. PERFORMANCE ITEMS: SDLA controls for complete one-handed control of Speed, Direction, Lift & Auxiliary functions; Weight Transfer - transfers weight to front axle for added stability (optional 4500K). SAFETY ITEMS: Automatic PTO shut-off- when weight is removed from seat; Standard seatbelt; Standard ROPS system; Neutral Assist. TIRES AND WHEELS: Manufacturer's standard tires and wheels (optional turf or bar tires). ATTACHMENT AND ACCESSORIES: 30 commercial grade attachments for a variety of applications (sold individually, not factory installed); Uses Ventrac quick hitch system for quick transition between applications. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
206		VENTURE PRODUCTS INC. Orrville, OH View Quote				\$22,273.50	\$22,273.50	\$22,273.50	\$22,273.50
		Make: Bobcat Model: CT2035 Model #: CT2035							

		Description: ENGINE: Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm. TRANSMISSION: Hydrostatic drive or mechanical type transmission; 4WD front axle. FUEL TANK: Minimum 7-gallon capacity. BRAKES: Oil cooled hydraulic wet disc. POWER TAKE OFF: Speeds RPM - 540. HYDRAULIC SYSTEM: Open center system with standard remotes; Maximum main pump flow - 6.3 GPM 3-POINT HITCH: Category I; SAE lift capacity @ 24" standard lbs. - 1,435. TIRES: Not less than 11.2 x 24 rear; Not less than 5-15 6-ply front. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
207	TRACTOR: Small Agriculture Tractor - 4WD		1 each	No					
		CLARK EQUIPMENT COMPANY West Fargo, ND View Quote				\$15,588.00	\$15,588.00	\$15,588.00	\$15,588.00
		Make: Case Model: IH Model #: 35C Description: ENGINE: Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm. TRANSMISSION: Hydrostatic drive or mechanical type transmission; 4WD front axle. FUEL TANK: Minimum 7-gallon capacity. BRAKES: Oil cooled hydraulic wet disc. POWER TAKE OFF: Speeds RPM - 540. HYDRAULIC SYSTEM: Open center system with standard remotes; Maximum main pump flow - 6.3 GPM 3-POINT HITCH: Category I; SAE lift capacity @ 24" standard lbs. - 1,435. TIRES: Not less than 11.2 x 24 rear; Not less than 5-15 6-ply front. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
208	TRACTOR: Small Agriculture Tractor - 4WD		1 each	No					
		Glade & Grove Supply Co LLC Belle Glade, FL View Quote				\$19,480.00	\$19,280.00	\$18,930.00	\$18,930.00
		Make: John Deere Model: 3035D Model #: 3035D Description: ENGINE: Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm. TRANSMISSION: Hydrostatic drive or mechanical type transmission; 4WD front axle. FUEL TANK: Minimum 7-gallon capacity. BRAKES: Oil cooled hydraulic wet disc. POWER TAKE OFF: Speeds RPM - 540. HYDRAULIC SYSTEM: Open center system with standard remotes; Maximum main pump flow - 6.3 GPM 3-POINT HITCH: Category I; SAE lift capacity @ 24" standard lbs. - 1,435. TIRES: Not less than 11.2 x 24 rear; Not less than 5-15 6-ply front. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
209	TRACTOR: Small Agriculture Tractor - 4WD		1 each	No					
		AG-PRO LLC OCALA, FL View Quote				\$17,900.00	\$17,900.00	\$0.00	\$0.00
		EFE, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$17,990.00	\$17,990.00
		Make: John Deere Model: 3039R Model #: 3039R							

		Description: ENGINE: Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm. TRANSMISSION: Hydrostatic drive or mechanical type transmission; 4WD front axle. FUEL TANK: Minimum 7-gallon capacity. BRAKES: Oil cooled hydraulic wet disc. POWER TAKE OFF: Speeds RPM - 540. HYDRAULIC SYSTEM: Open center system with standard remotes; Maximum main pump flow - 6.3 GPM 3-POINT HITCH: Category I; SAE lift capacity @ 24" standard lbs. - 1,435. TIRES: Not less than 11.2 x 24 rear; Not less than 5-15 6-ply front. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
210	TRACTOR: Small Agriculture Tractor - 4WD		1 each	No					
210		AG-PRO LLC OCALA, FL View Quote				\$22,900.00	\$22,900.00	\$0.00	\$0.00
210		EFF, Inc DBA Everglades Equipment Group Wellington, FL View Quote				\$0.00	\$0.00	\$23,950.00	\$23,950.00
211	TRACTOR: Small Agriculture Tractor - 4WD	Make: New Holland Model: Boomer Model #: 35 Description: ENGINE: Liquid cooled diesel with minimum of 29 PTO hp @ 2200 rpm. TRANSMISSION: Hydrostatic drive or mechanical type transmission; 4WD front axle. FUEL TANK: Minimum 7-gallon capacity. BRAKES: Oil cooled hydraulic wet disc. POWER TAKE OFF: Speeds RPM - 540. HYDRAULIC SYSTEM: Open center system with standard remotes; Maximum main pump flow - 6.3 GPM 3-POINT HITCH: Category I; SAE lift capacity @ 24" standard lbs. - 1,435. TIRES: Not less than 11.2 x 24 rear; Not less than 5-15 6-ply front. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
211		Glade & Grove Supply Co LLC Belle Glade, FL View Quote				\$19,024.00	\$18,824.00	\$18,474.00	\$18,474.00
212	TRAILER: Enclosed Cargo Trailer - 7,000 Lb GVWR, 7' X16'	Make: Cargo Mate Model: Blazer Model #: BL716TA2 Description: DIMENSIONS: Width - 7'; Length - 16'; GVWR - 7,000 lb. FRAME: Formed angle top and bottom sills; All exposed steel primed and painted; Positive lock ball coupler; Tongue jack; Safety chains - DOT rated. FLOOR/WALLS/ROOF: 3/4" exterior grade plywood floor; 1/4" plywood interior liner; .030" prefinished aluminum exterior, state colors; Smooth galvanized steel or one-piece aluminum roof; Fiberglass front cap; Extruded aluminum bottom trim; Extruded aluminum roof cove with drip rail; Double locking door on rear. AXLES: Tandem 3,500 lb. torflex axles; 15" wheels; 205 x 15 trailer rated tires; Electric brakes with breakaway switch. LIGHTING SYSTEM: Protected turn/stop/tail lights; Clearance lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare wheel and tire. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					

212		Texas Trailers Sales and Service - Rick Croft Enterprises, Inc. Gainesville, FL View Quote				\$7,265.00	\$6,740.00	\$6,930.00	\$7,310.00
213	TRAILER: Enclosed Cargo Trailer - 7,000 Lb GVWR, 7' X16'	Make: Continental Model: Tailwind Model #: TW716TA2 Description: DIMENSIONS: Width - 7'; Length - 16'; GVWR - 7,000 lb. FRAME: Formed angle top and bottom sills; All exposed steel primed and painted; Positive lock ball coupler; Tongue jack; Safety chains - DOT rated. FLOOR/WALLS/ROOF: 3/4" exterior grade plywood floor; 1/4" plywood interior liner; .030" prefinished aluminum exterior, state colors; Smooth galvanized steel or one-piece aluminum roof; Fiberglass front cap; Extruded aluminum bottom trim; Extruded aluminum roof cove with drip rail; Double locking door on rear. AXLES: Tandem 3,500 lb. torflex axles; 15" wheels; 205 x 15 trailer rated tires; Electric brakes with breakaway switch. LIGHTING SYSTEM: Protected turn/stop/tail lights; Clearance lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare wheel and tire. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
213		ALL AMERICAN TRAILER CONNECTION INC LANTANA, FL View Quote				\$6,750.00	\$6,500.00	\$6,750.00	\$6,500.00
214	TRAILER: Enclosed Cargo Trailer - 7,000 Lb GVWR, 7' X16'	Make: Wells Cargo Model: HD Wagon Model #: WHD716T2 Description: DIMENSIONS: Width - 7'; Length - 16'; GVWR - 7,000 lb. FRAME: Formed angle top and bottom sills; All exposed steel primed and painted; Positive lock ball coupler; Tongue jack; Safety chains - DOT rated. FLOOR/WALLS/ROOF: 3/4" exterior grade plywood floor; 1/4" plywood interior liner; .030" prefinished aluminum exterior, state colors; Smooth galvanized steel or one-piece aluminum roof; Fiberglass front cap; Extruded aluminum bottom trim; Extruded aluminum roof cove with drip rail; Double locking door on rear. AXLES: Tandem 3,500 lb. torflex axles; 15" wheels; 205 x 15 trailer rated tires; Electric brakes with breakaway switch. LIGHTING SYSTEM: Protected turn/stop/tail lights; Clearance lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare wheel and tire. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
214		Texas Trailers Sales and Service - Rick Croft Enterprises, Inc. Gainesville, FL View Quote				\$9,265.00	\$8,740.00	\$8,930.00	\$9,310.00
		Make: Globe Trailers Model: GTFH352-46-26 Model #: GTFH352-46-26							

		Description: DIMENSIONS: Deck width - 8'6"; Overall length - 48'; Deck length - 25'; Hydraulic tail - 12' (8' with 4' fold under); GVWR - 70,000 LBS. FRAME: Cambered "I" beam main frame; 49" Kingpin height; 16" Kingpin setting; 82" Swing clearance; 8' Upper deck length. DECK: 1 ½" Apitone or oak decking; ½" Floor plate over wheels; Traction plate on hydraulic tail. HYDRAULIC TAIL: 8' Main tail; 4'-Fold under tail; Hydraulic actuated with tail lock; 14-degree load angle. LANDING GEAR: Pin drop type or 2 speed type. AXLES/SUSPENSION/TIRES: 2 - 22,500 LB axles; Oil seal hubs; 6.5 x 17.5 steel wheels; 235/75R x 17.5 radial tires; Air brakes with automatic slack adjusters; ABS brake system; Air ride suspension with auto and manual controls. LIGHTING: LED lighting; Wiring in conduit; Mid turn signals; Lighting as per DOT regulations. MISCELLANEOUS EQUIPMENT: 12,000 LB hydraulic winch mounted on upper deck over kingpin. Wireless control; Toolbox on upper deck; Hydraulic tail controls both sides; Air ride controls with dump valve. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
215	TRAILER: Hydraulic Tail Trailer - 70,000 LB		1 each	No					
215		Sun State International Trucks Tampa, FL View Quote				\$68,505.00	\$68,505.00	\$68,505.00	\$68,505.00
216	TRAILER: Hydraulic Tail Trailer - 70,000 LB	Make: XL Specialized Trailers Model: XL 80PT Model #: XL 80PT Description: DIMENSIONS: Deck width - 8'6"; Overall length - 48'; Deck length - 25'; Hydraulic tail - 12' (8' with 4' fold under); GVWR - 70,000 LBS. FRAME: Cambered "I" beam main frame; 49" Kingpin height; 16" Kingpin setting; 82" Swing clearance; 8' Upper deck length. DECK: 1 ½" Apitone or oak decking; ½" Floor plate over wheels; Traction plate on hydraulic tail. HYDRAULIC TAIL: 8' Main tail; 4'-Fold under tail; Hydraulic actuated with tail lock; 14-degree load angle. LANDING GEAR: Pin drop type or 2 speed type. AXLES/SUSPENSION/TIRES: 2 - 22,500 LB axles; Oil seal hubs; 6.5 x 17.5 steel wheels; 235/75R x 17.5 radial tires; Air brakes with automatic slack adjusters; ABS brake system; Air ride suspension with auto and manual controls. LIGHTING: LED lighting; Wiring in conduit; Mid turn signals; Lighting as per DOT regulations. MISCELLANEOUS EQUIPMENT: 12,000 LB hydraulic winch mounted on upper deck over kingpin. Wireless control; Toolbox on upper deck; Hydraulic tail controls both sides; Air ride controls with dump valve. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
216		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$77,000.00	\$77,000.00
		Make: Felling Model: FT-14 DT HD Model #: FT-14 DT HD							

		Description: GVWR: 14,000 lbs. BED: Grease fittings on all hinges; D-ring tie downs. BED SIZE & FRAME: 6'8" wide; 14' length; 24" deck height; Tube steel box; 10GA bed floor; Rear stabilizers; 12,000 lb. tongue jack; 20" high sides and tailgate, minimum. BED LIFT: Scissor type hydraulic lift; 12-volt power unit with battery; 15' pendant control. AXLES: Dexter easy lube or equivalent; Sized for GVWR of trailer; 4-wheel electric brakes with breakaway. MISCELLANEOUS: Conspicuity type on sides; Tail/stop/turn lights; 7-way trailer plug; Tarp system; Spare tire; Pintle type hitch or ball (customer selected). Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
217	TRAILER: Pull Behind Dump Trailer - 14,000 LB GVWR		1 each	No					
217		Federal Contracts Corp Tampa, FL View Quote				\$14,076.20	\$14,076.20	\$14,076.20	\$0.00
217		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$13,745.00
218	TRAILER: Pull Behind Dump Trailer - 14,000 LB GVWR	Make: PJ Trailers Model: DL142 Model #: DL142 Description: GVWR: 14,000 lbs. BED: Grease fittings on all hinges; D-ring tie downs. BED SIZE & FRAME: 6'8" wide; 14' length; 24" deck height; Tube steel box; 10GA bed floor; Rear stabilizers; 12,000 lb. tongue jack; 20" high sides and tailgate, minimum. BED LIFT: Scissor type hydraulic lift; 12-volt power unit with battery; 15' pendant control. AXLES: Dexter easy lube or equivalent; Sized for GVWR of trailer; 4-wheel electric brakes with breakaway. MISCELLANEOUS: Conspicuity type on sides; Tail/stop/turn lights; 7-way trailer plug; Tarp system; Spare tire; Pintle type hitch or ball (customer selected). Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
218		ALL AMERICAN TRAILER CONNECTION INC LANTANA, FL View Quote				\$8,890.00	\$8,850.00	\$8,850.00	\$8,500.00
		Make: East Manufacturing Model: Unloader Live Floor Model #: 48FT Description: DIMENSIONS Length - 48' aluminum Width - 102" Side height - 100". FLOOR: Keith or Hallco running floor; Extreme duty slats with center rib. CROSSMEMBERS: 14" spacing. CROSSTUBES: Center and rear crosstubes; Bolt in style. LIGHTS: LED lights; Mid turn lights. TARP: Manual roll type - side to side; Mesh type tarp. TAILGATE: Side swing - left or right; CAM locking system with safety chain; Extreme duty hinges. LANDING GEAR: Holland Mark V. AXLES: TP axles or equivalent; Same inner and outer bearings; Outboard mount hubs. SUSPENSION: Cast hangers; Leaf springs. TIRES AND WHEELS: Steel Disc 22.5x8.25; 11R22.5 radial tires. MISCELLANEOUS: Tow hooks on rear; Air deflector in front. Price/Percent: Price							

219	TRAILER: Waste Trailer with Walking Floor - 48'	Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
		Make: Globe Trailers Model: GTTU152-30-20 Model #: GTTU152-30-20 Description: DIMENSIONS: Deck width - 8'6"; Overall deck length - 25'; Dovetail length - 5'; GVWR - 16,000 lb. FRAME: 5" channel side rails; 3" channel cross members on 16" centers; 4" channel undercarriage; 2" x 3/8" rub rail with stake pockets; Pintle hitch. DECK: 2 x 8 pressure treated deck; Galvanized deck screws; 5' dovetail; Spring assist stand up ramps. AXLES: Tandem 8,000 lb. Dexter oil bath axles (2); Electric brakes; Breakaway brake system with well cell battery. LIGHTING SYSTEM: Protected turn/stop/tail lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare tire and rack; Lockable tool box; Primed and painted - choice of color; Tongue jack rated for GVWR of trailer. Price/Percent: Price						
220	TRAILER; 8'6" X 25' Deck Over Flatbed Trailer - 16,000 LB GVWR	Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
220		Sun State International Trucks Tampa, FL View Quote			\$22,000.00	\$22,000.00	\$22,000.00	\$22,000.00
		Make: PJ Trailers Model: F8252 Model #: F8252 Description: DIMENSIONS: Deck width - 8'6"; Overall deck length - 25'; Dovetail length - 5'; GVWR - 16,000 lb. FRAME: 5" channel side rails; 3" channel cross members on 16" centers; 4" channel undercarriage; 2" x 3/8" rub rail with stake pockets; Pintle hitch. DECK: 2 x 8 pressure treated deck; Galvanized deck screws; 5' dovetail; Spring assist stand up ramps. AXLES: Tandem 8,000 lb. Dexter oil bath axles (2); Electric brakes; Breakaway brake system with well cell battery. LIGHTING SYSTEM: Protected turn/stop/tail lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare tire and rack; Lockable tool box; Primed and painted - choice of color; Tongue jack rated for GVWR of trailer. Price/Percent: Price						
221	TRAILER; 8'6" X 25' Deck Over Flatbed Trailer - 16,000 LB GVWR	Brand Name/Equal Value/Service: Brand Name Only	1 each	No				
221		ALL AMERICAN TRAILER CONNECTION INC LANTANA, FL View Quote			\$8,790.00	\$8,750.00	\$8,750.00	\$8,400.00
		Make: XL Specialized Trailers Model: XL 24 T Model #: XL 24 T						

		Description: DIMENSIONS: Deck width - 8' 6"; Overall deck length - 25'; Dovetail length - 5'; GVWR - 16,000 lb. FRAME: 5" channel side rails; 3" channel cross members on 16" centers; 4" channel undercarriage; 2" x 3/8" rub rail with stake pockets; Pintle hitch. DECK: 2 x 8 pressure treated deck; Galvanized deck screws; 5' dovetail; Spring assist stand up ramps. AXLES: Tandem 8,000 lb. Dexter oil bath axles (2); Electric brakes; Breakaway brake system with well cell battery. LIGHTING SYSTEM: Protected turn/stop/tail lights; Wiring run in conduit; Heavy duty trailer plug. MISCELLANEOUS: Spare tire and rack; Lockable tool box; Primed and painted - choice of color; Tongue jack rated for GVWR of trailer. Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
222	TRAILER; 8' 6" X 25' Deck Over Flatbed Trailer - 16,000 LB GVWR		1 each	No					
222		Kelly Tractor Co Miami, FL View Quote				\$0.00	\$0.00	\$18,650.00	\$18,650.00
223	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch	Make: ASCO Model: Series 300 Model #: Series 300 SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
223		LJ Power Inc Austin, TX View Quote				\$4,200.00	\$4,200.00	\$4,200.00	\$4,200.00
223		ACF Standby Systems, LLC Tampa, FL View Quote				\$4,038.00	\$4,038.00	\$4,038.00	\$4,038.00
223		Mid Florida Diesel, Inc Bartow, FL View Quote				\$4,100.00	\$4,100.00	\$4,100.00	\$4,100.00
223		Ring Power Corporation Riverview, FL View Quote				\$5,030.00	\$5,030.00	\$5,030.00	\$0.00
		Make: Caterpillar Model: CTG Series Model #: CTG Series							

		SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
224	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch		1 each	No					
224		Ring Power Corporation Riverview, FL View Quote				\$5,300.00	\$5,300.00	\$5,300.00	\$0.00
224		Pantropic Power Miami, FL View Quote				\$0.00	\$0.00	\$0.00	\$5,070.00
225	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch	Make: Cummins Model: OTEC Model #: OTEC SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
225		Zabatt Power Systems Jacksonville, FL View Quote				\$6,015.00	\$6,015.00	\$6,015.00	\$6,015.00
		Make: GE Zenith Model: ZTG600 Model #: ZTG600							

		SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
226	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch		1 each	No					
226		LJ Power Inc Austin, TX View Quote				\$4,800.00	\$4,800.00	\$4,800.00	\$4,800.00
		Make: Generac Model: GTS600 Model #: GTS600 SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
227	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch		1 each	No					
227		ACF Standby Systems, LLC Tampa, FL View Quote				\$7,100.00	\$7,100.00	\$7,100.00	\$7,100.00
		Make: Thomson Model: Auto Transfer Switch Model #: TS 870							

		SWITCH: Maximum voltage rating of 600Vac, 60hz; 1ph or 3ph; Open transition (break-before-make) transfer logic; Transfer switch must meet the related industry standards: UL 1008 - Automatic transfer switches for use in emergency systems; CSA - Automatic transfer switches; NEMA - Industrial control and systems AC transfer switch equipment; IEC - Automatic transfer switching equipment. RATING: 600-amp, 3 pole, 277/480vac, 60hz; Enclosure type: NEMA 3r. FUNCTIONAL: The automatic transfer switch shall automatically transfer the load to the generator supply in the event of a utility supply failure and return the load to the utility supply upon restoration. The automatic transfer switch power switching devices shall be mechanically and electrically interlocked to prevent the utility and generator supplies from being interconnected. All timers should be field adjustable to ensure proper field site compatibility. AUTOMATIC SEQUENCE OF OPERATION: When the voltage on any phase of the utility supply is below present levels of rated voltage for a preset time delay, a contact shall close to							
228	TRANSFER SWITCH: 600 Amp Automatic Transfer Switch	Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
228		Tradewinds Power Corp. Miami, FL View Quote				\$5,458.00	\$5,458.00	\$5,458.00	\$5,458.00
229	VEHICLE LIFT: Mobile - 2 Column, Cabled	Make: ARI-Hetra Model: HDML-10-2-AE Model #: HDML-10-2-AE Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€-24â€SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. VOLTAGE 208-230 3-phase. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
		Make: John Bean Model: JB10U-2MOBCB Model #: JB10U-2MOBCB							

		Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. VOLTAGE 208-230 3-phase. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only		1 each	No				
230	VEHICLE LIFT: Mobile - 2 Column, Cabled								
230		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$27,988.20	\$27,988.20	\$27,988.20	\$27,988.20
		Make: Rotary Lift Model: MCHF419 Model #: MCHF419 Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. VOLTAGE 208-230 3-phase. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
231	VEHICLE LIFT: Mobile - 2 Column, Cabled			1 each	No				
		Make: Stertil Koni Model: ST1085-1 Model #: ST1085-1							

		Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. VOLTAGE 208-230 3-phase. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
232	VEHICLE LIFT: Mobile - 2 Column, Cabled		1	each	No				
232		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$17,143.00	\$17,143.00	\$17,143.00	\$17,143.00
		Make: ARI-Hetra Model: BPW-10-2 Model #: BPW-10-2 Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
233	VEHICLE LIFT: Mobile - 2 Column, Wireless		1	each	No				
233		ARI Phoenix, Inc. Lebanon, OH View Quote				\$23,096.00	\$23,183.00	\$23,226.00	\$23,250.00
		Make: John Bean Model: JB18KW-2MOB Model #: JB18KW-2MOB							

		Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
234	VEHICLE LIFT: Mobile - 2 Column, Wireless		1 each	No					
234		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$38,185.91	\$38,185.91	\$38,185.91	\$38,185.91
		Make: Rotary Lift Model: MCHF-219 Model #: MCHF-219 Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
235	VEHICLE LIFT: Mobile - 2 Column, Wireless		1 each	No					
		Make: Steril Koni Model: OT1085-1FRA Model #: OT1085-1FRA							

		Combined lift capacity of 36,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
236	VEHICLE LIFT: Mobile - 2 Column, Wireless		1 each	No					
236		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$24,221.00	\$24,221.00	\$24,221.00	\$24,221.00
		Make: ARI-Hetra Model: HDML-10-4-AE Model #: HDML-10-4-AE Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
237	VEHICLE LIFT: Mobile - 4 Column, Cabled		1 each	No					
		Make: John Bean Model: JB-18K-4MOB Model #: JB-18K-4MOB							

		Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only		1 each	No				
238	VEHICLE LIFT: Mobile - 4 Column, Cabled								
238		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$47,653.79	\$47,653.79	\$47,653.79	\$47,653.79
		Make: Rotary Lift Model: MCH418 Model #: MCH418 Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
239	VEHICLE LIFT: Mobile - 4 Column, Cabled			1 each	No				
		Make: Stertil Koni Model: ST1085-2FSA Model #: ST1085-2FSA							

		Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
240	VEHICLE LIFT: Mobile - 4 Column, Cabled								
240		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$33,316.00	\$33,316.00	\$33,316.00	\$33,316.00
		Make: ARI-Hetra Model: BPW-10-4 Model #: BPW-10-4 Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
241	VEHICLE LIFT: Mobile - 4 Column, Wireless								
241		ARI Phoenix, Inc. Lebanon, OH View Quote				\$45,798.00	\$45,921.00	\$46,015.00	\$46,077.00
		Make: John Bean Model: JB18-4WMOB Model #: JB18-4WMOB							

		Combined lift capacity of 72,000 lbs;. 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
242	VEHICLE LIFT: Mobile - 4 Column, Wireless		1 each	No					
242		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$73,242.29	\$73,242.29	\$73,242.29	\$73,242.29
		Make: Rotary Lift Model: MCHF419 Model #: MCHF419 Combined lift capacity of 72,000 lbs;. 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
243	VEHICLE LIFT: Mobile - 4 Column, Wireless		1 each	No					
		Make: Steril Koni Model: ST1085-2FRA Model #: ST1085-2FRA							

		Combined lift capacity of 72,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Minimum Rise - 67 Inches. OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds; Fits tire sizes 9â€ 24â€ SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
244	VEHICLE LIFT: Mobile - 4 Column, Wireless		1	each	No				
244		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$48,443.00	\$48,443.00	\$48,443.00	\$48,443.00
		Make: ARI-Hetra Model: HDML-10-6-AE Model #: HDML-10-6-AE Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
245	VEHICLE LIFT: Mobile - 6 Column, Cabled		1	each	No				
		Make: John Bean Model: JB18-6MOBCB Model #: JB18-6MOBCB							

		Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
246	VEHICLE LIFT: Mobile - 6 Column, Cabled								
246		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$75,020.04	\$75,020.04	\$75,020.04	\$75,020.04
		Make: Rotary Lift Model: MCH618 Model #: MCH618 Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
247	VEHICLE LIFT: Mobile - 6 Column, Cabled								
		Make: Stertil Koni Model: ST1085-3FSA Model #: ST1085-3FSA							

		Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
248	VEHICLE LIFT: Mobile - 6 Column, Cabled								
248		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$49,487.00	\$49,487.00	\$49,487.00	\$49,487.00
		Make: ARI-Hetra Model: BPW-10-6 Model #: BPW-10-6 Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards: Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
249	VEHICLE LIFT: Mobile - 6 Column, Wireless								
249		ARI Phoenix, Inc. Lebanon, OH View Quote				\$68,416.00	\$68,573.00	\$68,725.00	\$68,808.00
		Make: John Bean Model: JB18-6KWMOB Model #: JB18-6KWMOB							

		Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards: Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
250	VEHICLE LIFT: Mobile - 6 Column, Wireless		1 each	No					
250		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$109,446.67	\$109,446.67	\$109,446.67	\$109,446.67
		Make: Rotary Lift Model: MCHF619 Model #: MCHF619 Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards: Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
251	VEHICLE LIFT: Mobile - 6 Column, Wireless		1 each	No					
		Make: Stertil Koni Model: ST1085-3FRA Model #: ST1085-3FRA							

		Combined lift capacity of 108,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards: Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
252	VEHICLE LIFT: Mobile - 6 Column, Wireless		1 each	No					
252		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$72,664.00	\$72,664.00	\$72,664.00	\$72,664.00
		Make: ARI-Hetra Model: HDML-10-8-AE Model #: HDML-10-8-AE Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
253	VEHICLE LIFT: Mobile - 8 Column, Cabled		1 each	No					
		Make: John Bean Model: JB18-8KMOBCB Model #: JB18-8KMOBCB							

		Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
254	VEHICLE LIFT: Mobile - 8 Column, Cabled								
254		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$136,124.56	\$136,124.56	\$136,124.56	\$136,124.56
		Make: Rotary Lift Model: MCH818 Model #: MCH818 Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
255	VEHICLE LIFT: Mobile - 8 Column, Cabled								
		Make: Stertil Koni Model: ST1085-4FSA Model #: ST1085-4FSA							

		Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€³ 24â€³ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards. POWER: Cabled base. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
256	VEHICLE LIFT: Mobile - 8 Column, Cabled		1	each	No				
256		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$66,633.00	\$66,633.00	\$66,633.00	\$66,633.00
		Make: ARI-Hetra Model: BPW-10-8 Model #: BPW-10-8 Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€³ 24â€³ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
257	VEHICLE LIFT: Mobile - 8 Column, Wireless		1	each	No				
257		ARI Phoenix, Inc. Lebanon, OH View Quote				\$90,666.00	\$90,933.00	\$91,087.00	\$91,173.00
		Make: John Bean Model: JB18-8KWMOB Model #: JB18-8KWMOB							

		Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
258	VEHICLE LIFT: Mobile - 8 Column, Wireless		1 each	No					
258		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$136,124.56	\$136,124.56	\$136,124.56	\$136,124.56
		Make: Rotary Lift Model: MCHF819 Model #: MCHF819 Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
259	VEHICLE LIFT: Mobile - 8 Column, Wireless		1 each	No					
		Make: Stertil Koni Model: ST1085-4FRA Model #: ST1085-4FRA							

		Combined lift capacity of 144,000 lbs.; 18,000 lbs. per column minimum. DIMENSION: Width - 45 Inch Minimum; Length - 48 Inch Minimum; Rise minimum - 67 Inches; Fits tire sizes 9â€ 24â€ OPERATION: Weight gage for each column; Operating LCD Screen; Speed: fully lowered to raised not to exceed 80 seconds. SAFETY: Mechanical Safety Locks; Override to manual operation in the event of power loss; *Meets all applicable safety standards; Training included with purchase. POWER: Wireless. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI - ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
260	VEHICLE LIFT: Mobile - 8 Column, Wireless		1 each	No					
260		Stertil-Koni USA, Inc. Stevensville, MD View Quote				\$96,886.00	\$96,886.00	\$96,886.00	\$96,886.00
		Make: John Bean Model: EELR532A Model #: EELR532A 10,000 lbs.; DIMENSION: Minimum Width - 125â€, Minimum Width Between Posts - 110â€, Minimum Extended Cylinder Height - 142.5â€, Minimum Full Rise Height - 72â€; Minimum Ceiling Height required - 12'; OPERATION: Speed of rise - fully lowered to fully raised in 50 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards, MOTOR: 2.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation w/Filter/Lubricator/Regulator, Tire Tool, Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI - ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only							
261	VEHICLE LIFT: Stationary - 2 Post Asymmetric Stationary Vehicle Lift 10k		1 each	No					
261		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$5,400.00	\$5,720.00	\$5,720.00	\$5,720.00
		Make: Rotary Lift Model: SPO10 Model #: SPO10							

		10,000 lbs.; DIMENSION: Minimum Width - 125", Minimum Width Between Posts - 110", Minimum Extended Cylinder Height - 142.5", Minimum Full Rise Height - 72", Minimum Ceiling Height required - 12'; OPERATION: Speed of rise - fully lowered to fully raised in 50 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards, MOTOR: 2.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation w/Filter/Lubricator/Regulator, Tire Tool, Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
262	VEHICLE LIFT: Stationary - 2 Post Asymmetric Stationary Vehicle Lift 10k								
		Make: John Bean Model: EELR537A Model #: EELR537A 12,000 lbs; DIMENSION: Minimum Width - 139 Inches, Minimum Width Between Posts - 114-7/8 Inches, Minimum Extended Cylinder Height - 160 Inches, Minimum Full Rise Height - 72", Maximum Ceiling Height required - 16'; OPERATION: speed of rise - fully lowered to fully raised in 90 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 2.0 HP 208-230 V Minimum, ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
263	VEHICLE LIFT: Stationary - 2 Post Asymmetric Stationary Vehicle Lift 12k								
263		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$8,370.00	\$8,370.00	\$8,370.00	\$8,370.00
		Make: Rotary Lift Model: SPO12AEH2 Model #: SPO12AEH2							

		12,000 lbs; DIMENSION: Minimum Width - 139 Inches, Minimum Width Between Posts - 114-7/8 Inches, Minimum Extended Cylinder Height - 160 Inches, Minimum Full Rise Height - 72'6"; Maximum Ceiling Height required - 16'; OPERATION: speed of rise - fully lowered to fully raised in 90 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 2.0 HP 208-230 V Minimum, ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
264	VEHICLE LIFT: Stationary - 2 Post Asymmetric Stationary Vehicle Lift 12k								
		Make: John Bean Model: TAEH2 Model #: EELR538A 15,000 lbs.; DIMENSION: Minimum Width - 125 Inches, Minimum Width Between Posts - 120 Inches, Minimum Extended Cylinder Height - 160 Inches, Minimum Full Rise Height - 72'6"; Maximum Ceiling Height required - 17'; OPERATION: Speed of rise - fully lowered to fully raised in 90 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 2.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1	each	No				
265	VEHICLE LIFT: Stationary - 2 Post Symmetric Stationary Vehicle Lift 15k								
265		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$19,062.00	\$19,062.00	\$19,062.00	\$19,062.00
		Make: Rotary Lift Model: SPO16 Model #: SPO16							

		15,000 lbs.; DIMENSION: Minimum Width - 125 Inches, Minimum Width Between Posts - 120 Inches, Minimum Extended Cylinder Height - 160 Inches, Minimum Full Rise Height - 72'6"; Maximum Ceiling Height required - 17'; OPERATION: Speed of rise - fully lowered to fully raised in 90 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 2.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price							
266	VEHICLE LIFT: Stationary - 2 Post Symmetric Stationary Vehicle Lift 15k	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: John Bean Model: EELR540A Model #: EELR540A 18,000 lbs.; DIMENSION: Minimum Width - 125 Inches, Minimum Width Between Posts - 118 Inches, Minimum Extended Cylinder Height - 142.5 Inches, Minimum Full Rise Height - 85'6"; Maximum Ceiling Height required - 17'; OPERATION: Speed of rise - fully lowered to fully raised in 60 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 3.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price							
267	VEHICLE LIFT: Stationary - 2 Post Symmetric Stationary Vehicle Lift 18k	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
267		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$26,997.03	\$26,997.03	\$26,997.03	\$26,997.03
		Make: Rotary Lift Model: SPO20 Model #: SPO20							

		18,000 lbs.; DIMENSION: Minimum Width - 125 Inches, Minimum Width Between Posts - 118 Inches, Minimum Extended Cylinder Height - 142.5 Inches, Minimum Full Rise Height - 85'6"; Maximum Ceiling Height required - 17'; OPERATION: Speed of rise - fully lowered to fully raised in 60 seconds; SAFETY: Manual or Automatic Lock Release, *Meets all applicable safety standards; MOTOR: 3.0 HP 208-230 V Minimum; ACCESSORIES: Power Upgrades Options, Air/Electric workstation, w/Filter/Lubricator/Regulator, Tire Tool Manager Workstation w/Filter/Lubricator/Regulator, Column Height Extensions, Door protection. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, Price/Percent: Price							
268	VEHICLE LIFT: Stationary - 2 Post Symmetric Stationary Vehicle Lift 18k	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
		Make: John Bean Model: EELR509A Model #: EELR509A 14,000 lbs.; Open Front. DIMENSION: Minimum Width - 144 Inches; Inside Width Between Posts - 40 Inches; Maximum Length - 290.25 Inches Minimum Full Rise Height - 66'6"; OPERATION: Speed of rise - fully lowered to fully raised in 90 seconds. SAFETY: Manual or Automatic Lock Release; *Meets all applicable safety standards. MOTOR: 26amp 208-230 V Minimum. ACCESSORIES: 7,000 lb. Rolling Air Jacks; Front Mounted Power Unit; Extended Ramps; Rack Lighting; Tire Inflation. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI -ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied Price/Percent: Price							
269	VEHICLE LIFT: Stationary - 4 Column, Alignment Lift with Front/Rear Jacks and Integrated Turntables and Slip Plates	Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
269		THE TOOLS MAN, INC. DAVIE, FL View Quote				\$32,445.90	\$32,445.90	\$32,445.90	\$32,445.90
		Make: Rotary Lift Model: Alignment Package Model #: SM18							

270	VEHICLE LIFT: Stationary - 4 Column, Alignment Lift with Front/Rear Jacks and Integrated Turntables and Slip Plates	14,000 lbs.; Open Front. DIMENSION: Minimum Width - 144 Inches; Inside Width Between Posts - 40 Inches; Maximum Length - 290.25 Inches Minimum Full Rise Height - 66'6". OPERATION: Speed of rise - fully lowered to fully raised in 90 seconds. SAFETY: Manual or Automatic Lock Release; *Meets all applicable safety standards. MOTOR: 26amp 208-230 V Minimum. ACCESSORIES: 7,000 lb. Rolling Air Jacks; Front Mounted Power Unit; Extended Ramps; Rack Lighting; Tire Inflation. *Equipment must comply with all applicable federal, state, and local regulations and meet OSHA, UL-201, NEC, and the latest ANSI standard, ANSI/ALI -ALCTV 2006 and IBC 2003, IBC 2006 Chapter 30 section 3001.2. Equipment must be structurally, and safety tested and certified to ANSI/ALI - ALCTV 2006 automotive lift standard, a copy of listing certification shall be supplied as part of the acceptance of the bid. Equipment must be supplied with all ANSI, ALI/ETL safety booklet, ANSI operations, installation, and maintenance booklets, ANSI/ALI aloim-2008 standard and lifting point guides. Equipment must be supplied Price/Percent: Price Brand Name/Equal Value/Service: Brand Name Only	1 each	No					
-----	---	---	--------	----	--	--	--	--	--