

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X2

Make: Chevrolet Model: Silverado 3500HD Crew Cab

Make: Chevrolet Model: Silverado 3500HD Regular Cab

Make: Ford Model: F-350 Regular Cab

Make: Ford Model: F-350 Super Cab

Make: Ford Model: F-350 Super Crew

Make: GMC Model: Sierra 3500HD Crew Cab

Make: GMC Model: Sierra 3500HD Regular Cab

Make: Ram Model: 3500 Regular Cab

### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Manufacturer's standard gas engine, alternator, battery and cooling package.
3. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission; Manufacturer's standard drive axle ratio for engine and transmission combination.
4. PERFORMANCE ITEMS: Manufacturer's standard power steering; Manufacturer's standard gauges.
5. COMFORT ITEMS: Air conditioning; 2 – keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer's standard production seats. Purchaser will select color at time of order.
6. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer's standard air bags. BRAKES: Fourwheel anti-lock brake ABS system.
7. TIRES AND WHEELS: Manufacturer's standard tires and wheels.
8. CHASSIS, FRAME, CAB: Manufacturer's standard bumper; Manufacturer's standard fuel tank; Manufacturer's standard

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 1 Ton Cab & Chassis (DRW) 4X4

Make: Chevrolet Model: Silverado 3500HD Crew Cab

Make: Chevrolet Model: Silverado 3500HD Regular Cab

Make: Ford Model: F-350 Super Crew

Make: Ford Model: F-350 Super Cab

Make: Ford Model: F-350 Regular Cab

Make: GMC Model: Sierra 3500HD Crew Cab

Make: GMC Model: Sierra 3500HD Regular Cab

Make: Ram Model: 3500 Regular Cab

#### **FSA Item Specifications Description:**

1. Description: Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. Air conditioning; 2 – keys and/or fobs; Limited slip or locking differential.
3. ENGINE: Manufacturer`s standard gas engine, alternator, battery and cooling package.
4. TRANSMISSION/AXLES: Manufacturer`s standard automatic transmission; Manufacturer`s standard drive axle ratio for engine and transmission combination; Manufacturer`s standard transfer case.
5. PERFORMANCE ITEMS: Manufacturer`s standard power steering; Manufacturer`s standard gauges.
6. COMFORT ITEMS: Manufacturer`s standard AM/FM stereo; Heavy duty rubber floor covering instead of carpet; Manufacturer`s standard production seats. Purchaser will select color at time of order.
7. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide; Interior dome lights with left and right door activated switches; Manufacturer`s standard air bags. BRAKES: Fourwheel anti-lock brake ABS system.
8. TIRES AND WHEELS: Manufacturer`s standard tires and wheels.
9. CHASSIS, FRAME, CAB: Manufacturer`s standard colors, factory painted. Colors to be determined by individual agencies; Manufacturer`s standard fuel tank; Manufacturer`s standard bumper.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

**THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.**

SPECIFICATION GROUP – CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X2

Make: Chevrolet Model: Silverado 4500HD Crew Cab WT

Make: Chevrolet Model: Silverado 4500HD Regular Cab WT

Make: Ford Model: F-450 Crew Cab

Make: Ford Model: F-450 Regular Cab

Make: Ford Model: F-450 Super Cab

Make: International Model: CV

Make: Ram Model: 4500 Crew Cab

Make: Ram Model: 4500 Regular Cab

### **FSA Item Specifications Description:**

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Manufacturer`s standard diesel engine; Manufacturer`s heavyduty engine cooling; Heavy duty alternator.
3. TRANSMISSION/AXLES: Manufacturer`s standard automatic transmission.
4. COMFORT ITEMS: Air conditioning; 2 – keys and/or fobs; Manufacturer`s standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating.
5. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors; Back-up camera, if required by federal standards.
6. BRAKES: 4- wheel ABS system.
7. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR.
8. CHASSIS, FRAME, CAB: Manufacturer`s standard front bumper; Fuel tank capacity, 25 gallons minimum; Cab to center of rear axle - 60" approximately; Minimum 15,000 lbs. GVWR; Cab & Chassis only.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP – CAB AND CHASSIS TRUCKS: 15,000 LB GVWR Cab & Chassis (DRW) 4X4

Make: Chevrolet Model: Silverado 4500HD Crew Cab 4x4 WT

Make: Chevrolet Model: Silverado 4500HD Regular Cab 4x4 WT

Make: Ford Model: F-450 Crew Cab

Make: Ford Model: F-450 Regular Cab

Make: Ford Model: F-450 Super Cab

Make: International Model: CV

Make: Ram Model: 4500 Regular Cab

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, if available.
2. ENGINE: Manufacturer`s standard diesel engine; Manufacturer`s heavyduty engine cooling; Heavy duty alternator.
3. TRANSMISSION/AXLES: Manufacturer`s standard automatic transmission;
4. COMFORT ITEMS: Air conditioning; 2 – keys and or fobs; Manufacturer`s standard AM/FM stereo, Heavy duty rubber floor covering; Vinyl seating.
5. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width and convex mirrors.
6. BRAKES: 4-wheel ABS system.
7. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 15,000 lb GVWR.
8. CHASSIS, FRAME, CAB: Fuel tank capacity, 25 gallons minimum; Manufacturer`s standard front bumper; Cab & chassis only; Minimum 15,000 lbs. GVWR; Cab to center of rear axle - 60" approximately.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP – CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X2

Make: Chevrolet Model: Silverado 6500HD Regular Cab

Make: Chevrolet Model: Silverado 5500HD Regular Cab WT

Make: Ford Model: F-550 Crew Cab

Make: Ford Model: F-550 Super Cab

Make: Ford Model: F-600 Regular Cab

Make: Ford Model: F-550 Regular Cab

Make: International Model: CV

Make: Kenworth Model: T170

Make: Ram Model: 5500 Regular Cab

### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Diesel engine, minimum 190 HP; Manufacturer's heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission.
3. COMFORT ITEMS: Air Conditioning; 2 – keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering; Vinyl seating.
4. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors.
5. BRAKES: 4- wheel ABS system; Front brakes disc type, rear brakes may be drum or disc.
6. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR.
7. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer's standard front bumper; Fuel tank capacity, 24 gallons minimum

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4

Make: Chevrolet Model: Silverado 6500HD Regular Cab

Make: Chevrolet Model: Silverado 5500HD Regular Cab

Make: Ford Model: F-550 Super Cab

Make: Ford Model: F-550 Crew Cab

Make: Ford Model: F-550 Regular Cab

Make: Ford Model: F-600 Regular Cab

Make: International Model: CV

Make: Ram Model: 5500 Regular Cab

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: Limited slip or locking differential, If available.
2. ENGINE: Diesel engine, minimum 190 HP; Manufacturer`s heavy-duty engine cooling; Heavy duty alternator. TRANSMISSION/AXLES: Manufacturer`s standard automatic transmission.
3. COMFORT ITEMS: Air conditioning; 2 – keys and/or fobs; Manufacturer`s standard AM/FM stereo; Heavy duty rubber floor; Vinyl seating.
4. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 96" width, and convex mirrors. BRAKES: 4- wheel ABS system; Front brakes disc type, rear brakes may be drum or disc.
5. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 17,500 lb GVWR.
6. CHASSIS, FRAME, CAB: Cab to center of rear axle - 60" approximately; Minimum 17,500 lbs. GVWR; Cab & chassis only; Manufacturer`s standard front bumper; Fuel tank capacity, 25 gallons minimum.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 25,500 LB GVWR Cab & Chassis (DRW) 4X2

Make: Ford Model: F-650 Regular Cab

Make: Freightliner Model: M2

Make: Hino Model: L6

Make: International Model: MV

Make: Kenworth Model: T270

Make: Mack Model: MD6

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Diesel engine, minimum 200 HP.
3. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 25,500 lbs.
4. COMFORT ITEMS: Manufacturer`s standard AM/FM stereo; Air Conditioning; 2 – Keys and/or fobs; Heavy duty rubber floor covering.
5. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors. BRAKES: Factory air brakes; ABS brake system.
6. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 25,500 lb GVWR.
7. CHASSIS, FRAME, CAB: Minimum 25,500 lbs. GVWR; Cab & chassis only; Manufacturer`s standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 30,000 LB GVWR Cab & Chassis (DRW) 4X2

Make: Ford Model: F-750 Regular Cab

Make: Freightliner Model: M2

Make: Hino Model: L7

Make: International Model: MV

Make: Kenworth Model: T370 Model #: T370

Make: Mack Model: MD7

Make: Peterbilt Model: 337

Make: Western Star Model: 4700

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Diesel engine, minimum 200 HP.
3. TRANSMISSION/AXLES: All axles, synthetic lube; Manufacturers standard automatic transmission or approved equivalent (with PTO provision); Front and rear axles and suspension must meet minimum GVWR of 30,000 lbs.
4. COMFORT ITEMS: Air Conditioning; 2 – Keys and/or fobs; Manufacturer`s standard AM/FM stereo; Heavy duty rubber floor covering.
5. SAFETY ITEMS: Dual mount outside mirrors must provide a field of vision for vehicles to 102" width and convex mirrors.
6. BRAKES: Factory air brakes; ABS brake system.
7. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 30,000 lb GVWR.
8. CHASSIS, FRAME, CAB: Minimum 30,000 lbs. GVWR; Cab & chassis only; Manufacturer`s standard front bumper; Factory front tow hooks; Fuel tank capacity, 45 gallons minimum; Cab to center of rear axle - 84" approximately.



# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor

Make: Freightliner Model: M2  
Make: International Model: HV  
Make: International Model: HX  
Make: Kenworth Model: T880  
Make: Mack Model: AN or G Series  
Make: Peterbilt Model: 567  
Make: Volvo Model: V Series  
Make: Western Star Model: 4700

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum.
3. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable; Fuller 14210B 10 Speed Manual with OD.
4. ENGINE EQUIPMENT: Air filter restriction monitor – intake mounted.
5. CAB: Floor covering - black rubber mats; Seating – driver air suspension mid back, passenger fixed mid back; Standard air conditioning & heating.
6. FRAME: Frame – steel construction matched to GVW and mounted body of truck; Wheelbase – 187"; Load platform – 161" 56" AF; Front bumper – painted steel; Fuel tank – 70 gallon, minimum; Air dryer – Bendix AD9 heated, or approved equivalent; 5th wheel - stationary with left hand release.
7. SAFETY: Horn – single air trumpet; Mirrors – West Coast for 102" trailer widths to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm; Electrical plug holder includes glad hand storage; Tractor package to include valves, trailer lines & frame access; Automatic traction and stability control.
8. FRONT AXLE: Minimum 12,000 lb. rated axle and suspension;

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis 4X6 SEMI Tractor (Continued from previous page)

9. REAR AXLE: Minimum 40,000 lb. rated axle and suspension; Power divider with warning light and buzzer (includes in cab control). Oil type with synthetic lube.
10. ELECTRICAL: Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only; Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.
11. TIRES and WHEELS: Manufacturer standard tires and wheels rated for 52,000 lb GVWR

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP –

#### CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis Truck 4X6

Make: Freightliner Model: M2  
Make: International Model: HX  
Make: Kenworth Model: T880  
Make: Mack Model: AN or G Series  
Make: Peterbilt Model: 5671  
Make: Volvo Model: V Series  
Make: Western Star Model: 4800  
Make: International Model: HV

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications: 2 keys and/or fobs.
2. ENGINE: 350 HP 6-cylinder diesel engine, manufacturer's 11L minimum.
3. TRANSMISSION & CLUTCH: The following or approved equivalents are acceptable: Fuller 14210B 10 Speed Manual with OD.
4. ENGINE EQUIPMENT: Air restriction monitor – intake mounted.
5. CAB: Floor covering – black rubber mats; Seating – driver air suspension mid back, passenger fixed mid back; Steering wheel – 18" two spoke; Standard air conditioning and heating.
6. FRAME: Frame – steel construction matched to GVW and mounted body of truck; Wheelbase – 187"; Front bumper – painted steel; Fuel tank – 70 gallon, minimum; Air dryer – Bendix AD9 heated, or approved equivalent.
7. SAFETY: Horn – single air trumpet; Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm. FRONT AXLE: 12,000lb front axle and suspension;
8. REAR AXLE: 40,000lb rear axle and suspension; Oil type with synthetic lube. Power divider with warning light and buzzer (includes in cab control).

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### CAB AND CHASSIS TRUCKS: 52,000 LB GVWR Cab & Chassis Truck 4X6 (Continued from previous page)

9. ELECTRICAL: Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only; Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.
10. TIRES and WHEELS: Manufacturer standard tires and wheels rated for 52,000 lb GVWR

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP – CAB AND CHASSIS: Tilt Cab & Chassis (DRW) 4X2

Make: Chevrolet Model: 3500HD Regular Cab  
Make: Chevrolet Model: 5500HD LCF Diesel Regular Cab  
Make: Chevrolet Model: 4500HD LCF Diesel Crew Cab  
Make: Chevrolet Model: 4500HD LCF Diesel Regular Cab  
Make: Chevrolet Model: 4500XD LCF Diesel Crew Cab  
Make: Chevrolet Model: 4500XD LCF Diesel Regular Cab  
Make: Chevrolet Model: 5500HD LCF Diesel Crew Cab  
Make: Chevrolet Model: 5500XD LCF Diesel Regular Cab  
Make: Chevrolet Model: 6500XD LCF Diesel Regular Cab  
Make: Crane Carrier Model: LNT  
Make: Hino Model: M5  
Make: Hino Model: M4  
Make: Isuzu Model: NF154  
Make: Isuzu Model: FTR Chassis  
Make: Kenworth Model: K270  
Make: Peterbilt Model: 2201

### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: Manufacturer's standard diesel engine; Heavy duty alternator; Manufacturer's heavy duty engine cooling.
3. TRANSMISSION/AXLES: Manufacturer's standard automatic transmission.
4. COMFORT ITEMS: Air conditioning; 2 – keys and/or fobs; Manufacturer's standard AM/FM stereo; Heavy duty rubber floor covering.
5. SAFETY ITEMS: Dual mount outside mirrors to provide field of vision for vehicles to 96" wide and convex mirrors; Manufacturer's standard air bags, if available; Manufacturer's standard convex mirrors.
6. BRAKES: Four-wheel ABS system.
7. TIRES AND WHEELS: Manufacturer standard tires and wheels rated for 12,000 lb GVWR.
8. CHASSIS, FRAME, CAB: Minimum 12,000 lb. GVWR; Manufacturer's standard bumper; Cab with 45- degree mechanical tilt with torsion assist; Tilt cab & chassis only.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - Mobile Command Unit / Critical Response Unit

Make: Pierce Model: CRU-22

#### **FSA Item Specifications Description:**

Manufacturer standard equipment and specifications, and if not included manufacturer installed power windows, power door locks, key FOB keyless entry. Must meet all FDOT and FMVSS safety standards.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - REFUSE TRUCK ELECTRIC: 60,000 LB GVWR Cab & Chassis Only 4X6

Make: Mack Model: Mack LR Electric

Make: BYD Model: BYD 8R

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. Powertrain: electric powered with the OEM recommended electric motor(s) for this application with no less than a 350KW rating.
3. CAB: Low cab, forward mounted, tilt type; Rubber floor covering ; – 2 keys; Seating – driver air suspension mid back, passenger fixed mid back; Standard air conditioning and heating.
4. FRAME: Frame – steel construction matched to GVWR and mounted body of truck; Wheelbase – As recommended by the OEM for the body to be mounted; Batteries – largest available battery pack system for model bid; Electric charging system on the truck must be SAE J1772 compliant; Air dryer – Bendix AD9 heated, or approved equivalent.
5. SAFETY: Horn – single air trumpet; Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm.
6. FRONT AXLE: No less than a 20,000lb front axle and suspension rating; Oil type with synthetic lube.
7. REAR AXLE: No less than a 40,000 lb. rear axles and suspension rating; Power divider with warning light and buzzer (includes in cab control);.
8. TIRES and WHEELS: Manufacturer standard tires and aluminum wheels rated for 60,000 lb. GVWR.

# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - REFUSE TRUCK: 60,000 LB GVWR Cab & Chassis Only 4x6

Make: Mack Model: TE Series

Make: Autocar Model: ACX64

Make: Crane Carrier Model: LET2

Make: Peterbilt Model: 520

#### FSA Item Specifications Description:

1. Standard Manufacturer Equipment and Specifications, plus the following if not already included in manufacturer standard equipment and base specifications:
2. ENGINE: 300 HP 6-cylinder diesel engine, manufacturer's 11L minimum.
3. TRANSMISSION: Allison 4500 RDS automatic transmission.
4. ENGINE EQUIPMENT: Air restriction monitor – intake mounted. CAB: Low cab, forward mounted, tilt type; Floor covering – 2 keys and/or fobs; black rubber mats; Seating – driver air suspension mid back, passenger fixed mid back; Standard air conditioning and heating.
5. FRAME: Frame – steel construction matched to GVWR and mounted body of truck; Wheelbase – 209"; Front bumper – painted steel; Fuel tank – 70 gallon, minimum; Air dryer – Bendix AD9 heated, or approved equivalent.
6. SAFETY: Horn – single air trumpet; Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket; Daytime running lights; Backup alarm.
7. FRONT AXLE: 20,000lb front axle and suspension; Oil type with synthetic lube.
8. REAR AXLE: 40,000 lb. rear axles and suspension; Power divider with warning light and buzzer (includes in cab control).
9. ELECTRICAL: Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only; Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.
10. TIRES and WHEELS: Manufacturer standard tires and wheels rated for 60,000 lb GVWR



# FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

## FSA20-VEH18.0 HEAVY TRUCKS CONTRACT

THE FOLLOWING ITEMS WILL BE FACTORY INSTALLED ON THE BASE VEHICLE/EQUIPMENT TO MEET THE MODEL NUMBER AND BUILD CODES OF THE VEHICLE LISTED. PLEASE REFER TO THE EMERGENCY VEHICLE LIGHTING AND SIRENS SECTION WITHIN THIS CONTRACT FOR DESCRIPTIONS, SPECIFICATIONS AND AWARDED VENDOR PRICING.

### SPECIFICATION GROUP - REFUSE TRUCK: Compact 9.5 CU YD Self Loading

Make: Broyhill Model: TD3.6

#### FSA Item Specifications Description:

1. ENGINE: 70 HP Diesel Engine, EPA compliant.
2. TRANSMISSION: Hydrostatic Transmission; Four wheel drive.
3. ENGINE EQUIPMENT: Radiator – aluminum core, or approved equivalent. CAB: Low cab, forward mounted; Floor covering - manufacturer or standard; Seating – driver air suspension; Standard air conditioning and heating;
4. Tilt Wheel FRAME: Operating weight 7,300 lbs.; Frame – steel construction; GVWR 12,900 lbs.; Wheelbase – 108"; Front bumper – painted steel; Fuel tank – 30 gallon, minimum; Articulated joint.
5. SAFETY: Horn – Electric; Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket; Brakes – Hydro-static, fail safe parking and emergency brake; Work lights; Strobe lights; DOT compliant lighting; Three Camera system view both sides and rear.
6. HYDRAULIC SYSTEM: Load arm, grip 55-90- gallon containers; Load arm, 500 LB lift capacity; Load arm, 5 second cycle time.
7. AXLES: Dana Corp 70 series front and rear, or approved equivalent; Front and Rear tires – 36 x 13.50-15 NHS high floatation tires; Hubs – iron, or approved equivalent.
8. ELECTRICAL: Hand throttle; Engine protection – engine monitoring system for high water temp, low oil pressure, high exhaust temp, high transmission temp