Bid Award

Contract: FSA20-VEH18.0, Heavy Trucks

Group: CAB AND CHASSIS TRUCKS: 17,500 LB GVWR Cab & Chassis (DRW) 4X4

Item: 48, International, CV, 515

Zone	Rank	Vendor	Price	Percent:	Build File	Options File
Western	Primary	Cumberland International Trucks, LLC	\$57,107.00	0.00%	Build	Options
Northern	Primary	Cumberland International Trucks, LLC	\$55,982.00	0.00%	Build	Options
Central	Primary Alternate	Sun State International Trucks Cumberland International Trucks, LLC	\$55,925.00 \$55,982.00	0.00% 0.00%	Build Build	Options Options
Southern	Primary	Rechtien International Trucks, Inc.	\$54,799.00	0.00%	Build	Options

		CV 17500 GVW 4x4 FSA 2022	
Spec #	Code	Description	Price
48	0001LEG	LICENSE PLATE HOLDER	28
48	0001AMM	SKID PLATE Steel, Frame Mounted, Protects the Transfer Case from the Ground	294
48	0001LNZ	BUMPER, FRONT Contoured, Steel, Chrome Plated, for CV and RE Bus	203
48	0001WAC	BUMPER EXTENSION, FRONT	49
48	0001WEC	WHEELBASE RANGE 185	371
48	0001WED	WHEELBASE RANGE 238	562
48	0001WND	AF RANGE 50" (128cm) Through and Including 75" (190cm)	98
48	0001WNE	AF RANGE 76" (193cm) Through and Including 91" (230cm)	147
48	1570	TOW HOOK, FRONT (2) Frame Mounted	82
48	0003ADA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 8,000-lb Capacity, with Shocks	90
48	0003WAP	STABILIZER BAR, FRONT	353
48	0004EBD	AIR DRYER	487
48	0004SBX	AIR COMPRESSOR	343
48	0004VKM	AIR TANK LOCATION	227
48	0005CBH	STEERING WHEEL BLACK LEATHER	231
48	6901	PROPSHAFT GUARD	78
48	0008AAB	DEFROSTER, REAR WINDOW	172
48	0008GJB	ALTERNATOR	147
48	0008GJC	ALTERNATOR	372
48	0008HBW	TRAILER BRAKE CONTROL	270
48	0008HXU	BODY BUILDER WIRING REAR OF FRAME	225
48	0008HXV	BODY BUILDER WIRING BACK OF CAB	98
48	0008MSD	BATTERY SYSTEM	224
48	0008NAA	TAIL LIGHT WIRING MODIFIED	73
48	0008RNP	RADIO AM/FM BLUETOOTH USB INPUT SD CARD SLOT WITH NAVIGATION SATIELLITE COMPATIBLE	524
48	0008RNS	COMPACT DISC PLAYER	104
48	0008RNU	SPEAKERS	36
48	0008RNY	CAMERA SYSTEM, REAR VIEW	407
48	0008THB	BACK-UP ALARM	118
48	0008TRA	TRAILER CONNECTION SOCKET	92
48	0008TUK	STOP, TURN, TAIL & B/U LIGHTS	235
48	0008TUM	AUXILIARY HARNESS	157

48	0008WBW	JUMP START STUD	165
48	0008WTT	SWITCH, TOGGLE, FOR WORK LIGHT	65
48	0008XJG	FOG LIGHTS	181
48	MLX8000	HEADLIGHTS	76
48	XLX8000	POWER INVERTER	123
48	0008XKS	SWITCH,TOGGLE, ROOF WORKLIGHT	29
48	0009HCG	GRILLE	191
48	0009HCU	RADIATOR STONE GUARD	49
48	0009WAC	BUG SCREEN	125
48	0010XAX	GVWR WEIGHT CLASSIFICATION Class 6 (19,500-23,000 lbs)	4306
48	10636	PAINT IDENTITY, PT-2 Frame	588
48	10771	PAINT CLASS PREMIUM COLOR	441
48	0012VEG	REMOTE START	245
48	0012WGG	THROTTLE, HAND CONTROL	245
48	0012WZJ	EMISSION COMPLIANCE DECAL ON DRIVERS DOOR COMPLIES WITH CLEAN AIR REGULATIONS	95
48	0012XBL	BLOCK HEATER, ENGINE	98
48	0013AXC	TRANSMISSION, AUTOMATIC ALLISON 1750 RDS WITH PTO PROVISION 19500 GVW 37500 GCW	864
48	0013AXD	TRANSMISSION, AUTOMATIC ALLISON 1750 EVS WITH PTO PROVISION 19500 GVW 37500 GCW	1240
48	0013AXH	TRANSMISSION, AUTOMATIC ALLISON 2700 RDS WITH PTO PROVISION 23500 GVW 26000 GCW	1884
48	0013AXJ	TRANSMISSION, AUTOMATIC ALLISON 2700 EVS WITH PTO PROVISION 23500 GVW 26000 GCW	2259
48	0013AXS	TRANSMISSION, AUTOMATIC ALLISON 2750 RDS WITH PTO PROVISION 23500 GVW 37500 GCW	2406
48	0013AXT	TRANSMISSION, AUTOMATIC ALLISON 2750 EVS WITH PTO PROVISION 23500 GVW 37500 GCW	2781
48	0014ACW	AXLE, REAR, SINGLE 13500	123
48	0014AJE	AXLE, REAR, SINGLE 15500	203
48	0014AWG	AXLE, REAR, SINGLE 15000	203
48	0014SAC	SUSPENSION, REAR, SINGLE 13500	15
48	0014SAE	SUSPENSION, REAR, SINGLE 15500	15
48	0014TBL	SUSPENSION, REAR, AIR, SINGLE 12000	1229
48	0014TBM	SUSPENSION, REAR, AIR, SINGLE 15500	1313
48	0014TDG	SUSPENSION, REAR, AIR, SINGLE 13500	1271
48	0014WAP	SHOCK ABSORBERS, REAR	168
48	0014WMN	AXLE, REAR, LUBE	90
48	14897	DIFFERENTIAL, LOCKING	1102
48	14899	SUSPENSION AIR CONTROL VALVE	160

48	0015DSZ	DUAL FUEL TANKS 40 GAL BETWEEN REAR FRAME RAILS 25 GALLON MOUNTED LEFT SIDE	842
48	0016ACC	MIRROR, INSIDE REAR VIEW	55
48	0016HLY	GAUGE CLUSTER	478
48	0016HLZ	GAUGE CLUSTER	478
48	0016KZC	SEAT, REAR BENCH VINYL	779
48	0016LVU	SEAT, PASSENGER HIGH BACK VINYL WITH RECLINE BETWEEN SEATS WILL BE UNTRIMMED.	301
48	0016SPS	MIRRORS POWER ADJUST BLACK	372
48	0016SPT	MIRRORS POWER ADJUST BRIGHT FINISH	449
48	0016VCA	SEAT BELT ALL RED 4 TO 6	49
48	0016VCB	SEAT BELT ORANGE 4 TO 6	49
48	0016VKK	CAB INTERIOR TRIM DIAMOND	537
48	0016VKM	CAB INTERIOR TRIM DIAMOND FOR CREW CAB	734
48	0016WAK	WINDOW, POWER	242
48	0016XAL	KEYLESS ENTRY SYSTEM REMOTE	172
48	0016XCN	CONSOLE, BETWEEN SEATS	348
48	0016XCS	SUN VISOR, INTERIOR	24
48	0016XCT	WINDOW, POWER	486
48	0016XJR	SEAT HEATER, FRONT	165
48	0016XUC	ACCESS, CAB BRIGHT	196
48	0016XUD	ACCESS, CAB BRIGH FOR CREW CAB	294
48	16196	CREW CAB 4 door	2263
48	16975	HEATER HOSES SILICONE	76
48	0026DTX	WHEEL, SPARE, DISC POWDER COAT	178
48	0026DUT	WHEEL, SPARE, DISC REAR ALUMINUM	439
48	0026DVT	WHEEL, SPARE, DISC FRONT ALUMINUM	439
48	0027DVT	WHEELS, FRONT ALUMINUM	615
48	0028DVT	WHEELS, REAR ALUMINUM	615
48	0029SAE	WHEEL SEALS, FRONT	30
48	0029WLK	WHEEL BEARING, FRONT, LUBE	58
48	29007	TIRE, SPARE	454
48	0040PNG	Warranty To 60-Month/100,000 Miles (160,000 km), Engine and Chassis Coverage for 6.6	3744
48	7779440101	TIRES GOODYEAR 647	96
48	7779445433	Tires CONTINENTAL HS3 Hybrid	58
48	7779448102	TIRES GOODYEAR 622	95

48	7779448137	TIRES Goodyear MAX RTD	32
48	7779445428	Tires Continental HD3	1
48	Newtag	New State Tag (specify state, county, city , sheriff, etc)	250
48	Pricing	All 3rd party bodys below are subject to material surcharges TBD at time of quote to the agency.	0
48	TB36	36 inch tool box	800
48	WARN	12000lbs Eletric winch with remote	3900
48	WC20	Waltco 2000# tuckaway lift gate	6100
48	EC3000	Auto Crane EHC3 PRX 3000lbs crane hardwired control	15000
48	EC4000	Auto Crane EHC4 4000lbs crane hardwire control	18900
48	6132D54	Knapheide 11' utility body DRW for 84 CA	9995
48	6108D54	Knapheide 9' utility body DRW for 60	8700
48	6132D54R	11' Knapheide utility body with manual outriggers and spring buildup	8995
48	6132D54F40	Knapheide 9' Flip Top utility body DRW for 60 CA	8950
48	6132D54F	Knapheide11' flip top utility body DRW for 84 CA	10995
48	Titan16	11' 4000lbs Auto crane body with manual outriggers and spring buildup	19950
48	G2-1500	Tommygate G2-1500#, 55x27 Ramp	4000
48	WARN	12000# Electric Winch with Remote	3300
48	Class4Hitch	Trailer Tow Package includes 2" sq frame receiver w/ electric plug & tongue	3900
48	6132DL30	5000 LBS Knapheid crane body with outriggers and spring build up	22500
48	ACEHC5	Auto Crane 5000lbs EHC5 Crane	25350
48	6132DL44	6000 LBS Knapheid crane body with outriggers and spring build up	25250
48	ACEHC6	Auto Crane 6000 EHC6 Crane	26800
48	CVEXKEY	Spare Key for CV 515 w/embeded chip	95
48	GODWIN184U-9	9' Long 2 yard dump, manual tarp, 60" CA, 13" Fixed Sides, Elec Hoist	14000
48	GODWIN184U-11	11' Long 3 yard dump, manual tarp, 84" CA, 13" Fixed Sides, Elec Hoist	14900
48	PTC1096SFB	10' Flat Stake Body, 40" removable sides, 84" CA	6200
48	PTC1296SFB	12' Flat Stake Body, 40" removable sides, 84" CA	6800
48	PTC1696SFB	16' Flat Stake Body, 40" removable sides, 120" CA	8250
48	16CD	16' electric Contractor Dump (5yd), manual tarp & tail gate, 14" sides	14500
48	14DRYVAN	14'x96"x84" Dry Freight Body, 112" CA, Roll up Door, Alum Skin	9995
48	16DRYVAN	16'x96"x84" Dry Freight Body, 129" CA, Roll up Door, Alum Skin	10500
48	20DRYVAN	20'x96"x84" Dry Freight Body, 162" CA, Roll up Door, Alum Skin	12000
48	SAFETY	Triangles and 5 pound Fire Ext	200
48	MUDFLAPS	Mudflaps	100

48	TEMPTAG	Temp Tag	50
48	TRANSFERTAG	Transfer Tag	200
48	NEWTAG	New Tag	250
48	STROBE	4 Corner LED Strobe Lights includes switch	1500
48	BUC360	Dealer Installed Back up camera	1500
48	ELECTARP	Electric Tarp Option for Dump Bodies	1200
48	HDHOLDER	Heavy Duty Front Bumper Mounted Safety Cone & Water Cooler Holder Combo	850
48	ST529	Signalier T-529 articulating truck mounted aeial transvering platform	90500
48	VST36	Versalift VST 36 insulated articulated telescoping aerial devise	90000

INTERNATIONAL®

Prepared For: FLORIDA SHERIFFS ASSOCIATION Craig Chown 2617 Mahan Dr. Tallahassee, FL 32308-5448 (850)877 - 2165 Reference ID: Item 48 Presented By: Maudlin International Truck and Trailer Chuck Calhoun 2110 S. Division Ave. Orlando FL 32810 -(407)849-6440



Model Profile 2020 CV515 SFA (CV515)

AXLE CONFIG: APPLICATION: MISSION:	4X4 Service Body Requested GVWR: 17500. Calc. GVWR: 18000 Calc. Start / Grade Ability: 49.32% / 3.38% @ 55 MPH
DIMENSION:	Calc. Geared Speed: 102.2 MPH Wheelbase: 165.00, CA: 83.80, Axle to Frame: 49.00
ENGINE, DIESEL:	{International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1700 HS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max
AXLE, FRONT DRIVING:	{Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S14-110} Single Reduction, 13,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All- Position
TIRE, REAR:	(4) 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All- Position
SUSPENSION, REAR, SINGLE:	11,000-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100CX
	Location 1: 9219, Winter White (Std)
	Chassis schematic N/A

INTERNATIONAL®

Vehicle Specifications 2020 CV515 SFA (CV515)

Code	Description		<u>Tot Wt</u>
CV51500	Base Chassis, Model CV515 SFA with 165.00 Wheelbase, 83.80 CA, and 49.00 Axle to Frame.	(lbs) 4671/2886	(lbs) 7557
1ANB	AXLE CONFIGURATION {Navistar} 4x4	0/0	0
	<u>Notes</u> : Pricing may change if axle configuration is changed.		
1CGH	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL	40/33	73
1LRZ	BUMPER, FRONT Contoured, Steel, Painted Black	0/0	0
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)	0/0	0
2EWA	AXLE, FRONT DRIVING {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting	155/0	155
2WLC	AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints	0/0	0
3AJN	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 7,500-lb Capacity, with Shock Absorbers	8/0	8
4198	BRAKE SYSTEM, HYDRAULIC {Bosch} Split System, with Four Channel ABS, Traction Control, Hydromax Brake Booster and Master Cylinder	0/0	0
4EVD	DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes	0/0	0
4EVE	DUST SHIELDS, REAR BRAKE for Hydraulic Brakes	0/0	0
4GBJ	BRAKE, PARKING {Bosch} DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted	0/0	0
4XCU	BRAKES, FRONT {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity	0/0	0
4XCV	BRAKES, REAR {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle	0/0	0
5708	STEERING COLUMN Tilting	0/0	0
5CBG	STEERING WHEEL 4-Spoke; 15" Dia., Black	0/0	0
5PSS	STEERING GEAR {Bosch S2 8014 Plus} Power	0/0	0
6DHD	DRIVELINE SYSTEM {Dana Spicer} SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4	0/2	2
7BLL	EXHAUST SYSTEM Horizontal, Frame Mounted Right Side, Under Rail, for Single Exhaust	0/0	0
7SDS	ENGINE EXHAUST BRAKE for International 6.6 Engine	0/0	0
7XAA	MANUAL REGEN Capability	0/0	0
8002	ELECTRICAL SYSTEM 12-Volt for CV Model	0/0	0
	Includes : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		

Vehicle Specifications 2020 CV515 SFA (CV515)

Code	Description	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Lever	()	()
8GJA	ALTERNATOR {Denso SC2} Brush Type, 12 Volt, 150 Amp Capacity	0/0	0
8MVZ	BATTERY SYSTEM {VARTA} Maintenance-Free, (2) 12-Volt 1100CCA Total, Top Threaded Stud	0/0	0
8RNN	RADIO AM/FM/USB Input/Auxiliary Input/SD Card Slot, with 4.2" Color Touch Panel Display	0/0	0
8RNT	SPEAKERS (4)	0/0	0
8TUL	STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light	0/0	0
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8VVB	BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab	0/0	0
8XJN	HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights	0/0	0
8XJP	SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses	0/0	0
8XJV	CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab	0/0	0
8XJW	STARTING MOTOR 12 Volt	0/0	0
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9HBZ	GRILLE Molded in Dark Gray	0/0	0
9WAC	BUG SCREEN Mounted Behind Grille	0/0	0
9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction	0/0	0
9WBS	FENDER EXTENSIONS Molded in Black	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10WJG	SPECIAL RATING, GVWR Limited to 18,000-lb GVWR	0/0	0
10XAW	GVWR WEIGHT CLASSIFICATION Class 5 (16,001-19,500 lbs)	0/0	0
12GAD	ENGINE, DIESEL {International 6.6} EPA 2017, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)	0/0	0
	Includes : GLOW PLUG Automatic with Indicator Light : OIL FILTER, ENGINE Spin-On Type		
12TTM	FAN DRIVE Viscous Screw On Type, Rear Tether, Electronically Controlled	0/0	0
12VGC	AIR CLEANER Single Element, with Water Separator	0/0	0
12VHN	FEDERAL EMISSIONS {International 6.6} EPA, OBD and GHG Certified for Calendar Year 2020	0/0	0
12WUU	GOVERNOR Electronic Road Speed Type; with 75 MPH Default	0/0	0

Vehicle Specifications 2020 CV515 SFA (CV515)

<u>Code</u>	Description		<u>Tot Wt</u>
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	(lbs) 0/0	(lbs) 0
12XZD	RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 SqIn Louvered, with 578 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler	0/0	0
13AWX	TRANSMISSION, AUTOMATIC {Allison 1700 HS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max	0/0	0
13TLP	TRANSFER CASE {Meritor MTC-3203} 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control	153/35	188
	<u>Notes</u> : Transfer Case Includes 40W Synthetic Lube		
13WYY	SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming	0/0	0
13XAN	PTO LOCATION Customer Does Not Intend to Install PTO	0/0	0
14897	DIFFERENTIAL, LOCKING Torque Proportioning Limited Slip	0/0	0
14ACW	AXLE, REAR, SINGLE {Dana Spicer S14-110} Single Reduction, 13,500-lb Capacity, 190 Wheel Ends . Gear Ratio: 4.30	0/0	0
14SCG	SUSPENSION, REAR, SINGLE 11,000-lb Capacity, Vari-Rate Springs	0/0	0
15SZP	FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 25 US Gal (95L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Forward of Rear Axle	32/-69	-37
15WDZ	DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab	0/0	0
16030	CAB Conventional, Day Cab	0/0	0
	Includes : CAB DOOR LOCKS Power Door Locks All Doors : DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console : READING LIGHT, CAB Located in Overhead Console : STEP (2) One Per Door : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door		
16ACA	MIRROR, INSIDE REAR VIEW Omit	0/0	0
16BBA	GLASS, ALL WINDOWS Solar Absorbing, Tint	0/0	0
16CEM	COLOR, INTERIOR Dark Ash	0/0	0
16HCT	GAUGE CLUSTER English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information	0/0	0
16KVS	SEAT, DRIVER High Back with Integral Headrest, with Recline, Vinyl, Fixed Lumbar	0/0	0
16LVR	SEAT, TWO-MAN PASSENGER High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Vinyl, with Recline	0/0	0
16SPR	MIRRORS (2) Manual Folding and Extending, Black Heads and Arms, for 96" Load Width	0/0	0
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	0/0	0

INTERNATIONAL®

Vehicle Specifications 2020 CV515 SFA (CV515)

<u>Code</u>	Description	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: SUN VISOR (2) Vinyl		
16XCP	AIR BAG, FRONT, DRIVER SIDE	0/0	0
16XCR	AIR BAG, FRONT, PASSENGER SIDE	0/0	0
16XDE	AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag	0/0	0
16XDG	AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag	0/0	0
16XDH	AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides	0/0	0
16XZA	AIR CONDITIONER with Heater, Single Zone	0/0	0
27DTX	WHEELS, FRONT {Accuride 50180} DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/0	0
28DTX	WHEELS, REAR {Accuride 50180} DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/0	0
7789445436	(2) TIRE, FRONT 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All-Position	6/0	6
7789445436	(4) TIRE, REAR 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All-Position	0/12	12
	Cab schematic 100CX		
	Location 1: 9219, Winter White (Std)		
	Chassis schematic N/A		
	Services Section:		
40131	WARRANTY Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A	0/0	0
	Total Component Weight:	5065/2899	7964
	FSA fee	0/0	0
	Total Goods Purchased:	0/0	0

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.