

Alachua County Public Works Department

Ramon D. Gavarrete, P. E. Public Works Director

Public Works Ramon D. Gavarrete, P.E. Public Works Director

rgavarrete@alachuacounty.us

Tel: (352) 374-5245 Fax: (352) 337-6243

Fleet Management Gerald D. Bailey

Fleet Manager gbailey@alachuacounty.us

Tel: (386) 462-1975 Fax: (386) 418-0331

Solid Waste and Resource Recovery Patrick Irby

Acting Solid Waste and Resource Recovery Director pirby@alachuacounty.us

Tel: (352) 374-5213 Fax: (352) 337-6244

Administration Kenneth Fair, CPA, CGFO

Sr. Administrative Support Manager kfair@alachuacounty.us

Tel: (352) 374-5245 Fax: (352) 337-6244 August 14, 2019

MEMORANDUM

TO:

Larry M. Sapp, Purchasing Manager

FROM:

Ramon D. Gavarrete, P.E., Public Works Director

SUBJECT:

BID #20-42; Annual Purchase of Drainage Infrastructure

Our department has reviewed the responses submitted for the above referenced bids, and have determined that five bids are in compliance with the Department's bid documents and instructions. It is our recommendation that the bid be awarded to the first and second lowest responsible and responsive bidder for each type of pipe material. The award is recommended as outlined on the following pages.

Specific questions concerning the above bid may be referred to James Link at 352.548.1289.

Corrugated Metal Pipe Aluminized

- 1. Metal Culverts
- 2. Gulf Atlantic Culvert

Reinforced Concrete Culvert Pipe

- 1. Ferguson Water Works
- 2. County Materials

High Performance Storm Dual Wall Polypropylene (PP) Pipe

1. Ferguson Water Works

RDG:JF:jal

Brian Singleton

From:

Ramon Gavarrete

Sent:

Wednesday, August 21, 2019 9:10 PM

To:

Carl Smart; Gina Peebles; James Harriott; Mark Sexton; Michele Lieberman; Sylvia Torres;

Tommy Crosby

Cc:

Missy Daniels; Chris Bird; Brian Singleton; Carl P. Peeples; Cedrica Daniels; Charles Brecken; Gerald D. Bailey; James Flegert; James Link; Kenneth Fair; Kim Carter; Lalit

Lalwani: Michael Lucas; Neil Greishaw; Scott Travis; Thomas Strom; Timothy A. McKenzie

Subject:

RE: Delegation of Authority

To All,

Mom's recovery has been a very slow one and she hasn't been transferred to a Long Term Rehabilitation Center as of right now. We are told that it could happen tomorrow. When such event happens, I will need to be here to sign papers.

This is to advise you that I will be out of the office at least through Monday, September 2nd, 2019. I should be back at the office on Tuesday, September 3rd, 2019.

In my absence, Mr. Brian M. Singleton, P.E., Assistant Public Works Director, will have full signature authority.

I will have limited access to e-mail and cell phone messages during this time.

Sincerely,



Ramon D. Gavarrete, P.E.

Public Works Director/County Engineer Alachua County Public Works 5620 NW 120 Lane, Gainesville, Florida 32653 352.548.1214 (office) 863.381.6875 (cell) 352.337.6243 (Fax)

rgavarrete@alachuacounty.us













From: Ramon Gavarrete

Sent: Saturday, August 17, 2019 11:17 AM

To: Carl Smart <csmart@alachuacounty.us>; Gina Peebles <gpeebles@alachuacounty.us>; James Harriott

<jharriott@alachuacounty.us>; Mark Sexton <msexton@alachuacounty.us>; Michele Lieberman

<mli><mli>eberman@alachuacounty.us>; Sylvia Torres <STorres@alachuacounty.us>; Tommy Crosby

<tcrosby@alachuacounty.us>

Cc: Missy Daniels < MDaniels@AlachuaCounty.US>; Chris Bird < chris@alachuacounty.us>; Brian Singleton

<bsingleton@AlachuaCounty.US>; Carl P. Peeples <cpeeples@alachuacounty.us>; Cedrica Daniels

<cdaniels@alachuacounty.us>; Charles Brecken <cbrecken@alachuacounty.us>; Gerald D. Bailey

<gbailey@alachuacounty.us>; James Flegert <jflegert@alachuacounty.us>; James Link <jlink@alachuacounty.us>;

Kenneth Fair <kfair@alachuacounty.us>; Kim Carter <kcarter@alachuacounty.us>; Lalit Lalwani

<|lalwani@alachuacounty.us>; Michael Lucas <mlucas@alachuacounty.us>; Neil Greishaw

<ngreishaw@alachuacounty.us>; Scott Travis <stravis@alachuacounty.us>; Thomas Strom <tstrom@alachuacounty.us>;

Timothy A. McKenzie < tmckenzie@alachuacounty.us>

Subject: Delegation of Authority