



Item #69: Mack AN or G Series

TECHNICAL SPECIFICATION

ANTHEM 64T DAYCAB

CUSTOMER/VEHICLE INFO		DESCRIPTION	LIST PRICE
S	CHASSIS (BASE MODEL)	ANTHEM 64T DAYCAB	0
S	ASSEMBLY PLANT	Made in Macungie, PA USA	0
	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0
S	ORDER TYPE REQUIREMENTS	RETAIL OR STOCK - CUSTOM SPECIFICATIONS	0
	TYPE OF SERVICE	MUNICIPAL	0
S	WARRANTY REGISTRATION LOCATION	US - WARRANTY REGISTRATION LOCATION	0
S	INITIAL REGISTRATION LOCATION	ALL 50 STATES, CARB ENGINE EMISSION (US17 / US21 / ZERO EMISSION)	0
S	LANGUAGE-PUBS/DECAL/SIGNS	ENGLISH	0
	VEHICLE USE & BODY/TRAILER TYPE	FLATBED TRAILER	0
S	TRANSPORT CYCLE	LOCAL DISTRIBUTION	0
S	GROSS COMBINATION WEIGHT	80,000 LB (36 TONNES) GROSS COMBINATION WEIGHT	0
S	BRAKE REGULATION	BRAKE REGULATION, STOPPING DISTANCE 76M (250FT)	0
	TOPOGRAPHY	GRADES <3% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 8%	0
S	AMBIENT TEMP UPPER LIMIT (GTA)	AMBIENT TEMPERATURE HOT. WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR	0
	TERRAIN GRADE	TURNPIKE / INTERSTATE, STARTING / OPERATING GRADES 3% MAX	0
S	LOADING SURFACE	CONCRETE LOADING AND / OR UNLOADING SURFACE	0
	VEHICLE VOCATION	PICKUP & DELIVERY / SHORT HAUL SERVICE	0

ENGINE/TRANSMISSIONS		DESCRIPTION	LIST PRICE
	ENGINE PACKAGE, COMBUSTION	MP7-365C MACK 365HP @ 1400-1700 RPM (PEAK) 1950 RPM (GOV) 1460 LB-FT, US'17	734
S	GEAR SELECTION TUNING	BASIC, GEAR-SELECTION TUNING	0
S	GHG APPLICATION, VEHICLE	GREEN HOUSE GAS HIGHWAY APPLICATION	0
	TRANSMISSION	FULLER FRO-14210C (12.69/0.74)	-876
S	GEARBOX 12TH GEAR LOCK-OUT	WITHOUT 12TH GEARBOX GEAR LOCK-OUT	0

EXHAUST/EMISSIONS		DESCRIPTION	LIST PRICE
S	CARB 2008 IDLE REGULATION	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOWER LH CORNER / DRIVER DOOR	0
S	DPF DIESEL PARTICULATE FILTER	CLEARTECH ONE BOX E.A.T.S. RH SIDE UNDER CAB US17 / US21	0
S	CHASSIS MOUNTED EMISSIONS FINISH	PAINTED DEF & DPF TANK COVER	0
S	DEF TANK	18.4 GALLON (70 L) 26" LEFT SIDE FRAME MOUNTED	0
S	AD-BLUE TANK VENTILATION FILTER	WITHOUT DEF TANK VENTILATION FILTER	0
S	EXHAUST	SINGLE VERTICAL RIGHT SIDE OUTBOARD MOUNTED STRAIGHT EXHAUST STACK TURNED OUT END	0
S	EXHAUST STACK HEIGHT	11' 6" FROM GROUND	0
S	EXHAUST SYSTEM MATERIAL FINISH	W/O BRIGHT FINISH EXHAUST	0
	EMISSION ON BOARD DIAG CONTROL	EMISSION OBD, DISPLAY ONLY, USA2020	0

ENGINE EQUIPMENT		DESCRIPTION	LIST PRICE
S	AIR CLEANER	UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR INTAKE FROM BOTH SIDES OF HOOD	0
S	BUG SCREEN	BLACK ALUMINUM BUG SCREEN MOUNTED BEHIND GRILLE, WITHOUT WINTER FRONT COVER	0
	AIR COMPRESSOR/DRYER	BENDIX HEATED AD9 AIR DRYER W/ WABCO 318 (18.7 CFM) AIR COMPRESSOR	264
S	ALTERNATOR	DELCO 12V 130A (24SI) BRUSH-TYPE	0
S	BATTERIES	(3) MACK 12V 650/1950 CCA THREADED STUD TYPE	0
S	BATTERY BOX - MOUNTING	LH RAIL UNDER CAB, PARALLEL TO FRAME W/STEPS, W/AIR RESERVOIR MOUNTED BELOW (4 BATTERY MAX)	0
S	BATTERY BOX COVER	MOLDED PLASTIC	0
	BATTERY SHOCK PADS	W/O BATTERY SHOCK PADS	-5
S	STARTER MOTOR	12 VOLT DELCO 39MT-MXT	0
	ENGINE BRAKE	W/O ENGINE BRAKE	-204
S	ENGINE BRAKE LIGHTING (CA)	VEHICLE AND TRAILER (IF APPLICABLE) STOP LAMPS ACTIVATE UPON SERVICE BRAKE APPLICATION ONLY(3899000)	0
S	FAN DRIVE	BEHR FAN AND ELECTRONIC MODULATING VISCOUS FAN DRIVE	0
S	COOLANT PROTECTION	ETHYLENE GLYCOL FULLY FORMULATED COOLANT (50/50 MIX DYED PINK) TO -34DEG, W/ FILTER	0
S	HOSES - RADIATOR/HEATER	MACK EPDM RADIATOR & HEATER HOSES	0
S	FUEL-WATER SEPARATOR	MACK W/MANUAL DRAIN VALVE W/ HOT RECIRCULATION (INTEGRAL W/ PRIMARY FUEL FILTER)	0
S	PRIMARY FUEL FILTER POSITION (CA)	STANDARD FUEL FILTER POSITION	0
S	ENGINE HEATERS	W/O STARTING AID + W/O BLOCK HEATER + W/O OIL PAN HEATER	0
S	OIL PAN	OIL PAN	0
S	TETHER DEV PKG, CAPS & COVERS	FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK	0
S	ENGINE STOP, EMERGENCY (CA)	WITHOUT ENGINE STOP, EMERGENCY	0

CLUTCH/TRANS EQUIPMENT		DESCRIPTION	LIST PRICE
	GEAR SHIFTER	EATON/FULLER SHIFTER	0
	CLUTCH	EATON ADVANTAGE EZ-PEDAL 9-SPRING,2PLATE 15.5" CERAMIC 4 PADDLES, MANUAL ADJUST	-72
	CLUTCH ACTUATION SYSTEM & PEDAL PAD	MECHANICAL CLUTCH CABLE SYSTEM WITH RUBBER PEDAL	215
S	DRIVELINE - MAIN	MERITOR RPL25 W/PERMALUBE U-JOINTS (PROPS-M)	0
S	DRIVELINE - INTERAXLE	MERITOR RPL20 W/PERMALUBE	0
S	PROPELLR SHAFT MAIN, UNVSL JNT	UNIVERSAL JOINT HALF-ROUND TYPE	0

CLUTCH/TRANS EQUIPMENT		DESCRIPTION	LIST PRICE
S	PROP SHAFT INTERAXL UNIV JOINT	HALF-ROUND UNIVERSAL JOINT	0
S	TRANSMISSION OUTPUT TORQUE	TRANSMISSION OUTPUT TORQUE BASIC	0
S	BELL HOUSING	ALUMINUM	0
S	LUBRICANTS, TRANSMISSION	SYNTHETIC OIL IN TRANSMISSION	0
	TRANSMISSION OIL COOLER	TRANS OIL COOLER (INTEGRAL OIL PUMP)	0
FRONT AXLE EQUIPMENT		DESCRIPTION	LIST PRICE
S	FRONT AXLE	12000# (5400 KG) MACK FXL12 STRAIGHT SPINDLE/UNITIZED BEARINGS	0
S	SPRINGS - FRONT	MACK TAPERLEAF HD 12000# (5400 KG) GROUND LOAD RATING, EQUAL BIAS	0
S	FRONT STABILIZER	WITHOUT FRONT STABILIZER	0
S	FRONT AXLE BRAKES	MERITOR "S" CAM TYPE 16.5" x 5" Q+	0
S	BRAKE, FRONT	CAST IRON	0
S	FRONT BRAKE ADJ. MANUFACTURE	HALDEX - AUTOMATIC	0
S	FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTURER, HALDEX	0
	HUB MATERIAL, FRONT	FERROUS	-63
S	STEERING	TRW TAS-65 INTEGRAL POWER	0
S	FRONT SUSP MAINTENANCE	MAINTENANCE FREE, RUBBER SPRING EYE BUSHINGS	0
S	LUBRICANTS, FRONT AXLE	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE	0
REAR AXLE EQUIPMENT		DESCRIPTION	LIST PRICE
S	REAR AXLES - TANDEM	40000# (18100kg) MERITOR MT40-14X4C AMBOID (HIGH ENTRY)	0
S	REAR AXLE CASING WIDTH	W/O WIDE TRACK AXLE	0
S	CARRIER - REAR AXLE	VENDOR CARRIER	0
	REAR AXLE RATIO	3.70 RATIO	0
S	REAR SUSPENSION - TANDEM	MAXLITE 40 EZ (GEN 2) 40000#	0
S	BOGIE SPREAD, REAR	52" AXLE SPACING (BOGIE WHEELBASE)	0
S	SUSPENSION LEVELLING DEVICE	ELECTRICAL REGULATION LEVELING DEVICE	0
S	AIR SUSPENSION DUMP WARNING	AIR SUSPENSION DUMP, SPEED LIMITED, WARNING INDICATOR & BUZZER	0
S	REAR SHOCK ABSORBER	REAR SHOCK ABSORBER	0
S	TRANSVERSE TORQUE RODS, R SUSP	TRANSVERSE TORQUE ROD - ALL AXLES	0
S	AUX.SPRING BRAKE QTY	(2) DOUBLE DIAPHRAGM TYPE, MECHANICAL SPRING RELEASE	0
S	BRAKES - REAR	MERITOR "S" CAM - 16.5"x7" Q+ LIGHTWEIGHT BRAKE STAMPED STEEL SPIDERS (Total for QTY = 2)	0
S	BRAKE, DRIVE, REAR	CAST IRON	0
S	REAR BRAKE ADJ MANUFACTURE	HALDEX - AUTOMATIC (Total for QTY = 2)	0
	REAR BRAKE CHAMBER SIZE	REAR SPRING BRAKE CHAMBERS 30/30 TYPE	0
S	REAR BRAKE CHAMBER	HALDEX GOLD SEAL (3" STROKE) BRAKE CHAMBERS (Total for QTY = 2)	0
	HUB MATERIAL, DRIVE	IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT	-42
S	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	0
S	LUBRICANTS, REAR AXLE(s)	FACTORY OPTION LUBE - REAR AXLE	0
S	ANTILOCK BRAKE SYSTEM	MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/ESP W/YAW CONTROL 4S4M	0
S	BRAKE VALVE VERSION	BENDIX SWITCHES AND VALVES WHERE POSSIBLE	0

FRAME EQUIPMENT/FUEL TANKS		DESCRIPTION	LIST PRICE
	WHEELBASE	187"	0
S	AF (OVERHANG)	56"	0
S	FRAME RAILS & LINERS	6 x 90 x 266mm - (0.24" x 3.54" x 10.47"); RBM 1,390,000 LB-IN	0
S	CROSSMEMBERS	STEEL	0
	REAR CROSSMEMBER OPTIONS	BOXED AND TAPERED CROSSMEMBER	0
	REAR FRAME TREATMENT	TAPERED AND FLANGED RAIL ENDS (28 deg.)	0
S	FRONT BUMPER	AERODYNAMIC, PAINTED, WITH BLACK ACCENT	0
S	GUARD	SKID PLATE UNDER BUMPER AND RADIATOR	0
S	FUEL LEVEL SENDER UNIT, LIQUID	BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK	0
	FUEL TANK - LH	72 GALLON (275 L) 26" ALUMINUM ROUND	-75
S	FUEL TANK - RH	W/O RH FUEL TANK	0
S	FUEL HOSES, LIQUID	NYLON TUBE	0
S	FUEL FILLER NECK OPTIONS	WITHOUT FILLER NECK SCREEN, WITH NON-LOCKABLE FUEL TANK CAP	0
	FUEL LINE OPTIONS, LIQUID	W/O FUEL LINE OPTION	-107
S	CAB INSTEP VERSION	STANDARD 2 STEP CAB ACCESS	0
S	FUEL FILL SYSTEM, LIQUID	W/O FAST FILL FUEL SYSTEM OPTION	0

AIR/BRAKE		DESCRIPTION	LIST PRICE
S	AIRTANK DRAIN VALVE	MANUAL DRAIN VALVES, WITH LANYARD ON SUPPLY TANK ONLY	0
S	AIRTANK MATERIAL	STEEL	0
S	AIR DRYER POSITION (CA)	W/O RELOCATION OPTION	0
S	RELOCATE AIR RESERVOIRS	W/O RELOCATED AIR TANKS	0
S	PARKING BRAKE VALVE	TWO (2) VALVE DUAL BRAKE SYSTEM - TRAILER SUPPLY AND TRACTOR-TRAILER PARK	0

ELECTRICAL		DESCRIPTION	LIST PRICE
	BACK-UP ALARM	ECCO BACK-UP ALARM 575 CONSTANT SOUND LEVEL 107 dB	108
S	ROOF MARKER LIGHT	(5) TRUCKLITE CHROME BULLET ROOF MARKER & TRUCKLITE SIDE MARKER LAMPS	0
S	DAYTIME RUNNING LIGHTS	DRL WHEN ENGINE RUNNING & PARK BRAKE OFF	0
	TAIL LAMPS	INCANDESCENT TAIL LAMPS	-138

TRAILER CONNECTIONS		DESCRIPTION	LIST PRICE
	FIFTH WHEEL	FIXED - JOST JSK-37USL-DB SERIES, LH RELEASE (AVAIL: 5.87",6.85",7.83",8.86",10.83",11.89")	-369
	5TH WHEEL MOUNTING BRACKETS	STATIONARY 5TH WHEEL MTG, 0" TO 24"OFFSET, 2" SPACING	0
S	FIFTH WHEEL ANGLE MATERIAL	STEEL FIFTH WHEEL ANGLES	0
S	5TH WHEEL ANGLE THICKNESS	5TH WHEEL ANGLE, 10MM THICKNESS	0
S	5TH WHEEL OFFSET	50" BOGIESPREAD = -1" OFFSET, 52" BS = 0", 54" BS = 1", 55" BS = 1.5", 4x2 = - 26"	0
	GROUND TO 5TH WHEEL TOP HGT.	1170MM (46") GROUND TO 5TH WHEEL TOP HEIGHT	0
	FIFTH WHEEL LEG-HEIGHT (KAX Result)	149MM (5.85") FIFTH WHEEL LEG-HEIGHT (SELECTED BY KAX)	0
S	TRAILER GLAD HAND COUPLINGS	GLAD HAND COUPLINGS - NORTH AMERICAN STD	0
S	TRAILER BRAKE VALVE	HAND CONTROL VALVE FOR TRAILER BRAKES W/ AIR CONNECTIONS OR SERVICE BRAKES W/O AIR CONNECTIONS	0
S	TRAILER CONNECTION POSITION	TRAILER AIR BRAKE CONNECTIONS, BACK OF CAB	0

TRAILER CONNECTIONS		DESCRIPTION	LIST PRICE
S	TRAILER ACCESS PACKAGE	LOW PROFILE DECK PLATE	699
S	TRAILER BRAKE HOSEHANGER	HOSE TENDER, POGO STICK (CHASSIS MOUNTED)	0
S	TRAILER ELECTRICAL RECEPT	SINGLE, 7 PINS STD SAE TYPE, BACK OF CAB	0
S	TRAILER BRAKE HOSES & CABLES	TRAILER AIR HOSES (12' NON-COILED TYPE)	0
S	TRAILER ELECTRICAL CABLE CONFIG	TRAILER ELECTRICAL CORD (12' NON-COILED TYPE)	0
S	TRAILER CONNECTORS HOLDER	ELECTRICAL PLUG HOLDER (INCLUDES GLAD HAND STORAGE)	0

PTO		DESCRIPTION	LIST PRICE
S	PTO TRANS NEUTRAL CONTRL CHECK	W/O NEUTRAL CONTROL	0

SPECIALTY EQUIPMENT		DESCRIPTION	LIST PRICE
	COLLISION WARNING SYSTEM - FRONT/SIDE (ACC)	W/O COLLISION WARNING SYSTEM	-2,318
S	BLINDSPOT DETECTION ALARM	WITHOUT BLINDSPOT DETECTION AUDIO ALARM DISABLE	0
	SPEED LIMIT SIGN RECOGNITION	WITHOUT SPEED LIMIT SIGN RECOGNITION	-137
	LANE SUPPORT SYSTEM	WITHOUT LANE DEPARTURE SYSTEM	-1,043
	LANE SUPPORT SYSTEM (LSS)	WITHOUT LANE DEPARTURE SYSTEM	-70
S	DATA CAPTURE	WITHOUT DATA CAPTURE	0
S	AUXILIARY POWER UNIT	WITHOUT AUXILIARY POWER UNIT	0

CAB INTERIOR (A THRU G)		DESCRIPTION	LIST PRICE
S	GAUGES - UNIT OF MEASURE	U.S. UNITS (PREDOMINANT)	0
S	AIR CONDITIONING/HEATER	BLEND AIR HVAC W/"ATC" TEMP REGULATION	0
S	DOME LAMP, INTERIOR	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	0
S	FLOOR COVERING	POLYURETHANE FLOOR MAT WITHOUT REMOVABLE INSERTS	0

CAB INTERIOR (H THRU R)		DESCRIPTION	LIST PRICE
S	INSTMNT CLUSTER LANGUAGE	DEFAULT: ENGLISH, SPANISH, FRENCH	0
S	KEY TYPES FOR DOORS	ALL CHASSIS KEYED AT RANDOM	0
S	DOOR OPENING OPTIONS	W/O ELECTRONIC KEYLESS ENTRY	0
S	AUDIO ACCOMMODATION	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOTH	0
S	ANTENNA - RADIO	48" ANTENNA RIGHT SIDE MIRROR MOUNTED	0
	AUDIO SHUTOFF	W/O AUTO RADIO SHUTOFF OPTION	-69
S	POWER LEADS	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE	0
S	AUDIO SPEAKER LOCATION	SPEAKER LOCATION, IN DOORS, MIDDLE HIGH SIDE PANEL	0
S	COM.RADIO PREP KIT (CB)	MOUNTING PLATE AND VELCRO STRAP IN HEADER CONSOLE	0
S	AUXILIARY REAR WINDOW	REAR WINDOW (FIXED TYPE)	0
S	REAR WALL STORAGE COMPARTMENT	STORAGE POUCH REAR	0

CAB INTERIOR (S THRU Z)		DESCRIPTION	LIST PRICE
S	INTERIOR TRIM LEVELS	STANDARD PACKAGE, STEEL GRAY (Package 11A)	0

CAB INTERIOR (S THRU Z)		DESCRIPTION	LIST PRICE
S	SEAT - DRIVER'S	MACK-AIR, HIGH BACK, 1 CHAMBER AIR LUMBAR	0
S	SEAT COVERING - DRIVER'S	DRIVER'S SEAT - STEEL GREY VINYL	0
S	SEAT - PASSENGER'S	MACK-FIXED, HIGH BACK	0
S	SEAT COVERING - PASSENGER'S	PASSENGER'S SEAT - STEEL GREY VINYL	0
	SEAT ARMREST	W/O ARM RESTS	-50
	SEAT BELT(S)	LAP & SHOULDER (BOTH SEATS) ORANGE IN COLOR	-42
	SEAT BELT REMINDER	WITHOUT SEAT BELT REMINDER	-51
S	IGNITION TYPE	KEY TYPE	0
	STEERING WHEEL	2 SPOKE URETHANE GRIP, GUNMETAL SPOKES, W/O SWITCHES	-28
S	WINDSHIELD TYPE	TWO PIECE WINDSHIELD	0
S	CAB GLASS	TINTED WINDSHIELD & SIDE WINDOWS & REAR WINDOW (IF EQUIPPED)	0
S	WINDSHIELD WIPERS	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	0

CAB EXTERIOR		DESCRIPTION	LIST PRICE
S	EMBLEMS OPTION	W/O MISC ORNAMENT CHANGE OPTION	0
S	AIR INTAKE GRILL / HOOD LATCH - FINISH	ANTHEM BOLD BLACK EXTERIOR TRIM PACKAGE	0
S	PASSENGER SIDE VISIBILITY OPTIONS	AUXILIARY WINDOW IN RH DOOR	0
S	FRONT WHEEL OPENING	BASIC FRONT WHEEL OPENING	0
S	GRAB HANDLES	PREMIUM BLACK EXTERIOR CAB GRAB HANDLE, BLACK GRAB HANDLE RH INTERIOR WINDSHIELD POST	0
	HORN - AIR	(1) MACK RECTANGULAR SINGLE TRUMPET	-18
S	HORN - ELECTRICAL	SINGLE TONE	0
	MIRRORS - EXTERIOR	AERO MIRROR - BODY COLOR, WIDE ANGLE both sides, W/O LAMPS	-288
	MIRROR - CONVEX HOOD & FENDER	CONVEX AERODYNAMIC HOOD MIRROR, RH & LH (COLOR BASED ON 152 SELECTION)	339

AERODYNAMIC DEVICES		DESCRIPTION	LIST PRICE
S	CAB AERODYNAMIC PACKAGES	WITHOUT CAB AERO AIDS	0
S	FRONT CHASSIS AERODYNAMIC PACKAGE	WITHOUT FRONT AERODYNAMIC FAIRINGS	0

WHEELS & TIRES		DESCRIPTION	LIST PRICE
S	TIRES BRAND/TYPE - FRONT	11R22.5 G BRIDGESTONE R268 ECOPIA (12350 lbs) (Total for QTY = 2)	0
S	GHG STEER TIRE CATEGORY (PAWS)	LOW ROLLING RESISTANCE, BETTER FUEL ECONOMY	0
S	WHEELS - FRONT	22.5x8.25 ALCOA ULTRA ONE CLEAN BUFFED ALUM, 5.81" INSET, 10 HOLE HUB PILOTED (Total for QTY = 2)	0
	TIRES BRAND/TYPE - REAR	11R22.5 G BRIDGESTONE R268 ECOPIA (23360 lbs) (ALL POSITION) (Total for QTY = 8)	-112
	GHG DRIVE TIRE CATEGORY (PAWS)	LOW ROLLING RESISTANCE, BETTER FUEL ECONOMY	0
S	WHEELS - REAR	22.5x8.25 ALCOA ULTRA ONE CLEAN BUFFED ALUM, , 6.60" OFFSET, 10 HOLE HUB PILOTED (Total for QTY = 8)	0
S	DRIVE WHEEL STUDS	DRIVE WHEEL STUDS LONGER LENGTH	0
S	TIRE INFLATION VALVE	STANDARD VALVE STEMS AND CAPS	0
S	FRONT HUB/WHEEL TRIM	WITHOUT FRONT HUB/WHEEL TRIM	0
S	REAR HUB/WHEEL TRIM	WITHOUT REAR HUB/WHEEL TRIM (Total for QTY = 2)	0
	AUXILIARY HUB/WHEEL TRIM	WITHOUT AUXILIARY HUB/WHEEL TRIM	0
S	WHEEL NUT & FINISH, FRONT	WHEEL NUT BASIC FINISH, FRONT	0

WHEELS & TIRES		DESCRIPTION	LIST PRICE
S	WHEEL NUT FINISH, REAR (CA)	WHEEL NUT BASIC FINISH, REAR	0

COMMUNICATION SYSTEMS		DESCRIPTION	LIST PRICE
S	CO-PILOT - DISPLAY FEATURES ACCESS LEVEL	CO-PILOT DISPLAY, DRIVER ACCESS LEVEL 1	0
S	TELEMATIC GATEWAY	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC SERVICES	0

ENGINE ELECTRONICS		DESCRIPTION	LIST PRICE
S	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN	0
S	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN	0
S	ENGINE PROTECTION SYSTEM	ENGINE PROTECTION (SHUTDOWN)	0
S	ENGINE IDLE CONTROL	IDLE CONTROL, 650 RPM	0
S	SMART IDLE ELEVATED IDLE RPM TIME	INCREASE 10 MINUTE MAXIMUM TIME	0
S	IDLE S/D ABS TAMPER CHECK	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	0
S	IDLE S/D IF WARM-UP TEMP	38C DEG (100F), WARM UP TEMP DELAY	0
S	IDLE S/D WARM-UP TIMER	5 MIN. WARM UP TIME DELAY	0
S	IDLE SHUTDOWN IF POWER > LIMIT	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	0
S	IDLE S/D OVERRIDE %ENGINE LOAD	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	0
S	AMBIENT TEMP MIN TRESHOLD	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	0
S	AMBIENT TEMP MAX TRESHOLD	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	0
S	EL HD THROTTLE,MAX ROAD SPEED	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KM/H (10 MPH)	0
	EL HAND THROTTLE,MAX ENG SPEED	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	0
S	EL HAND THROTTLE,MIN ENG SPEED	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	0

TRANSMISSION ELECTRONICS		DESCRIPTION	LIST PRICE
S	ECONO ROLL	ECONO ROLL DISABLE mDRIVE (REQUIRED FOR ALL OTHER TRANSMISSIONS)	0
S	TRANSMISSION ELECTRONICS PACKAGE	W/O ELEC TRANS PACKAGE OPTION (all non-Allison transmissions)	0
S	TRANSMISSION ELECTRONIC SHIFTING PROPERTIES	W/O ALLISON FUELSENSE 2.0 PROGRAMMING	0

VEHICLE ELECTRONICS		DESCRIPTION	LIST PRICE
S	CRUISE CONTROL	CRUISE CONTROL	0
S	CRUISE CONTROL, MAX SPEED	MAX CRUISE, 105 KPH (65 MPH)	0
S	CRUISE CONTROL MIN SPEED	MIN CRUISE, 32 KPH (20 MPH)	0
	PEDAL RSL SETTING	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)	0
S	ROAD SPEED LIMITER SETTING	105 KM/H ROAD SPEED LIMITER(65 MPH)	0
S	ROAD SPEED LIMIT CONTROL TYPE	RSL CONTROL TYPE NORMAL	0
S	PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KM/H (5MPH)	0
	MAXIMUM ENG SPEED AT 0 MPH	1950 MAXIMUM ENGINE SPEED AT 0 MPH	0
S	DETECTION SPEED SENSR TMRNG	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	0

VEHICLE ELECTRONICS		DESCRIPTION	LIST PRICE
S	ENG TORQUE LIMIT,SPEED SENSOR	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	0
S	DRIVER ID FUNCTION	DRIVER ID FUNCTION, DISABLED	0
S	DR PERFORMANCE PARAMETERS	WITHOUT DRIVER PERFORMANCE PARAMETERS	0
S	ENGINE OVERSPEED,ALL COND, LOG	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	0
S	ENGINE OVERSPEED,FUELED, LOG	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	0
S	VEHICLE OVERSPEED,ALL COND,LOG	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	0
S	VEHICLE OVERSPEED, FUELED, LOG	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	0
S	ENGINE IDLE DELAY TO LOG	ENGINE IDLE DELAY TO START LOG, 2 MIN	0
S	PERIODIC TRIP LOG DAY OF MONTH	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	0

PAINT		DESCRIPTION	LIST PRICE
S	PAINT DESIGN	SINGLE COLOR	0
S	PAINT TYPE	SOLID PAINT	0
S	PAINT COLOR - FIRST COLOR	MACK WHITE; P9188	0
S	PAINT COLOR - SECOND COLOR	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	0
S	PAINT COLOR - THIRD COLOR	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	0
S	PAINT - CAB PAINT SYSTEM	PAINT - CAB, URETHANE CLEAR COAT	0
S	CAB COLOR	SAME AS FIRST COLOR - CAB	0
S	HOOD COLOR	SAME AS FIRST COLOR - HOOD	0
S	MIRROR COVER COLOR	SAME AS FIRST COLOR - MIRROR COVER	0
S	ROOF FAIRING COLOR	WITHOUT ROOF FAIRING	0
S	CHASSIS RUNNING GEAR	MACK BLACK (URETHANE)	0
S	BUMPER	SAME AS FIRST COLOR - BUMPER	0
S	FUEL TANK - ***NO INVENTED VARIANTS ALLOWED in the FUEL TANK PAINT FAMILY***	W/O OPTIONAL FUEL TANK PAINT	0
S	HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNING GEAR	0
S	HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR	0

CALCULATED CODES - KAX		DESCRIPTION	LIST PRICE
S	PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULATED	0
	AUTO ROUTING & CLIPPING, CENTER	AUTOMATIC ROUTING & CLIPPING PLACEMENT, CENTER SECTION	0

BASE WARRANTY & PURCHASED COVERAGES		DESCRIPTION	LIST PRICE
S	VEHICLE WARRANTY TYPE	NORMAL DUTY WARRANTY CLASSIFICATION	0
S	BASIC CHASSIS COVERAGE	NORMAL DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000KM)	0
S	ENGINE WARRANTY	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES (402,000KM)	0
S	EMISSION COMPONENT COVERAGE	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE 60 MONTHS/100,000 MILES (161,000 KM)	0
	TRANSMISSION WARRANTY	36/350K MI: EATON TRANSMISSION STANDARD NORMAL AND HEAVY DUTY COVERAGE	0
S	CARRIER & AXLE HOUSING WARRANTY	STANDARD VENDOR NORMAL / HEAVY DUTY COVERAGE 36 MONTHS/350,000 (563,00 KM)	0
S	AIR CONDITIONING WARRANTY	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE	0

BASE WARRANTY & PURCHASED COVERAGES		DESCRIPTION	LIST PRICE
S	CHASSIS TOWING WARRANTY	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000 MILES	0
S	ENGINE TOWING WARRANTY	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES (402,000 KM)	0
S	GUARDDOG CONNECT BUNDLE	24 MONTH - GUARDDOG CONNECT WITH MACK OTA (with ASIST and Mack OneCall))	0
S	PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION	W/O PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION COVERAGE	0

Z - TO BE DISCONTINUED - GOING OBSOLETE		DESCRIPTION	LIST PRICE
S	PAINTED DISC WHEELS, FRONT	WITHOUT PAINT	0
S	PAINTED DISC WHEELS, REAR	WITHOUT PAINT	0

ADDITIONAL ENGINEERING (NonApproved)		DESCRIPTION	LIST PRICE
CA			0

